




REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	2006/02/03	A.G.
B		UPDATED	2007/03/07	A.G.

P/N U77-A431X-2001 SHOWN

P/N U77-A231X-2001 SHOWN

P/N U77-A631X-2001 SHOWN

MATERIAL (RoHS COMPLIANT)

CAGE:
COPPER ALLOY

PLATING:
100 u" [2.54um] MIN NICKEL

PACKAGING:
TRAY PACKAGING

TEMPERATURE RANGE:
-40 ° C TO 85 ° C

AMPHENOL PART NUMBER CONFIGURATION
U77-A X 3 1 X-2 0 0 1


NUMBER OF PORTS
2 = 2 PORTS
4 = 4 PORTS
6 = 6 PORTS

MOUNTING
0 = STANDARD
4 = REAR PRESS-FIT PINS

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MELLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.15 ± 1° X.XX ± 0.10		APPROVALS	DATE	Amphenol Canada Corp. TITLE SFP-IPF INLINE CAGE	
		DRAWN M.D.LONG	2006/02/03		
		DESIGNED M.D.LONG	2006/02/03		
		CHECKED J.SI	2006/02/03		
MATERIAL AND FINISH SEE NOTE		QA APPD		SIZE A4 SCALE 3:2	
REF.		IE APP'D			
CODE IDENT. NO. 03554		DWG APP'D A.GREEN	2006/02/03		
				DWG. NO. P-U77-AX31X-2001	REV. B
				PROJECT	SHEET 1 OF 6



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	2006/02/03	A.G.
B		UPDATED	2007/03/07	A.G.



U77-A4310-2001 SHOWN



U77-A4314-2001 SHOWN


PART NUMBER	A	B
U77-A231X-2001	29.25[1.151]	30.55[1.203]
U77-A431X-2001	57.75[2.274]	59.05[2.325]
U77-A631X-XX0X	86.25[3.396]	87.55[3.447]

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS ANGLES X.X ± 0.15 ± 1° X.XX ± 0.10		APPROVALS		DATE		Amphenol Canada Corp. TITLE SFP-IPF INLINE CAGE					
		DRAWN M.D.LONG		2006/02/03							
		DESIGNED M.D.LONG		2006/02/03							
		CHECKED J.SI		2006/02/03							
MATERIAL AND FINISH		QA APPD				SIZE A4 DWG. NO. P-U77-AX31X-2001 REV. B					
REF.		IE APP'D									
CODE IDENT. NO.		DWG APP'D A.GREEN		2006/02/03		SCALE 1:1		PROJECT		SHEET 2 OF 6	
03554											

DO NOT SCALE DRAWING


THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

SEE PAGE 1



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	2006/02/03	A.G.
B		UPDATED	2007/03/07	A.G.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE: DECIMALS X.X ± 0.15 X.XX ± 0.10 ANGLES ± 1° MATERIAL AND FINISH REF. CODE IDENT. NO.		APPROVALS DRAWN M.D.LONG DESIGNED M.D.LONG CHECKED J.SI QA APPD IE APP'D DWG APP'D A.GREEN	DATE 2006/02/03 2006/02/03 2006/02/03 2006/02/03	Amphenol Canada Corp. TITLE SFP-IPF INLINE CAGE	
SEE PAGE 1		SIZE A4 SCALE 3:2		DWG. NO. P-U77-AX31X-2001	REV. B
03554		PROJECT		SHEET 3 OF 6	



REVISIONS				
REV.	ECN	DESCRIPTION	DATE	APPROVED
A		PROPOSAL	2006/02/03	A.G.
B		UPDATED	2007/03/07	A.G.

$\varnothing 0.95 \pm 0.05 [.037 \pm 0.002]$
18 PLACES
 $\varnothing 0.1 [.004] (M) Z(S)$

($\varnothing 0.95 [.037]$ 3 PLC)
35 [1.378]
32.50 [1.280]
31.95 [1.258]
27.50 [1.083]
25 [.984]
24.85 [.978]
22.80 [.898]
15 [.591]
10.65 [.419]
5 [.197]
3.55 [.140]
0 [.000]


Y
BSC
($\varnothing 0.95 [.037]$ 3 PLC)
38.38 [1.511]
32.5 [1.280]
30.9 [1.217]
30 [1.181]
28.4 [1.118]
27.5 [1.083]
22.8 [.898]
21.3 [.839]
20 [.787]
10 [.394]
7.1 [.280]
0 [.000]
4.50 [.177]
 $\varnothing 1.05 \pm 0.05 [.041 \pm 0.002]$
 $\varnothing 0.1 [.004] (S) X Y$
-Z-
0 [.000]
5.68 [.224]
8.58 [.338]
11.08 [.436]
14.25 [.561]
19.93 [.785]
22.83 [.899]
25.33 [.997]
28.50 [1.122]
34.18 [1.346]
37.08 [1.460]
42.75 [1.683]
48.43 [1.907]
51.33 [2.021]
53.83 [2.119]
57 [2.244]
0 [.000]
2.33 [.092]
7.13 [.281]
11.93 [.469]
16.58 [.653]
21.38 [.842]
26.18 [1.031]
30.83 [1.214]
35.63 [1.403]
40.43 [1.592]
45.08 [1.775]
49.88 [1.964]
54.68 [2.153]


RECOMMENDED SFP HOST BOARD LAYOUT
FOR P/N U77-A431X-2001

DO NOT SCALE DRAWING

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION AND SUCH INFORMATION MAY NOT BE DISCLOSED TO OTHERS FOR ANY PURPOSE OR USED FOR MANUFACTURING PUPOSES WITHOUT PERMISSION FROM AMPHENOL CANADA CORP.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS TOLERANCES ARE:		APPROVALS		DATE		Amphenol Canada Corp.			
DECIMALS		DRAWN M.D.LONG		2006/02/03		TITLE 			





Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9