

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -




ALL RIGHTS RESERVED.


REVISIONS

| P | LTR | DESCRIPTION   | DATE      | DWN | APVD |
|---|-----|---------------|-----------|-----|------|
|   | A   | INITIAL       | 25MAY2015 | DW  | CW   |
|   | A1  | ECR-18-010109 | 07JUL2018 | CD  | CW   |
|   | A2  | ECR-18-018360 | 28NOV2018 | GY  | CW   |
|   |     |               |           |     |      |

NOTES:  
I. TECHNICAL CHARACTERISTICS:  
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
I. 技术参数:  
上壳材料: 铝合金  
表面处理: 粉末涂层, 灰色  
防护等级: IP65 (配合)




|                                                                                       |  |                                |                                                                                                       |                    |                    |
|---------------------------------------------------------------------------------------|--|--------------------------------|-------------------------------------------------------------------------------------------------------|--------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  | DWN<br>David Wang<br>25MAY2015 |  TE Connectivity |                    |                    |
| DIMENSIONS:<br>mm                                                                     |  | CHK<br>Chris Wang<br>25MAY2015 |                                                                                                       |                    |                    |
|  |  | APVD<br>Xiang Xu<br>25MAY2015  |                                                                                                       |                    |                    |
|                                                                                       |  | PRODUCT SPEC<br>108-137013     |                                                                                                       |                    |                    |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:                                                |  | APPLICATION SPEC<br>114-137013 | NAME<br>H16B-TGH/TSH-M/PG                                                                             |                    |                    |
| MATERIAL<br>-                                                                         |  | WEIGHT<br>-                    | SIZE<br>A3                                                                                            | CAGE CODE<br>00779 | RESTRICTED TO<br>- |
| FINISH<br>-                                                                           |  | Customer Drawing               | SCALE<br>1:1                                                                                          | SHEET<br>1 OF 2    | REV<br>A2          |

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|           | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |

|                    |                         |                                                                                                                                      |                           |                           |
|--------------------|-------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------------------------|---------------------------|
| T1190162032-000    | H16B-TGH/TSH-M32/M20    | H16B HOOD, TOP ENTRY M20, SIDE ENTRY M32, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M32, 侧出M20, 4耳, 高结构, 灰色粉末喷涂     | M32                       | M20                       |
| T1190164020-000    | H16B-TGH/TSH-M20/M40    | H16B HOOD, TOP ENTRY M20, SIDE ENTRY M40, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M20, 侧出M40, 4耳, 高结构, 灰色粉末喷涂     | M20                       | M40                       |
| T1190162121-000    | H16B-TGH/TSH-PG21/PG21  | H16B HOOD, TOP ENTRY PG21, SIDE ENTRY PG21, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出PG21, 侧出PG21, 4耳, 高结构, 灰色粉末喷涂 | PG21                      | PG21                      |
| T1190162525-000    | H16B-TGH/TSH-M25/M25    | H16B HOOD, TOP ENTRY M25, SIDE ENTRY M25, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M25, 侧出M25, 4耳, 高结构, 灰色粉末喷涂     | M25                       | M25                       |
| T1190162532-000    | H16B-TGH/TSH-M32/M25    | H16B HOOD, TOP ENTRY M32, SIDE ENTRY M25, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M32, 侧出M25, 4耳, 高结构, 灰色粉末喷涂     | M32                       | M25                       |
| T1190162911-000    | H16B-TGH/TSH-PG11/PG29  | H16B HOOD, TOP ENTRY PG11, SIDE ENTRY PG29, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出PG11, 侧出PG29, 4耳, 高结构, 灰色粉末喷涂 | PG11                      | PG29                      |
| T1190162929-000    | H16B-TGH/TSH-2PG29      | H16B HOOD, TOP ENTRY PG29, SIDE ENTRY PG29, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出PG29, 侧出PG29, 4耳, 高结构, 灰色粉末喷涂 | PG29                      | PG29                      |
| T1190162040-000    | H16B-TGH/TSH-M40/M20    | H16B HOOD, TOP ENTRY M40, SIDE ENTRY M20, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M40, 侧出M20, 4耳, 高结构, 灰色粉末喷涂     | M40                       | M20                       |
| T1190162940-000    | H16B-TGH/TSH-M40/PG29   | H16B HOOD, TOP ENTRY M40, SIDE ENTRY PG29, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M40, 侧出PG29, 4耳, 高结构, 灰色粉末喷涂   | M40                       | PG29                      |
| T1190163240-000    | H16B-TGH/TSH-M40/M32    | H16B HOOD, TOP ENTRY M40, SIDE ENTRY M32, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M40, 侧出M32, 4耳, 高结构, 灰色粉末喷涂     | M40                       | M32                       |
| T1190164032-000    | H16B-TGH/TSH-M32/M40    | H16B HOOD, TOP ENTRY M32, SIDE ENTRY M40, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M32, 侧出M40, 4耳, 高结构, 灰色粉末喷涂     | M32                       | M40                       |
| T1230162532-000    | H16B-TGH/TSH-M25/M32    | H16B HOOD, TOP ENTRY M25, SIDE ENTRY M32, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M25, 侧出M32, 4耳, 高结构, 灰色粉末喷涂     | M25                       | M32                       |
| T1230162540-000    | H16B-TGH/TSH-M25/M40    | H16B HOOD, TOP ENTRY M25, SIDE ENTRY M40, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶出M25, 侧出M40, 4耳, 高结构, 灰色粉末喷涂     | M25                       | M40                       |
| T1230163232-000    | H16B-TSH/TGH-2M32       | H16B HOOD, SIDE/TOP ENTRY M32, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 侧/顶出M32, 4耳, 高结构, 灰色粉末喷涂                     | M32                       | M32                       |
| T1230164040-000    | H16B-TGH/TSH-M40/M40    | H16B HOOD, TOP/SIDE ENTRY M40, 4 EAR, HIGH CONSTRUCTION, POWDER COATED, GREY<br>H16B上壳, 顶/侧出M40, 4耳, 高结构, 灰色粉末喷涂                     | M40                       | M40                       |
| T1240164025-000    | H16B-TGH/TSH-M40/M25    | H16B HOOD, TOP ENTRY M40, SIDE ENTRY M25, HIGH CONSTRUCTION, 4 EAR, POWDER COATED, GREY<br>H16B上壳, 顶出M40, 侧出M25, 高结构, 4耳, 灰色粉末喷涂     | M40                       | M25                       |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                                                      | IG1 THREAD-1<br>IG1 螺纹孔-1 | IG2 THREAD-2<br>IG2 螺纹孔-2 |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:  
mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

MATERIAL

-

-

FINISH

-

-

DWN 25MAY2015  
David Wang

CHK 25MAY2015  
Chris Wang

APVD 25MAY2015  
Xiang Xu

PRODUCT SPEC  
108-137013

APPLICATION SPEC  
114-137013

WEIGHT  
-

Customer Drawing

TE Connectivity

NAME  
H16B-TGH/TSH-M/PG

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A300779

©T1XX016XXXX000

-

SCALE 1:1

SHEET 2 OF 2

REV A2

1470-19 (3/13)

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9