

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS


P	LTR	DESCRIPTION	DATE	DWN	APVD
	A2	ECR-14-002336	18FEB2014	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2151373-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1855146
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1855146

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	GOPALAKRISHNA HV		 TE Connectivity				
DIMENSIONS:		CHK	RAGHAVENDRA						
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME					
		0 PLC ±		FINE ADJUST SIDE FEED HDM					
		1 PLC ±		APPLICATOR					
2 PLC ±		APVD		RAGHAVENDRA		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
3 PLC ±		PRODUCT SPEC							
4 PLC ±		APPLICATION SPEC							
ANGLES ±		WEIGHT		A3					
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2		REV A2	

6	5
	
AMP-O-ELECTRIC TERM GUARD	G TERMINATOR GUARD

LOC		DIST		REVISIONS					
A		66		DESCRIPTION			DATE	DW	APD
	A	LTR							
	A			RELEASED			07NOV2006	MEH	TE
	A	I		ADDED APPLIED WIRES ECR-10-000819			21JAN2009	SZ	GB

*** WARNING**
ON INSTALLATION, SET WIRE
DISC TO LARGEST WIRE SIZE
SETTING. USE OF SETTINGS
BELOW MIN. REQUIRED CRIMP
HEIGHT SETTING WILL CAUSE
DAMAGE TO CRIMP TOOLING.



3	-	-	-	REF	...	455749-1	GUARD WINDOW	116
3	-	-	REF	-	...	679532-1	INSERT, GUARD	115
	-	1	1	1	1	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	91
	-	1	1	1	1	318563-1	GUARD, FRONT CHIP	89
	-	1	1	1	1	4088040	SF APPL INST 408-8040	72
	-	1	1	1	1	217238-1	GENERAL INSTRUCTION PKG	71
	-	1	1	1	1	461264-5	PLATE, IDENTIFICATION	67
	-	2	2	2	2	21017-2	SCREW, DRIVE	66
	-	1	1	1	1	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	6
	-	1	1	1	1	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	60
	-	1	1	1	1	2-22603-0	SCR, HEX HD CAP 8-32 X .312	59
	-	1	1	1	1	458537-2	PAWL, FEED	56
	-	4	4	4	4	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	54
	-	2	2	2	2	2-21000-7	SCR, SKT HD CAP 8-32 X .500	53
	-	1	1	1	1	21018-5	NUT, HEX, REG 6-32	52
	-	1	1	1	1	811242-2	BUMPER, HOLD DOWN	51
	-	1	1	1	1	690753-1	SPACER, TONKER	50
	-	-	1	-	...	690602-6	CAM, PRE FEED, 1 5/8	49
	-	-	-	1	...	690602-5	CAM, PRE FEED, 1 1/8	48
	-	1	-	-	1	690501-4	CAM, POST-FEED 1 5/8	47
	-	1	1	1	1	459456-1	APPL. BASIC SUB ASSY (SIDE WISE MOCA)	46
	-	1	1	1	1	690191-1	PLUG,NYLON	45
	-	1	1	1	1	455673-1	RAM, SIDE FEED	44
	-	1	1	1	1	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	41
	-	1	1	1	1	690125-1	SHIM SUB-ASSY	39
	-	1	1	1	1	1-469367-0	SHIM	38
	-	1	1	1	1	879103-2	FINE ADJUST HEAD ASSEMBLY	37
	-	1	1	1	1	690786-3	TERMINAL SUPPORT	34
	-	2	2	2	2	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	33
	-	1	1	1	1	21024-5	WASHER, SPRG LOCK, REG NO 10	32
	-	1	1	1	1	3-21000-4	SCR, SKT HD CAP 10-32 X .375	31
	-	1	1	1	1	1320908-8	SPACER, STRIP GUIDE	30
	-	1	1	1	1	1633091-1	ASSEMBLY, STRIP GUIDE	29
	-	1	1	1	1	1-455888-0	SPACER, CRIMPER	28
	-	1	1	1	1	1320928-1	PLATE, STRIP GUIDE	24
	-	1	-	-	1	690472-2	STRIPPER	22
	-	1	1	1	1	2-21000-7	SCR, SKT HD CAP 8-32 X .500	21
	-	4	4	4	4	21024-4	WASHER, SPRG LOCK, REG NO 8	20
	-	1	1	1	1	691353-1	STRIPPER	19
1	-	1	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	17
	-	1	1	1	1	3-22280-3	SPRING, COMPRESSION	12
	-	1	1	1	1	690461-1	STOP, SHEAR	11
1	-	1	1	1	1	690459-1	SHEAR HOLDER, FRONT	10
1	-	1	1	1	1	462006-1	FLOATING SHEAR, FRONT	9
1	1	1	1	1	1	1-1633110-3	ANVIL, COMBINATION .090	8
	-	1	1	1	1	2-455889-0	DEPRESSOR, SHEAR	5
	-	1	1	1	1	1-238011-0	BLOCK, CRIMPER SPACER	4
1	1	1	1	1	1	4-456134-4	CRIMPER, INSULATION F PREMIUM	3
	-	1	1	1	1	455888-1	SPACER, CRIMPER	2
1	1	1	1	1	1	2-456406-3	CRIMPER, WIRE PREMIUM	1

POST-FEED 5/8 STROKE	PRE-FEED 1/8 STROKE	PRE-FEED 5/8 STROKE

THIS DRAWING IS A PRELIMINARY DESIGN. IT IS NOT TO BE USED FOR CONSTRUCTION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE.		DWG NO. 240C12006 DESIGNED BY M. HERR CHECKED BY BAILEY 240C12006 APPROVED BY BAILEY 240C12006		tyco Tyco Electronics Electronics Harrisburg, PA 17105-3608		NO	
DIMENSIONS: INCHES 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC .0005 1 PLC .001 2 PLC .001 3 PLC .001 4 PLC .001 5 PLC .001		NAME FINE ADJUST SIDE FEED HDW APPLICATOR		RESTRICTED TO	
MATERIAL FINISH		APPLICATION SPEC WEIGHT		SIZE CASE CODE DRAWING NO A1 00779 C-1855146		RESTRICTED TO	
CUSTOMER DRAWING		SCALE 3:5		SHEET 1 OF 1		REV A1	
CUSTOMER VIEWABLE ASSEMBLY							

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9