

6

5

4

3

2

4166

D

D

C

C

B

B

A

A

## NOTES:

1. MATERIAL:PHOSPHOR BRONZE

2. FINISH: PER ES-88

102-TIN: .000200 MICROINCHES MIN OVER COPPER

501-GOLD: .000020 MICROINCHES MIN OVER NICKEL

THE PRIMARY SHIPPING CARTON WILL BE LABELED

"COMPLIANT" TO RoHS DIRECTIVE 2002/95/EC &amp; ELV

ANNEX II OF DIRECTIVE 2003/53/EC\*. CARTONS W/O

THIS LABEL MAY CONTAIN PRODUCT WITH TIN-LEAD

IN THE PC TAIL AREA.

3. PRODUCT SPECIFICATION &amp; PROCESSING PARAMETERS: NONE.

4. DIMENSIONS GIVEN ARE BEFORE PLATING.

5. SOLDERABILITY SPECIFICATION: SMES-152 AFTER PLATING.

6. CAMBER SPECIFICATION: .003 MM/MM OR .003 IN/IN.

7. BURR SPECIFICATION ES-151.



8. RECOMMENDED PCB HOLE SPECIFICATION FOR PRESS FIT PINS:

.062 THK. PCB

PUNCHED HOLES: .030±.002/.762±0.05

DRILLED HOLES: .031±.0015/.0787±0.038

PLATED THRU HOLES: .0295±.0025/.749±0.064



PART TO BE FREE  
OF ALL TOOL MARKS  
DUE TO COINING &  
TRIMMING OPERATION.

|           |            |      |
|-----------|------------|------|
| GEN.DOCS. | SHEETS 2-* | AJ   |
| ANNOTATOR | SHEET 1    | AJ   |
| DOC. TYPE | SHEETS     | REV. |

EC NO: UCP2004-1675  
DRWN: JSCHAFER2004/03/08  
CHKD: 2004/03/11  
APPR: YMARGULI 2004/03/17

| QUALITY SYMBOLS | DESCRIPTION | REV |
|-----------------|-------------|-----|
|                 |             |     |

## GENERAL TOLERANCES (UNLESS SPECIFIED)

|          | mm    | INCH  |
|----------|-------|-------|
| 4 PLACES | ± --- | ± --- |
| 3 PLACES | ± --- | ± --- |
| 2 PLACES | ± --- | ± --- |
| 1 PLACE  | ± --- | ± --- |

ANGULAR ±1/2°

DRAFT WHERE APPLICABLE  
MUST REMAIN  
WITHIN DIMENSIONS

SCALE

8:1

DESIGN UNITS

INCH

DIMENSION STYLE

MM/IN

DRAWN BY DATE  
SCHAFFER 2004/03/01

CHECKED BY DATE  
SAMIEC 2004/03/04

APPROVED BY DATE  
MARGULIS 2004/03/05

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION



THIRD ANGLE PROJECTION

REVISE ON CAD ONLY

TITLE

TERMINAL PIN  
0.64/.025 SQ. WIRE



MOLEX INCORPORATED

MATERIAL NO.

SEE CHART

DOCUMENT NO.

SD-4166-001

SHEET NO.

1 OF \*

A

|    |                |    |                |
|----|----------------|----|----------------|
| 33 | 26.21<br>1.032 |    |                |
| 31 | 31.75<br>1.250 | 74 | 31.24<br>1.230 |
| 30 | 30.48<br>1.200 | 69 | 20.85<br>.821  |
| 27 | 21.39<br>.842  | 68 | 18.29<br>.720  |
| 25 | 9.65<br>.380   | 67 | 16.94<br>.667  |
| 22 | 15.88<br>.625  | 66 | 15.49<br>.610  |
| 20 | 20.32<br>.800  | 65 | 14.61<br>.575  |
| 18 | 11.71<br>.461  | 64 | 13.08<br>.515  |
| 17 | 11.99<br>.472  | 60 | 10.01<br>.394  |
| 15 | 12.70<br>.500  | 58 | 8.56<br>.337   |
| 12 | 22.23<br>.875  | 47 | 19.69<br>.775  |
| 11 | 16.51<br>.650  | 46 | 17.86<br>.703  |
| 10 | 28.58<br>1.125 | 43 | 38.10<br>1.500 |
| 9  | 18.69<br>.736  | 42 | 13.84<br>.545  |
| 8  | 25.40<br>1.000 | 41 | 29.21<br>1.150 |
| 7  | 14.99<br>.590  | 40 | 34.93<br>1.375 |
| 5  | 11.10<br>.437  | 39 | 24.38<br>.960  |
| 4  | 13.46<br>.530  | 38 | 27.00<br>1.063 |
| 3  | 17.45<br>.687  | 37 | 19.05<br>.750  |
| 2  | 10.29<br>.405  | 35 | 23.80<br>.937  |
| 1  | 14.22<br>.560  | 34 | 32.26<br>1.270 |

fb\_frame\_A  
rev. B1 2000/08/01

5

4

3

2

1

| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
| 08-52-1201 | 4166-1(102)  | 08-52-1233 | 4166-33(102) |
| 08-52-1202 | 4166-2(102)  | 08-52-1234 | 4166-34(102) |
| 08-52-1203 | 4166-3(102)  | 08-52-1235 | 4166-35(102) |
| 08-52-1204 | 4166-4(102)  | 08-52-1238 | 4166-38(102) |
| 08-52-1205 | 4166-5(102)  | 08-52-1239 | 4166-39(102) |
|            | 4166-7(102)  | 08-52-1241 | 4166-41(102) |
| 08-52-1208 | 4166-8(102)  | 08-52-1242 | 4166-42(102) |
| 08-52-1209 | 4166-9(102)  | 08-52-1243 | 4166-43(102) |
| 08-52-1210 | 4166-10(102) | 08-52-0646 | 4166-46(102) |
| 08-52-1211 | 4166-11(102) |            | 4166-47(102) |
| 08-52-1212 | 4166-12(102) | 08-52-1258 | 4166-58(102) |
|            | 4166-15(102) |            | 4166-60(102) |
|            | 4166-17(102) | 08-52-1264 | 4166-64(102) |
| 08-52-1218 | 4166-18(102) |            | 4166-65(102) |
| 08-52-1220 | 4166-20(102) | 08-52-1266 | 4166-66(102) |
| 08-52-1222 | 4166-22(102) |            | 4166-67(102) |
| 08-52-1225 | 4166-25(102) |            | 4166-68(102) |
| 08-52-1227 | 4166-27(102) | 08-52-1269 | 4166-69(102) |
| 08-52-1230 | 4166-30(102) | 08-52-1274 | 4166-74(102) |
| 08-52-0231 | 4166-31(102) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

|                                                  |             |                                         |                              |                                 |
|--------------------------------------------------|-------------|-----------------------------------------|------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                                | SEE SHEET 1 | TITLE:<br><b>KK .025 SQ PIN</b>         |                              | SHEET No.<br><b>- 2 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b>          |             | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b> | APPROVED BY:<br><b>MARGULIS</b> |
| TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC |             |                                         |                              |                                 |

| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
| 08-52-0601 | 4166-1(103)  | 08-52-0633 | 4166-33(103) |
| 08-52-0602 | 4166-2(103)  |            | 4166-34(103) |
| 08-52-0603 | 4166-3(103)  | 08-52-0635 | 4166-35(103) |
| 08-52-0604 | 4166-4(103)  |            | 4166-38(103) |
| 08-52-0605 | 4166-5(103)  |            | 4166-39(103) |
|            | 4166-7(103)  |            | 4166-41(103) |
| 08-52-0608 | 4166-8(103)  |            | 4166-42(103) |
| 08-52-0609 | 4166-9(103)  |            | 4166-43(103) |
| 08-52-0610 | 4166-10(103) |            | 4166-46(103) |
| 08-52-0611 | 4166-11(103) |            | 4166-47(103) |
| 08-52-0612 | 4166-12(103) |            | 4166-58(103) |
| 08-52-0615 | 4166-15(103) | 08-52-0660 | 4166-60(103) |
|            | 4166-17(103) |            | 4166-64(103) |
|            | 4166-18(103) |            | 4166-65(103) |
|            | 4166-20(103) |            | 4166-66(103) |
|            | 4166-22(103) |            | 4166-67(103) |
|            | 4166-25(103) |            | 4166-68(103) |
|            | 4166-27(103) |            | 4166-69(103) |
| 08-52-0630 | 4166-30(103) |            | 4166-74(103) |
|            | 4166-31(103) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
| 08-52-1301 | 4166-1(121)  |            | 4166-33(121) |
| 08-52-1302 | 4166-2(121)  |            | 4166-34(121) |
| 08-52-1303 | 4166-3(121)  |            | 4166-35(121) |
| 08-52-1304 | 4166-4(121)  |            | 4166-38(121) |
| 08-52-1305 | 4166-5(121)  |            | 4166-39(121) |
| 08-52-1307 | 4166-7(121)  |            | 4166-41(121) |
|            | 4166-8(121)  | 08-52-1342 | 4166-42(121) |
| 08-52-1309 | 4166-9(121)  |            | 4166-43(121) |
|            | 4166-10(121) |            | 4166-46(121) |
| 08-52-1311 | 4166-11(121) |            | 4166-47(121) |
|            | 4166-12(121) |            | 4166-58(121) |
| 08-52-1315 | 4166-15(121) |            | 4166-60(121) |
| 08-52-1317 | 4166-17(121) |            | 4166-64(121) |
|            | 4166-18(121) | 08-52-1365 | 4166-65(121) |
|            | 4166-20(121) |            | 4166-66(121) |
| 08-52-1322 | 4166-22(121) | 08-52-1367 | 4166-67(121) |
|            | 4166-25(121) | 08-52-1368 | 4166-68(121) |
| 08-52-1327 | 4166-27(121) | 08-52-1369 | 4166-69(121) |
|            | 4166-30(121) |            | 4166-74(121) |
|            | 4166-31(121) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

|                                                  |             |                                         |                              |                                 |
|--------------------------------------------------|-------------|-----------------------------------------|------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                                | SEE SHEET 1 | TITLE: <b>KK .025 SQ PIN</b>            |                              | SHEET No.<br><b>- 3 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b>          |             | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b> | APPROVED BY:<br><b>MARGULIS</b> |
| TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC |             |                                         |                              |                                 |

| PART NO:   | ENG NO:      | PART NO: | ENG NO:      |
|------------|--------------|----------|--------------|
|            | 4166-1(125)  |          | 4166-33(125) |
|            | 4166-2(125)  |          | 4166-34(125) |
|            | 4166-3(125)  |          | 4166-35(125) |
|            | 4166-4(125)  |          | 4166-38(125) |
| 08-59-0605 | 4166-5(125)  |          | 4166-39(125) |
|            | 4166-7(125)  |          | 4166-41(125) |
|            | 4166-8(125)  |          | 4166-42(125) |
| 08-59-0609 | 4166-9(125)  |          | 4166-43(125) |
|            | 4166-10(125) |          | 4166-46(125) |
|            | 4166-11(125) |          | 4166-47(125) |
|            | 4166-12(125) |          | 4166-58(125) |
|            | 4166-15(125) |          | 4166-60(125) |
|            | 4166-17(125) |          | 4166-64(125) |
|            | 4166-18(125) |          | 4166-65(125) |
|            | 4166-20(125) |          | 4166-66(125) |
|            | 4166-22(125) |          | 4166-67(125) |
|            | 4166-25(125) |          | 4166-68(125) |
|            | 4166-27(125) |          | 4166-69(125) |
|            | 4166-30(125) |          | 4166-74(125) |
|            | 4166-31(125) |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |

| PART NO:   | ENG NO:      | PART NO: | ENG NO:      |
|------------|--------------|----------|--------------|
|            | 4166-1(126)  |          | 4166-33(126) |
| 08-60-0602 | 4166-2(126)  |          | 4166-34(126) |
|            | 4166-3(126)  |          | 4166-35(126) |
|            | 4166-4(126)  |          | 4166-38(126) |
|            | 4166-5(126)  |          | 4166-39(126) |
|            | 4166-7(126)  |          | 4166-41(126) |
|            | 4166-8(126)  |          | 4166-42(126) |
|            | 4166-9(126)  |          | 4166-43(126) |
|            | 4166-10(126) |          | 4166-46(126) |
|            | 4166-11(126) |          | 4166-47(126) |
|            | 4166-12(126) |          | 4166-58(126) |
|            | 4166-15(126) |          | 4166-60(126) |
|            | 4166-17(126) |          | 4166-64(126) |
|            | 4166-18(126) |          | 4166-65(126) |
|            | 4166-20(126) |          | 4166-66(126) |
|            | 4166-22(126) |          | 4166-67(126) |
|            | 4166-25(126) |          | 4166-68(126) |
|            | 4166-27(126) |          | 4166-69(126) |
|            | 4166-30(126) |          | 4166-74(126) |
|            | 4166-31(126) |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |

|                                         |                                         |                                 |                                 |
|-----------------------------------------|-----------------------------------------|---------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                       | SEE SHEET 1                             | TITLE:<br><b>KK .025 SQ PIN</b> | SHEET No.<br><b>- 4 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b> | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b>    | APPROVED BY:<br><b>MARGULIS</b> |

| PART NO:   | ENG NO:      | PART NO: | ENG NO:      |
|------------|--------------|----------|--------------|
| 08-52-0711 | 4166-1(224)  |          | 4166-33(224) |
|            | 4166-2(224)  |          |              |
|            | 4166-3(224)  |          | 4166-35(224) |
|            | 4166-4(224)  |          | 4166-38(224) |
|            | 4166-5(224)  |          | 4166-39(224) |
|            | 4166-7(224)  |          | 4166-41(224) |
|            | 4166-8(224)  |          | 4166-42(224) |
|            | 4166-9(224)  |          | 4166-43(224) |
|            | 4166-10(224) |          | 4166-46(224) |
|            | 4166-11(224) |          | 4166-47(224) |
|            | 4166-12(224) |          | 4166-58(224) |
|            | 4166-15(224) |          | 4166-60(224) |
|            |              |          | 4166-64(224) |
|            | 4166-18(224) |          | 4166-65(224) |
|            | 4166-20(224) |          | 4166-66(224) |
|            | 4166-22(224) |          | 4166-67(224) |
|            | 4166-25(224) |          | 4166-68(224) |
| 08-52-0727 | 4166-27(224) |          | 4166-69(224) |
|            | 4166-30(224) |          | 4166-74(224) |
|            | 4166-31(224) |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |

| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
| 08-58-0611 | 4166-1(501)  | 08-58-0633 | 4166-33(501) |
|            | 4166-2(501)  | 08-58-0634 | 4166-34(501) |
| 08-58-0613 | 4166-3(501)  | 08-58-0635 | 4166-35(501) |
|            | 4166-4(501)  |            | 4166-38(501) |
|            | 4166-5(501)  |            | 4166-39(501) |
|            | 4166-7(501)  | 08-58-0641 | 4166-41(501) |
| 08-58-0668 | 4166-8(501)  |            | 4166-42(501) |
|            | 4166-9(501)  | 08-58-0643 | 4166-43(501) |
|            | 4166-10(501) |            | 4166-46(501) |
|            | 4166-11(501) |            | 4166-47(501) |
| 08-58-0612 | 4166-12(501) |            | 4166-58(501) |
|            | 4166-15(501) |            | 4166-60(501) |
| 08-58-0614 | 4166-17(501) |            | 4166-64(501) |
| 08-58-0608 | 4166-18(501) |            | 4166-65(501) |
| 08-58-0646 | 4166-20(501) |            | 4166-66(501) |
| 08-58-0688 | 4166-22(501) |            | 4166-67(501) |
|            | 4166-25(501) |            | 4166-68(501) |
|            | 4166-27(501) |            | 4166-69(501) |
| 08-58-0630 | 4166-30(501) | 08-58-0674 | 4166-74(501) |
| 08-58-0631 | 4166-31(501) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

|                                                  |             |                                         |                              |                                 |
|--------------------------------------------------|-------------|-----------------------------------------|------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                                | SEE SHEET 1 | TITLE:<br><b>KK .025 SQ PIN</b>         |                              | SHEET No.<br><b>- 5 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b>          |             | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b> | APPROVED BY:<br><b>MARGULIS</b> |
| TEMPLATE FILENAME: PRODUCT_SPEC[SIZE_A](V.1).DOC |             |                                         |                              |                                 |

| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
|            | 4166-1(503)  |            | 4166-33(503) |
| 08-58-0622 | 4166-2(503)  | 08-58-0690 | 4166-34(503) |
|            | 4166-3(503)  | 08-58-0636 | 4166-35(503) |
|            | 4166-4(503)  |            | 4166-38(503) |
| 08-58-0605 | 4166-5(503)  |            | 4166-39(503) |
| 08-58-0607 | 4166-7(503)  |            | 4166-41(503) |
| 08-58-0658 | 4166-8(503)  |            | 4166-42(503) |
|            | 4166-9(503)  |            | 4166-43(503) |
|            | 4166-10(503) |            | 4166-46(503) |
|            | 4166-11(503) |            | 4166-47(503) |
|            | 4166-12(503) |            | 4166-58(503) |
|            | 4166-15(503) |            | 4166-60(503) |
| 08-58-0617 | 4166-17(503) |            | 4166-64(503) |
| 08-58-0618 | 4166-18(503) |            | 4166-65(503) |
|            | 4166-20(503) |            | 4166-66(503) |
|            | 4166-22(503) |            | 4166-67(503) |
| 08-58-0625 | 4166-25(503) |            | 4166-68(503) |
|            | 4166-27(503) |            | 4166-69(503) |
|            | 4166-30(503) |            | 4166-74(503) |
|            | 4166-31(503) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

| PART NO:   | ENG NO:      | PART NO: | ENG NO:      |
|------------|--------------|----------|--------------|
|            | 4166-1(505)  |          | 4166-33(505) |
| 08-58-0652 | 4166-2(505)  |          | 4166-34(505) |
|            | 4166-3(505)  |          | 4166-35(505) |
|            | 4166-4(505)  |          | 4166-38(505) |
|            | 4166-5(505)  |          | 4166-39(505) |
|            | 4166-7(505)  |          | 4166-41(505) |
|            | 4166-8(505)  |          | 4166-42(505) |
|            | 4166-9(505)  |          | 4166-43(505) |
|            | 4166-10(505) |          | 4166-46(505) |
|            | 4166-11(505) |          | 4166-47(505) |
|            | 4166-12(505) |          | 4166-58(505) |
|            | 4166-15(505) |          | 4166-60(505) |
|            | 4166-17(505) |          | 4166-64(505) |
|            | 4166-18(505) |          | 4166-65(505) |
|            | 4166-20(505) |          | 4166-66(505) |
|            | 4166-22(505) |          | 4166-67(505) |
|            | 4166-25(505) |          | 4166-68(505) |
|            | 4166-27(505) |          | 4166-69(505) |
|            | 4166-30(505) |          | 4166-74(505) |
|            | 4166-31(505) |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |
|            |              |          |              |

|                                         |                                         |                                 |                                 |
|-----------------------------------------|-----------------------------------------|---------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                       | SEE SHEET 1                             | TITLE:<br><b>KK .025 SQ PIN</b> | SHEET No.<br><b>- 6 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b> | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b>    | APPROVED BY:<br><b>MARGULIS</b> |



| PART NO:   | ENG NO:      | PART NO:   | ENG NO:      |
|------------|--------------|------------|--------------|
|            | 4166-1(531)  |            | 4166-33(531) |
|            | 4166-2(531)  |            | 4166-34(531) |
|            | 4166-3(531)  |            | 4166-35(531) |
|            | 4166-4(531)  | 08-58-0838 | 4166-38(531) |
|            | 4166-5(531)  |            | 4166-39(531) |
| 08-58-0687 | 4166-7(531)  |            | 4166-41(531) |
|            | 4166-8(531)  |            | 4166-42(531) |
|            | 4166-9(531)  |            | 4166-43(531) |
|            | 4166-10(531) |            | 4166-46(531) |
| 08-58-0811 | 4166-11(531) |            | 4166-47(531) |
|            | 4166-12(531) |            | 4166-58(531) |
|            | 4166-15(531) |            | 4166-60(531) |
|            | 4166-17(531) |            | 4166-64(531) |
|            | 4166-18(531) |            | 4166-65(531) |
|            | 4166-20(531) | 08-58-0676 | 4166-66(531) |
| 08-58-0689 | 4166-22(531) |            | 4166-67(531) |
|            | 4166-25(531) |            | 4166-68(531) |
|            | 4166-27(531) |            | 4166-69(531) |
|            | 4166-30(531) |            | 4166-74(531) |
|            | 4166-31(531) |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |
|            |              |            |              |

|                                         |                                         |                                 |                                 |
|-----------------------------------------|-----------------------------------------|---------------------------------|---------------------------------|
| REV:<br><b>AJ</b>                       | SEE SHEET 1                             | TITLE:<br><b>KK .025 SQ PIN</b> | SHEET No.<br><b>- 8 -</b>       |
| DOCUMENT NUMBER:<br><b>SD- 4166-001</b> | CREATED / REVISED BY:<br><b>SCHAFER</b> | CHECKED BY:<br><b>SAMIEC</b>    | APPROVED BY:<br><b>MARGULIS</b> |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9