






LOC		DIST		REVISIONS				
P	LYR	DESCRIPTION			DATE	DWN	APVD	
	A	INITIAL RELEASE			04JUL2011	AY	SY	



- 1 "AMP", PART NUMBER, AND DATE CODE TO BE MARKED IN AREA SHOWN
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-0
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: SIGNAL CONTACTS - .000050 MIN Ni UNDER ALL
.000030 MIN Au ON CONTACT AREA
.000100 MIN Sn AT PCB INTERFACE
POWER CONTACTS - .000050 MIN Ni UNDER ALL
.000030 MIN Au ON CONTACT AREA
.000100 MIN Sn AT PCB INTERFACE

- 4 MECHANICAL CONNECTOR KEEP OUT ZONE
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 7 PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn
OVER .001 TO .003 PLATING TO ACHIEVE A .040 HOLE





SECTION F - F

.200	.200	2.600	1.175	3.970	.400	28S + 14P	6450555-2
.200	.200	2.000	1.175	2.770	.400	28S + 8P	6450555-1
DMIM T	DIM S	DIM R	DIM W	DIM L	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. LEE 15JUL2009	TE Connectivity	
DIMENSIONS: INCHES		CHK S. ZHAO 15JUL2009		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. YAO	NAME	
9 PLC ±.01		PRODUCT SPEC	VERTICAL RECEPTACLE ASSEMBLY WITH ONE GUIDE, MULTI-BEAM XL	
3 PLC ±.01		108-1973		
5 PLC ±.005		APPLICATION SPEC	SIZE	
4 PLC ±.0020		114-13038	A100779C=6450555	
ANGLES		WEIGHT	RESTRICTED TO	
FINISH		CUSTOMER DRAWING	SCALE 2:1 SHEET 1 OF 2 REV A	

PART NUMBER	ROWS	POWER														SIGNAL								
		P14	P13	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1	7	6	5	4	3	2	1		
6450555-2	D															AP	AP	AP	AP	AP	AP	AP		
	C	GS	GS	GS	GS	GS	GS	GP	GP	GP	GP	GP	GP	GP	GP	AP	AP	AP	AP	AP	AP	AP		
	B															AP	AP	AP	AP	AP	AP	AP		
	A															AP	AP	AP	AP	AP	AP	AP		
28S + 14P																								HD



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S. LEE	15JUL2009		TE Connectivity	
		CHK S. ZHAO	15JUL2009			
DIMENSIONS: INCHES	TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPRO S. YAO	NAME VERTICAL RECEPTACLE ASSEMBLY WITH ONE GUIDE, MULTI-BEAM XL		
		0 P L/C ± .01 1 P L/C ± .01 2 P L/C ± .005 3 P L/C ± .0020 ANGLE ± .005 FINISH	PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038		SIZE A1	CAGE CODE 100779
MATERIAL			WEIGHT			RESTRICTED TO
-	-	-	-			-
CUSTOMER DRAWING			SCALE	2:1	SHEET	2 OF 2
					REV	A

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9