




## PANDUIT® PANDUCT® Protective Film for Duct Covers


**PANDUIT® PANDUCT® Protective Film** is available on select **PANDUCT®** Wiring Duct Covers. The film protects the duct covers from damage during the installation process. A grid provides a visual aid that assists the installer to make cuts quickly and easily in the field and provides space for writing notes using an indelible ink pen. The clear film peels away easily from the cover without leaving a sticky residue.



| Product Characteristics:                                                                                                                                                 | Performance:                  |      |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------|--------------------|
| <b>Construction</b><br>Backing: Low density polyethylene – clear ASTM D-1003 haze<br>Adhesive: Water based acrylic<br>Total thickness: 2.0 mil<br>Melting point: >180° F | <u>Tensile Strength (psi)</u> |      | <u>Test Method</u> |
|                                                                                                                                                                          | MD                            | 3100 | ASTMD882           |
|                                                                                                                                                                          | TD                            | 2700 | ASTMD882           |
|                                                                                                                                                                          | <u>Elongation(%)</u>          |      |                    |
|                                                                                                                                                                          | MD                            | 400  | ASTMD882           |
|                                                                                                                                                                          | TD                            | 570  | ASTMD882           |
| Handling and storage: Dry room temperature. Remove protective film prior to service.                                                                                     |                               |      |                    |



Peel away here



Protective film has a write-on surface with a grid that serves as a visual aid for cutting ease in the field and writing notes.

## Part Number Selection Chart for Duct Covers with Protective Film

| Duct Cover Part # | Description              | Ctn Factor | Ctn. UOM | Pkg. Factor | Pkg. UOM |
|-------------------|--------------------------|------------|----------|-------------|----------|
| C.5LG6-F          | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C.75LG6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1LG6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1.5LG6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2LG6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2.5LG6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C3LG6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C4LG6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
|                   |                          |            |          |             |          |
| C.5WH6-F          | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C.75WH6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1WH6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1.5WH6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2WH6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2.5WH6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C3WH6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C4WH6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
|                   |                          |            |          |             |          |
| C.75BL6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1BL6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C1.5BL6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2BL6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2.5BL6-F         | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C3BL6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C4BL6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
|                   |                          |            |          |             |          |
| C1IB6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C2IB6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C3IB6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
| C4IB6-F           | COVER w/ PROTECTIVE FILM | 120        | FT       | 6           | FT       |
|                   |                          |            |          |             |          |
| C2SAM8IN-F        | COVER w/ PROTECTIVE FILM | 1          | PC       | 1           | PC       |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9