




PRODUCT NUMBER
89025-XYX
89025-XYXLF




mat'l code				tolerances unless otherwise specified				CUSTOMER		FCJ www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3			COPY		title	
CP	V06-0573	DCH	2006-06-14		0.XX ±0.13			projection		METRAL SIGNAL HEADER	
CR	DG09-0256	TER	2009-08-19		.XXX ±.051					1 MOD, 5 ROW PRESS-FIT	
-	-	-	-	angles	0° ±2°					product family	
CK	V03-0031	TAB	02/08/03	dr	T.BRUNGARD	11/19/99	MM		METRAL		code
CL	V03-1321	DAI	01/15/04	enrg	M.STRAWSER	11/19/99	← MM →		size		213
CM	V04-0459	LP	5/25/04	chr	M.STRAWSER	11/19/99	scale		dwg no		1 of 8
CN	V05-0030	DAI	02/10/05	appd	M.STRAWSER	02/29/00	2:1		A		89025
sheet	revision	CR	CR	CR	CR	CR	CR	CR	CR	CR	CR
index	sheet	1	2	3	4	5	6	7	8		

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
9	5.00	17.00
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
13	8.25	4.30
14	8.25	13.60
15	8.25	17.00
19	8.00	4.30
20	8.00	13.60
21	8.00	17.00
22	5.00	12.10
23	8.00	17.70
24	6.50	16.30
25	5.75	15.60
26	5.00	14.90
27	5.75	12.40
29	8.00	14.60

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
32	6.50	12.90
38	7.25	14.40
39	8.00	14.40
40	5.00	15.60
41	6.50	15.60
44	5.75	12.10
45	6.50	12.10
49	5.75	15.10
54	5.00	11.50

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fciconnect.com	
CR				linear	0.XX ±0.13	projection	title		
				angles	.XXX ±.051		METRAL SIGNAL HEADER		
				dr	0° ±2°		1 MOD, 5 ROW PRESS-FIT		
				enr	T.BRUNGARD 11/19/99	MM	product family	METRAL	code
				chr	M.STRAWSER 11/19/99	← MM →	size	dwg no	213
				appd	M.STRAWSER 02/29/00	scale	A	89025	sheet
sheet index	revision sheet					1:1			2

cage code 22526



This document is the property of and embodies
 CONFIDENTIAL and PROPRIETARY information of FCJ.
 No part of the information shown on this
 document may be used in any way or disclosed
 to others without the written consent of FCJ.
 Copyright FCJ.

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X01 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	10	10	10	10	10	10
	C	9	9	9	9	9	9
	B	10	10	10	10	10	10
	A	3	3	3	3	3	3
89025-X02 SEE NOTE 10 LEAD FREE OPTION	E	2	2	3	3	2	
	D	2	2	3	2	2	
	C	2	1	2	3	2	
	B	2	2	2	3	2	2
	A	2	2	2	3	3	2
89025-X03 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	3	2	2
	D	2	2	2	3	2	2
	C	2	1	2	3	2	2
	B	2	2	2	3	2	2
	A	2	2	2	3	2	2
89025-X04 SEE NOTE 10 LEAD FREE OPTION	E	12	25	23	23	23	25
	D	12	25	23	23	23	25
	C	12	25	23	23	23	25
	B	12	25	23	23	23	25
	A	12	25	23	23	23	25
89025-X05 SEE NOTE 10 LEAD FREE OPTION	E	26	12	12	12	12	23
	D	26	12	12	12	12	23
	C	23	12	12	12	12	23
	B	24	12	12	12	12	23
	A	24	12	12	12	12	23
89025-X06 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25
	D	25	25	25	25	25	25
	C	25	25	25	25	25	25
	B	25	25	25	25	25	25
	A	25	25	25	25	25	25
89025-X07 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	6	6	6	6	6	6
	C	6	6	6	6	6	6
	B	6	6	6	6	6	6
	A	6	6	6	6	6	6
89025-X08 SEE NOTE 10 LEAD FREE OPTION	E	4	2	19	19	19	2
	D	4	2	19	19	19	2
	C	4	2	19	19	19	2
	B	4	2	19	19	19	2
	A	4	2	19	19	19	2
89025-X09 SEE NOTE 10 LEAD FREE OPTION	E	21	21	11	11	10	11
	D	21	21	11	11	11	11
	C	21	21	11	11	11	11
	B	21	21	11	11	11	11
	A	21	21	11	11	11	11
89025-X10 SEE NOTE 10 LEAD FREE OPTION	E	3	19	3	3	19	3
	D	19	3	3	19	3	3
	C	3	1	19	3	3	19
	B	3	19	3	3	19	3
	A	3	3	3	19	3	3
89025-X11 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	10	10	10	10	10	10
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	2	2	2	2	2	2
89025-X12 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	9	9	9	9	9	9
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	3	3	3	3	3	3
89025-X13 SEE NOTE 10 LEAD FREE OPTION	E	10	10	10	10	10	10
	D	9	9	9	9	9	9
	C	10	10	10	10	10	10
	B	10	10	10	10	10	10
	A	2	2	2	2	2	2
89025-X14 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25
	D	25	25	25	25	25	25
	C	25	25	25	25	25	25
	B	25	25	25	25	25	25
	A	2	2	2	2	2	2
89025-X15 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	3
	D	3	3	19	19	3	3
	C	3	3	19	19	3	3
	B	3	3	19	19	3	3
	A	3	3	19	19	3	3
89025-X16 SEE NOTE 10 LEAD FREE OPTION	E	3	3	19	19	3	4
	D	3	3	19	19	3	4
	C	3	3	19	19	3	4
	B	3	3	19	19	3	4
	A	3	3	19	19	3	4
89025-X17 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	2
	D	2	2	2	2	2	2
	C	4	4	4	4	4	4
	B	2	2	2	2	2	1
	A	2	2	2	2	2	2
89025-X18 SEE NOTE 10 LEAD FREE OPTION	E	6	6	6	6	6	6
	D	6	6	6	6	6	6
	C	8	8	8	8	8	8
	B	6	6	6	6	6	5
	A	6	6	6	6	6	6
89025-X19 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	1	1	1
	D	3	3	3	3	3	3
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	3	3	3	3	3	3
89025-X20 SEE NOTE 10 LEAD FREE OPTION	E	1	4	4	4	4	19
	D	1	4	4	4	4	19
	C	19	4	4	4	4	19
	B	3	4	4	4	4	19
	A	3	4	4	4	4	19

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		www.fcjconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY			
CR				angles	0.XX ±0.13	projection		title METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
					.XXX ±.051				
				dr	0° ±2°			product family METRAL code size 213	
				engr	T.BRUNGARD 11/19/99	MM			
				chr	M.STRAWSER 11/19/99			size A 89025 sheet 3	
				appd	M.STRAWSER 02/29/00	1:1			
sheet index	revision sheet								

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X21 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	
	D	40	40	40	40	40	40	
	C	25	25	25	25	25	25	
	B	25	25	25	25	25	25	
	A	3	3	3	3	3	3	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X25 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	
	D	3	3	3	3	3	3	
	C	3	3	3	3	3	3	
	B	3	3	3	3	3	3	
	A	3	3	3	3	3	3	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X22 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	1	1	1	
	D	1	1	1	1	1	1	
	C	1	1	1	1	1	1	
	B	19	4	4	4	4	4	
	A	1	1	1	1	1	1	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X23 SEE NOTE 10 LEAD FREE OPTION	E	2	-	2	-	2	-	
	D	-	-	-	-	-	-	
	C	2	-	2	-	2	-	
	B	-	-	-	-	-	-	
	A	2	-	2	-	2	-	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X24 SEE NOTE 10 LEAD FREE OPTION	E	4	2	2	2	2	2	
	D	4	2	2	2	2	2	
	C	4	2	2	2	2	2	
	B	4	2	2	2	2	2	
	A	4	2	2	2	2	2	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X25 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	
	D	1	1	1	1	1	1	
	C	1	1	1	1	1	1	
	B	1	1	1	1	1	1	
	A	1	1	1	1	1	1	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X26 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	
	D	3	3	-	-	-	-	
	C	3	3	-	-	-	-	
	B	3	3	-	-	-	-	
	A	3	3	-	-	-	-	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X27 SEE NOTE 10 LEAD FREE OPTION	E	32	32	32	32	32	32	
	D	32	32	32	32	32	32	
	C	32	32	32	32	32	32	
	B	32	32	32	32	32	32	
	A	32	32	32	32	32	32	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X28 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	
	D	1	1	1	1	1	1	
	C	1	1	1	1	1	1	
	B	1	1	1	1	1	1	
	A	1	1	1	1	1	1	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X29 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	-	-	
	D	1	1	-	-	-	-	
	C	1	1	-	-	-	-	
	B	1	1	-	-	-	-	
	A	1	1	-	-	-	-	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X30 SEE NOTE 10 LEAD FREE OPTION	E	1	4	1	1	1	1	
	D	1	1	1	1	1	4	
	C	1	1	1	4	1	1	
	B	1	4	1	1	1	1	
	A	1	1	1	1	1	4	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X31 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	3	1	1	
	D	1	1	1	3	1	1	
	C	3	3	1	3	1	1	
	B	1	1	1	1	1	1	
	A	4	4	4	4	4	4	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X32 SEE NOTE 10 LEAD FREE OPTION	E	45	45	45	45	45	45	
	D	45	45	45	45	45	45	
	C	45	45	45	45	45	45	
	B	45	45	45	45	45	45	
	A	45	45	45	45	45	45	
1 2								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X33 SEE NOTE 10 LEAD FREE OPTION	E	25	25	25	25	25	25	
	D	40	40	40	40	40	40	
	C	25	25	25	25	25	25	
	B	25	25	25	25	25	25	
	A	41	41	41	41	41	41	
3								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X34 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	13	13	13	
	D	4	4	4	13	13	13	
	C	4	4	4	13	13	13	
	B	4	4	4	13	13	13	
	A	4	4	4	13	13	13	
3								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X35 SEE NOTE 10 LEAD FREE OPTION	E	11	11	11	11	11	11	
	D	40	11	11	11	11	11	
	C	11	11	11	11	11	11	
	B	11	11	11	11	11	11	
	A	11	11	11	11	11	11	
3								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X36 SEE NOTE 10 LEAD FREE OPTION	E	8	8	8	14	14	14	
	D	8	8	8	14	14	14	
	C	8	8	8	14	14	14	
	B	8	8	8	14	14	14	
	A	8	8	8	14	14	14	
3								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X37 SEE NOTE 10 LEAD FREE OPTION	E	11	11	11	11	11	11	
	D	11	11	40	11	11	11	
	C	11	11	11	11	11	11	
	B	11	11	11	11	11	11	
	A	11	11	11	11	11	11	
4								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X38 SEE NOTE 10 LEAD FREE OPTION	E	49	49	49	49	49	49	
	D	49	49	49	49	49	49	
	C	49	49	49	49	49	49	
	B	49	49	49	49	49	49	
	A	49	49	49	49	49	49	
4								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X39 SEE NOTE 10 LEAD FREE OPTION	E	44	44	44	44	44	44	
	D	44	44	44	44	44	44	
	C	44	44	44	44	44	44	
	B	44	44	44	44	44	44	
	A	44	44	44	44	44	44	
4								
METRAL P/N		ROW	CONTACT CODE MOD. I					
			1	2	3	4	5	6
89025-X40 SEE NOTE 10 LEAD FREE OPTION	E	12	12	12	15	15	15	
	D	12	12	12	15	15	15	
	C	12	12	12	15	15	15	
	B	12	12	12	15	15	15	
	A	12	12	12	15	15	15	
4								

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCJ	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com	
CR				angles	0.XX ±0.13	projection		title	
					.XXX ±.051			METRAL SIGNAL HEADER	
					0° ±2°			1 MOD, 5 ROW PRESS-FIT	
		dr	T.BRUNGARD	11/19/99		MM		product family	
		enrg	M.STRAWSER	11/19/99		← MM →		METRAL	
		chr	M.STRAWSER	11/19/99		scale		code	
		appd	M.STRAWSER	02/29/00		1:1		213	
sheet	revision							size	
index	sheet							dwg no	
								89025	
								sheet	
								4	
								cage code	
								22526	
								4	

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X41 SEE NOTE 10 LEAD FREE OPTION	E	1	-	-	1	-	1
	D	1	-	-	1	-	1
	C	1	-	-	1	-	1
	B	1	-	-	1	-	1
	A	1	-	-	1	-	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X45 SEE NOTE 10 LEAD FREE OPTION	E	1	3	3	3	3	3
	D	3	3	3	3	3	3
	C	3	3	3	3	3	3
	B	3	3	3	3	3	3
	A	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X49 SEE NOTE 10 LEAD FREE OPTION	E	1	1	-	1	-	1
	D	1	1	-	1	-	1
	C	-	-	-	-	-	-
	B	1	1	-	1	-	1
	A	1	1	-	1	-	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X53 SEE NOTE 10 LEAD FREE OPTION	E	7	5	5	5	5	5
	D	7	5	5	5	5	5
	C	7	5	5	5	5	5
	B	7	5	5	5	5	5
	A	7	5	5	5	5	5

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X57 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4
	D	13	4	4	4	4	4
	C	13	4	4	4	4	4
	B	4	4	4	4	4	4
	A	13	13	13	13	13	13

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X42 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	4	4	4
	D	4	4	4	4	4	4
	C	4	4	4	4	4	4
	B	19	19	19	19	19	19
	A	19	19	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X46 SEE NOTE 10 LEAD FREE OPTION	E	19	19	1	4	4	4
	D	19	19	1	4	4	4
	C	19	19	1	4	4	4
	B	19	19	1	4	4	4
	A	19	19	1	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X50 SEE NOTE 10 LEAD FREE OPTION	E	1	19	19	19	19	1
	D	1	19	19	19	19	1
	C	1	19	19	19	19	1
	B	1	19	19	19	19	1
	A	1	19	19	19	19	1

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X54 SEE NOTE 10 LEAD FREE OPTION	E	22	22	22	22	22	22
	D	22	22	22	22	22	22
	C	22	22	22	22	22	22
	B	22	22	22	22	22	22
	A	22	22	22	22	22	22

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X58 SEE NOTE 10 LEAD FREE OPTION	E	20	7	7	7	7	7
	D	20	7	7	7	7	7
	C	20	7	7	7	7	7
	B	20	7	7	7	7	7
	A	20	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X43 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	19	19	19
	D	19	19	19	19	19	19
	C	4	4	4	4	4	4
	B	4	4	4	4	4	4
	A	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X47 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	4	4
	D	2	2	2	2	4	4
	C	2	2	2	2	2	2
	B	2	2	2	2	19	19
	A	2	2	2	2	19	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X51 SEE NOTE 10 LEAD FREE OPTION	E	-	2	-	2	-	2
	D	-	-	-	-	-	-
	C	-	2	-	2	-	2
	B	-	-	-	-	-	-
	A	-	2	-	2	-	2

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X55 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	19	19	19
	D	1	1	19	19	19	19
	C	1	1	19	19	19	19
	B	1	1	19	19	19	19
	A	1	1	19	19	19	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X59 SEE NOTE 10 LEAD FREE OPTION	E	19	3	3	3	3	3
	D	19	3	3	3	3	3
	C	19	3	3	3	3	3
	B	19	3	3	3	3	3
	A	19	3	3	3	3	3



METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X44 SEE NOTE 10 LEAD FREE OPTION	E	20	20	20	20	20	20
	D	20	20	20	20	20	20
	C	8	8	8	8	8	8
	B	8	8	8	8	8	8
	A	8	8	8	8	8	8

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X48 SEE NOTE 10 LEAD FREE OPTION	E	3	-	3	-	3	-
	D	3	-	3	-	3	-
	C	-	-	-	-	-	-
	B	3	-	3	-	3	-
	A	3	-	3	-	3	-

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X52 SEE NOTE 10 LEAD FREE OPTION	E	1	3	3	3	3	19
	D	3	3	3	3	3	19
	C	3	3	3	3	3	19
	B	3	3	3	3	3	19
	A	3	3	3	3	3	19

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X56 SEE NOTE 10 LEAD FREE OPTION	E	7	7	7	7	7	7
	D	7	7	44	7	7	7
	C	7	7	7	7	7	7
	B	7	7	7	7	7	7
	A	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. I					
		1	2	3	4	5	6
89025-X60 SEE NOTE 10 LEAD FREE OPTION	E	19	19	19	19	19	-
	D	19	19	19	19	19	-
	C	19	19	19	19	19	-
	B	19	19	19	19	19	-
	A	19	19	19	19	19	-

mat'l code				--		tolerances unless otherwise specified		CUSTOMER		 www.fcjconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection		COPY		title	
CR					0.XX ±0.13			METRAL		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			product family		METRAL	
				dr	0° ±2°			size		213	
				engr		MM		dwg no		89025	
				chr	T.BRUNGARD 11/19/99	scale		sheet		5	
				appr	M.STRAWSER 11/19/99	1:1		cage code		22526	
sheet index	revision sheet				M.STRAWSER 02/29/00						



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

METRAL P/N		CONTACT CODE MOD. I					
ROW	1	2	3	4	5	6	
89025-X61 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	
	D	3	19	3	3	3	
	C	3	19	3	3	3	
	B	19	19	3	3	3	
	A	19	19	3	3	3	

METRAL P/N		CONTACT CODE MOD. I					
ROW	1	2	3	4	5	6	
89025-X64 SEE NOTE 10 LEAD FREE OPTION	E	45	-	45	-	45	
	D	45	-	45	-	45	
	C	-	-	-	-	-	
	B	45	-	45	-	45	
	A	45	-	45	-	45	

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		projection		title	
CR					0.XX ±0.13					METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
				angles	.XXX ±.051					product family	
				dr	0° ±2°			MM		METRAL	
				engr	T.BRUNGARD 11/19/99			scale		code	
				chr	M.STRAWSER 11/19/99			1:1		213	
				appd	M.STRAWSER 02/29/00			A		sheet	
sheet index	revision sheet									6	

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



METRAL P/N		CONTACT CODE MOD. I					
ROW	1	2	3	4	5	6	
89025-X81 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	
	D	2	2	2	2	2	
	C	2	2	2	2	1	
	B	1	1	1	1	1	
	A	1	1	1	1	1	
89025-X82 SEE NOTE 10 LEAD FREE OPTION	E	7	-	38	38	-	
	D	7	-	38	38	-	
	C	7	-	38	38	-	
	B	7	-	38	38	-	
	A	7	-	38	38	-	
89025-X83 SEE NOTE 10 LEAD FREE OPTION	E	1	1	1	-	1	
	D	1	1	1	-	1	
	C	1	1	1	-	1	
	B	1	1	1	-	-	
	A	1	1	1	1	1	
89025-X84 SEE NOTE 10 LEAD FREE OPTION	E	7	7	7	7	7	
	D	7	4	7	7	7	
	C	4	7	4	7	7	
	B	7	7	4	7	7	
	A	7	7	7	4	7	
89025-X85 SEE NOTE 10 LEAD FREE OPTION	E	-	-	-	-	3	
	D	-	-	-	-	3	
	C	-	-	-	-	-	
	B	-	-	-	-	3	
	A	-	-	-	3	3	
89025-X86 SEE NOTE 10 LEAD FREE OPTION	E	19	3	3	3	3	
	D	19	3	3	3	3	
	C	19	3	3	3	3	
	B	19	3	3	3	2	
	A	19	3	3	3	3	
89025-X87 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	
	D	2	2	2	2	2	
	C	3	3	3	3	3	
	B	2	2	2	2	2	
	A	2	2	2	2	2	
89025-X88 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	
	D	2	2	2	2	2	
	C	4	2	2	2	2	
	B	2	2	2	2	2	
	A	2	2	2	2	2	
89025-X89 SEE NOTE 10 LEAD FREE OPTION	E	4	2	2	2	2	
	D	4	2	2	2	2	
	C	4	2	2	2	2	
	B	4	2	2	2	2	
	A	4	2	2	2	1	
89025-X90 SEE NOTE 10 LEAD FREE OPTION	E	19	3	3	3	2	
	D	19	3	3	3	2	
	C	19	3	3	3	2	
	B	19	3	3	3	2	
	A	19	3	3	3	2	
89025-X91 SEE NOTE 10 LEAD FREE OPTION	E	20	7	7	7	6	
	D	20	7	7	7	6	
	C	20	7	7	7	6	
	B	20	7	7	7	6	
	A	20	7	7	7	6	
89025-X92 SEE NOTE 10 LEAD FREE OPTION	E	19	4	4	4	4	
	D	19	4	4	4	4	
	C	19	4	4	4	4	
	B	19	4	4	4	4	
	A	19	4	4	4	4	
89025-X93 SEE NOTE 10 LEAD FREE OPTION	E	2	3	2	2	4	
	D	2	3	2	2	4	
	C	2	3	2	2	4	
	B	2	3	2	2	4	
	A	2	3	2	2	4	
89025-X94 SEE NOTE 10 LEAD FREE OPTION	E	1	19	3	3	3	
	D	3	19	3	3	3	
	C	3	19	3	3	3	
	B	19	19	3	3	3	
	A	19	19	3	3	3	
89025-X95 SEE NOTE 10 LEAD FREE OPTION	E	2	2	2	2	2	
	D	2	2	2	2	2	
	C	1	2	2	2	2	
	B	2	2	2	2	2	
	A	2	2	2	2	2	
89025-X96 SEE NOTE 10 LEAD FREE OPTION	E	3	3	-	3	3	
	D	3	3	-	3	3	
	C	3	3	-	3	3	
	B	3	3	-	-	-	
	A	3	3	3	3	3	
89025-X97 SEE NOTE 10 LEAD FREE OPTION	E	3	3	3	3	-	
	D	3	3	3	3	-	
	C	3	3	3	3	3	
	B	3	3	3	3	3	
	A	3	3	3	-	-	
89025-X98 SEE NOTE 10 LEAD FREE OPTION	E	4	4	4	19	19	
	D	4	4	4	19	19	
	C	4	4	4	19	19	
	B	4	4	4	19	19	
	A	4	4	4	19	19	
89025-X99 SEE NOTE 10 LEAD FREE OPTION	E	8	8	8	20	20	
	D	8	8	8	20	20	
	C	8	8	8	20	20	
	B	8	8	8	20	20	
	A	8	8	8	20	20	

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCJ		www.fcjconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		projection		title	
CR				angles	0.XX ±0.13					METRAL SIGNAL HEADER 1 MOD, 5 ROW PRESS-FIT	
				dr	.XXX ±.051					product family	
				engr	0° ±2°			MM		METRAL	
				chr	T.BRUNGARD 11/19/99			scale		code	
				appd	M.STRAWSER 11/19/99			1:1		213	
					M.STRAWSER 11/19/99			A		sheet	
					M.STRAWSER 02/29/00					7	
sheet index	revision sheet									cage code	
										22526	

PRODUCT NUMBER
89025-XYX
89025-XYXLF

NOTES:




- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
55422 -XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

- FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX. EXAMPLE: 89025-X01LF

mat'l code				tolerances unless otherwise specified		CUSTOMER			
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		www.fcjconnect.com	
CR					0.XX ±0.13	projection	title METRAL SIGNAL HEADER		
					.XXX ±.051		1 MOD, 5 ROW PRESS-FIT		
				angles	0° ±2°		product family METRAL		code
				dr	T.BRUNGARD 11/19/99	size		dwg no	213
				engr	M.STRAWSER 11/19/99	A		89025	sheet
				chr	M.STRAWSER 11/19/99	scale		8	8
				appd	M.STRAWSER 02/29/00	1:1			
sheet index	revision sheet								



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9