


CES-B24-SFFS-PLBK

Order No.: 0801658

<http://catalog.phoenixcontact.net/phoenix/treeViewClick.do?UID=0801658>Sealing frame with screw locking, size B24, with flat gasket, for 10
small sleeves**Commercial data**

| | |
|------------------------|-------------------------------------------------------------------------------------------------------|
| EAN |  4 046356 674140 |
| sales group | B240 |
| Pack | 1 Pcs. |
| Customs tariff | 85472000 |
| Gross weight in pieces | 0.1777 KG |
| Net weight per piece | 0.1777 KG |

Product notesWEEE/RoHS-compliant since:
06/27/2011

<http://www.download.phoenixcontact.com>
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

Technical data**General data**

| | |
|-----------------------------------------|--------|
| Material | PA |
| Inflammability class according to UL 94 | V0 |
| Color | black |
| Length | 147 mm |
| Degree of protection | IP55 |

| | |
|---------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Ambient temperature (operation) | -40 °C ... 120 °C |
| Torque | 2 Nm ... 4 Nm (Locking screw) |
| Installation instructions | M5 locking screw with 4 mm Allen screw head, 2 ... 4 Nm torque, one large sleeve requires the space of 4 small sleeves. |

Certificates / Approvals


Certification
 Certifications applied for:
 Certification Ex:

Accessories


| Item | Designation | Description |
|----------------|-----------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General | | |
| 0801727 | CES-B24-WRG-BK | Flat gasket made of NBR, size B24 |
| 0801728 | CES-SFFS-H | M4 replacement screw with 4 mm Allen screw head for sealing frame with screw locking |
| 1212647 | SF-BIT-HEX 3-50 | Screw bit, hexagon, E6.3-1/4" drive, size: Hex 3 x 50 mm, hardened, suitable for holder according to DIN 3126-F6.3/ISO 1173 |
| Tools | | |
| 1212070 | SF-M BH | Bit screwdriver, with 1/4" quick-action chuck, handle length 119 mm, 2-component handle, with non-slip grip, suitable for bits according to DIN 3126-C 6.3 and E 6.3/ISO 1173, magnetic |

Drawings

Dimensioned drawing



Dimensional drawing



Panel cutout

Address

PHOENIX CONTACT Deutschland GmbH
Flachmarktstr. 8
32825 Blomberg, Germany
Phone +49 5235 3 12000
Fax +49 5235 3 41200
<http://www.phoenixcontact.de>



© 2012 Phoenix Contact
Technical modifications reserved;

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9