






PRODUCT NUMBER

SEE SHEET 2




spec ref	*	dr	Vicking Liu	2016/02/17	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Rainbow Zhan	2016/04/25	chr	Fancy Zhang	2016/04/25	ecn no	-	
surface	linear	appr	Pei-Ming Zheng	2016/04/25	product family	PwrBlade+	rel level	Released		
ASME Y14.5	angular	0°	±2°	Amphenol FCI	28S + 7ACP	RA STB PLUG	cat. no.	Product - Customer Drw	sheet 1 of 3	rev
										A

PRODUCT NO.	ROWS	SIGNAL							HIGH POWER								
		E1	1	2	3	4	5	6	7	P1	P2	P3	P4	P5	P6	P7	E2
10106124-7007001LF	DCBA		U	U	H	H	H	U	U								
			T	T	L	G	G	T	T								
			S	S	L	F	F	S	S								
			R	R	L	E	E	R	R								
																	



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
F	MLBF SIGNAL CONTACT, ROW B (3.43)
G	MLBF SIGNAL CONTACT, ROW B (3.43)
H	MLBF SIGNAL CONTACT, ROW D (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
RL	MFBL SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
SL	MFBL SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
TL	MFBL SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)
UL	MFBL SIGNAL CONTACT, ROW D (3.43)

spec ref *		dr		Vicking Liu	2016/02/17	projection 	MM 	size	A3	scale	3:2		
tolerance std ASME Y14.5	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng				Rainbow Zhan	2016/04/25	ecn no			-
				chr				Fancy Zhang	2016/04/25	rel level			Released
		appr		Pei-Ming Zheng		2016/04/25	product family		PwrBlade+				
surface  ASME Y14.5	linear	0.X	±0.5	Amphenol FCi	title	28S + 7ACP RA STB PLUG			dwg no	10106124-7007001		rev	A
		0.XX	±0.25										
		0.XXX	±0.10										
		angular	0°	±2°	cat. no.		Product - Customer Drw			sheet 2 of 3			

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref *				dr		Vicking Liu	2016/02/17		projection				MM		size		A3	scale		3:2						
tolerance std				TOLERANCES UNLESS OTHERWISE SPECIFIED				eng		Rainbow Zhan		2016/04/25				ecn no					-					
ASME Y14.5								chr		Fancy Zhang		2016/04/25				rel level					Released					
								appr		Pei-Ming Zheng		2016/04/25		product family							PwrBlade+					
surface				linear		0.X		±0.5		Amphenol FCI		title		28S + 7ACP		dwg no		10106124-7007001		rev		A				
																							0.XX		±0.25	
																							0.XXX		±0.10	
ASME Y14.5				angular		0°		±2°				cat. no.		Product - Customer Drw					sheet 3 of 3							

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9