




SCALE 2:1




OPTION "B"




OPTION "D"



OPTION "F"




SECTION A-A
SHOWN WITH TPA IN
IT'S PRE-LOADED POSITION
(DELIVERY CONDNTION)



MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND


MINIMUM FEED THROUGH CONDITION
WITH 1mm CLEARANCE ALL AROUND
SHOWN WITH OPTION WIRESHIELD

1. APPLICABLE TERMINAL PART NUMBERS (SOLD SEPARATELY):
FOR TIN APPLICATIONS: 1393367 AND 1393366.
FOR GOLD APPLICATIONS: 1393365 AND 1393364.
FOR TERMINATION AND REELING OPTIONS
SEE DRAWINGS 1393367, 1393366, 1393365, AND 1393364.
2. COMPATIBLE WIRE SIZE FOR MAT SEAL DESIGN 1.19 TO 2.06 O.D.
(22-18 AWG, 0.35-0.75 mm2)
3. TPA IS SHIPPED IN IT'S PRE-LOADED POSITION. ALL ASSEMBLIES ARE
TO BE TRAY PACKAGED.
4. CUSTOMER PART NUMBER AND TRACEABILITY CODE (YY = TWO DIGIT YEAR,
JJJ = JULIAN DAY, HH = TWO DIGIT MILITARY HOUR, A = ASSEMBLY
PROCESS USED) ARE PRINTED IN THIS LOCATION.
5. PART ASSEMBLY WEIGHT WITHOUT TERMINALS AND WITH STANDARD PIN-OUT
CONFIGURATION IS 14.39 GRAMS.
6. OPTIONAL WIRESHIELD P/N 7-1419157-8 (SOLD SEPARATELY). PLEASE CONTACT
YOUR TE SALES REPRESENTATIVE FOR AVAILABILITY AND PRICING.



SCALE 2:

SCALE 2:



SCALE 1:1

KEYING OPTION "A" SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M FORISKA 16APR2002		 TE Connectivity	
		CIR M FORISKA 16APR2002			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		APPR A VALASEK 16APR2002		24 WAY ARM,	
		PRODUCT SPEC		PLUG ASSEMBLY WITHOUT SHORTING BARS.	
		APPLICATION SPEC		CUSTOMER SPEC.	
				SIZE	CAGE CODE
				DRAWING NO	
				RESTRICTED TO	
MATERIAL	FINISH	WEIGHT		SCALE	
SEE CHART ABOVE	-	SEE-NOTE 5		3:1	
		CUSTOMER DRAWING		SHEET 1 OF 3	
				REV BK	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWG. NO. FORISKA 16APR2002		 TE Connectivity	
		CHKD. M. FORISKA 16APR2002			
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		APPROV. A. VALASKI 16APR2002		24 WAY ARM,	
		APPLICATION SPEC		PLUG ASSEMBLY WITHOUT SHORTING BARS,	
		PRODUCT SPEC		CUSTOMER SPEC.	
0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±3° FINISH -		APPLICATION SPEC		SIZE	
MATERIAL		WEIGHT		CAGE CODE	
SEE CHART ABOVE		CUSTOMER DRAWING		DRAWING NO	
				RESTRICTED TO	
				A1 00779 C=3-1419157-9	
				SCALE 3:1 SHEET 2 OF 3 REV BK	

PIN-OUT CHART																								
12	13	14	15	16	17	18	19	20	21														1-1438103-5	KEY "A"
12	13	14	15	16	17	18			21	22	23												1-1438356-2	KEY "D"
12	13	14	15	16		18	19		21	22	23	24											2-1438095-3	KEY "B"
12				16	17	18					22	23	24										1-1438103-4	KEY "A"
	13				16	17	18	19			22	23	24										1438582-3	KEY "E"
	13	14	15	16	17	18	19	20	21	22	23	24											1-1438356-1	KEY "D"
12	13		15			18	19			22	23	24											1-1438096-4	KEY "C"
12	13	14	15			18	19	21	22	23	24												1-1438103-3	KEY "A"
	13			16	17	18	19	20	21	22	23	24											1-1438356-0	KEY "D"
12	13	14	15	16		18	19	21	22	23	24												2-1438095-2	KEY "B"
12	13	14	15	16		18	19	21	22	23	24												1-1438096-3	KEY "C"
12	13			16		18						24											1-1438096-2	KEY "C"
12	13		15	16		18	19			22	23	24											1-1438096-1	KEY "C"
	13			16	17	18	19			22	23	24											1438583-3	KEY "F"
	13			16		19				22													1438583-2	KEY "F"
																							1438583-1	KEY "F"
	13	14	15	16	17	18	19	20	21	22	23	24											1438582-2	KEY "E"
																							1438582-1	KEY "E"
	13	14	15		17		19	20	21														1-1438103-2	KEY "A"
12	13	14	15	16		18	19			22	23	24											2-1438095-1	KEY "B"
12		14	16		18							24											2-1438095-0	KEY "B"
12	13		15	16		18	19			22	23	24											1-1438095-9	KEY "B"
	13			16	17	18	19			22	23	24											1-1438103-1	KEY "A"
12		14	16		18			21				24											1-1438095-8	KEY "B"
12	13	14	15	16		18	19	21	22	23	24												1-1438095-7	KEY "B"
12	13	14	15	16	17	18	19	20	21	22	23	24											1-1438103-0	KEY "A"
13	14	15		17		19	20	21															2-1438103-0	KEY "A"
																							1438356-9	KEY "D"
12			15	16						22	23												1438356-8	KEY "D"
12			15	16						22	23												1438103-9	KEY "A"
12		14	16		18							24											1-1438095-6	KEY "B"
12	13	14	15	16		18	19			22	23	24											1-1438095-5	KEY "B"
12	13	14		16		18						24											1-1438095-4	KEY "B"
12		15	16		18			21	22	23													1438356-7	KEY "D"
12		15	16	17	18		21	22	23														1438356-6	KEY "D"
12				18			21	22	23														1438356-5	KEY "D"
12		15	16	17	18		21	22	23														1438356-4	KEY "D"
12		15	16		18		21	22	23														1-1438095-3	KEY "B"
12		15	16						22	23													1-1438095-2	KEY "B"
	13				17	18	19	20	21	22	23	24											1438103-8	KEY "A"
12										22	23												1438356-3	KEY "D"
											23												1-1438095-1	KEY "B"
				16	18						23												1-1438096-0	KEY "C"
				16	18							23											1438096-9	KEY "C"
					18					22	23												1438096-8	KEY "C"
	13	14	15	16	17	18	19	20	21	22	23	24											1438096-7	KEY "C"
				16		18				22	23												1438096-4	KEY "C"
	13						19	20	21	22													1438096-3	KEY "C"
						18																	1438096-2	KEY "C"
					17					22	23												1-1438095-0	KEY "B"
				16	17					22	23												1438095-9	KEY "B"
					17					22													1438095-8	KEY "B"
				16	17					22													1438095-7	KEY "B"
12		14	16		18			21				24											1438095-6	KEY "B"
										22	23												1438095-5	KEY "B"
12	13		15	16		18	19	21	22	23	24												1438095-3	KEY "B"
12	13		15	16		18	19			22	23	24											1438095-4	KEY "B"
										22													1438095-2	KEY "B"
12			15	16						22	23												1438356-2	KEY "D"
12			15	16		18		21	22	23													1438103-7	KEY "A"
12			15	16						22	23												1438103-6	KEY "A"
	13				17	18	19			22	23	24											1438103-5	KEY "A"
12	13	14	15	16		18	19	21	22	23	24												1438103-4	KEY "A"
	13						19		22														1438096-5	KEY "C"
	13						19		22														1438103-3	KEY "A"
					17																		1438103-2	KEY "A"
																							7-1419157-7	KEY "A"
13	14	15		17	18	19	20	21	22	23	24												1438096-6	KEY "C"
																							1438103-1	KEY "A"
																							1438356-1	KEY "D"
																							4-1419171-1	KEY "C"
																							4-1419171-0	KEY "B"
																							3-1419171-9	KEY "A"
12	13	14	15	16	17	18	19	20	21	22	23	24												
HOLE POSITION													ASSEMBLY PART NUMBER											PLUG KEYING OPTION

PIN-OUT CHART																												
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23				1-1438103-5	KEY "A"	
1	2			5	6	7	8				11	12			15	16	17	18		21	22	23				1-1438356-2	KEY "D"	
	2	3	4	5	6						12	13	14	15	16	17	18	19		21	22	23	24			2-1438095-3	KEY "B"	
			4	5	6					10	11	12			16	17	18				22	23	24			1-1438103-4	KEY "A"	
1						7				10	11	13			16	17	18	19			22	23	24			1438582-3	KEY "E"	
1	2	3				7	8	9	10	11		13	14	15	16	17	18	19	20	21	22	23	24			1-1438356-1	KEY "D"	
	2			5	6					11	12	13	15			18	19				22	23	24			1-1438096-4	KEY "C"	
	2			5	6					11	12	13	14	15		18	19		21	22	23	24			1-1438103-3	KEY "A"		
1	2	3				7			10	11		13			16	17	18	19	20	21	22	23	24			1-1438356-0	KEY "D"	
	2	3	4	5	6	7	8				12	13	14	15	16	18	19		21	22	23	24			2-1438095-2	KEY "B"		
	2	3	4	5	6						12	13	14	15	16	18	19		21	22	23	24			1-1438096-3	KEY "C"		
	2			5	6					11	12	13			16	18							24			1-1438096-2	KEY "C"	
	2			5	6					11	12	13	15	16	18	19					22	23	24			1-1438096-1	KEY "C"	
1						7			10	11	13			16	17	18	19				22	23	24			1438583-3	KEY "F"	
1						7			10	11	13			16		19					22					1438583-2	KEY "F"	
																										1438583-1	KEY "F"	
1	2	3				7	8	9	10	11		13	14	15	16	17	18	19	20	21	22	23	24			1438582-2	KEY "E"	
																										1438582-1	KEY "E"	
1	2	3	4	5		7	8	9	10	11		13	14	15		17		19	20	21						1-1438103-2	KEY "A"	
	2	3	4	5	6						12	13	14	15	16	18	19				22	23	24			2-1438095-1	KEY "B"	
	2	3	4	5	6					11	12		14	16	18								24			2-1438095-0	KEY "B"	
	2	3	4	5	6						12	13		15	16	18	19				22	23	24			1-1438095-9	KEY "B"	
1						7			10	11		13			16	17	18	19			22	23	24			1-1438103-1	KEY "A"	
	2	3	4	5	6					11	12		14	16	18	19		21					24			1-1438095-8	KEY "B"	
				6							12	13	14	15	16	18	19	21	22	23	24				1-1438095-7	KEY "B"		
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			1-1438103-0	KEY "A"	
1	2	3				7	8	9			12	13	14	15	16	17	18	19	20	21	22	23				2-1438103-0	KEY "A"	
																										1438356-9	KEY "D"	
1	2			5	6	7	8			11	12			15	16						22	23				1438356-8	KEY "D"	
1	2			5	6	7	8			11	12			15	16						22	23				1438103-9	KEY "A"	
				6						11	12		14	16	18								24			1-1438095-6	KEY "B"	
				6							12	13	14	15	16	18	19				22	23	24			1-1438095-5	KEY "B"	
				6							12	13	14		16	18						24			1-1438095-4	KEY "B"		
				5	6				11	12			15	16	18			21	22	23						1438356-7	KEY "D"	
				5	6				11	12			15	16	17	18		21	22	23						1438356-6	KEY "D"	
				5	6				11	12			15	16	18	19	21	22	23							1438356-5	KEY "D"	
				5	6	7	8	9	10	11	12		15	16	17	18		21	22	23						1438356-4	KEY "D"	
				5	6					11	12		15	16	18			21	22	23						1-1438095-3	KEY "B"	
				5	6					11	12		15	16				22	23							1-1438095-2	KEY "B"	
									11		13				17	18	19	20	21	22	23	24				1438103-8	KEY "A"	
				5	6					11	12										22	23				1438356-3	KEY "D"	
1	2	3	4	5	6																23					1-1438095-1	KEY "B"	
1	2	3	4	5	6										16	18					23					1-1438096-0	KEY "C"	
1	2	3	4	5	6	7	8	9	10						16	18					23					1438096-9	KEY "C"	
1	2	3	4	5	6										18						22	23				1438096-8	KEY "C"	
1	2	3				7	8	9	10	11		13	14	15	16	17	18	19	20	21	22	23	24			1438096-7	KEY "C"	
1	2	3	4	5	6										16	18					22	23				1438096-4	KEY "C"	
1	2	3								11		13				18		19	20	21	22					1438096-3	KEY "C"	
1	2	3	4	5	6											18										1438096-2	KEY "C"	
1	2	3	4	5	6											17					22	23				1-1438095-0	KEY "B"	
1	2	3	4	5	6										16	17					22	23				1438095-9	KEY "B"	
1	2	3	4	5	6											17					22					1438095-8	KEY "B"	
1	2	3	4	5	6										16	17					22					1438095-7	KEY "B"	
				6						11	12		14	16	18			21					24			1438095-6	KEY "B"	
1	2	3	4	5	6		7	8													22	23				1438095-5	KEY "B"	
	2	3			6	7	8					12	13	15	16	18	19	21	22	23	24					1438095-3	KEY "B"	
					6						12	13	15	16	18	19					22	23	24			1438095-4	KEY "B"	
1	2	3	4	5	6																22					1438095-2	KEY "B"	
				5	6					11	12			15	16												1438356-1	KEY "D"
				5	6					11	12			15	16	18				21	22	23				1438103-7	KEY "A"	
				5	6					11	12			15	16						22	23					1438103-6	KEY "A"
1						7				11		13				17	18	19			22	23	24			1438103-5	KEY "A"	
	2	3	4	5	6						12	13	14	15	16	18	19	21	22	23	24					1438103-4	KEY "A"	
1						7				11		13						19			22					1438096-5	KEY "C"	
1						7			10	11		13			16			19			22					1438103-3	KEY "A"	
																										1438103-2	KEY "A"	
1	2	3	4	5	6											17										7-1419157-7	KEY "A"	
1	2	3				7	8	9		11		13	14	15		17	18	19	20	21	22	23	24			1438096-6	KEY "C"	
																										1438103-1	KEY "A"	
																										1438356-1	KEY "D"	
																										4-1419171-1	KEY "C"	
																										4-1419171-0	KEY "B"	
																										3-1419171-9	KEY "A"	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24			ASSEMBLY PART NUMBER	PLUG KEYING OPTION	

4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9