




PRODUCT NUMBER  
74742-XY  
74742-XYLF




mat'l code				--		tolerances unless otherwise specified		CUSTOMER		FCJ www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY		title METRAL SIGNAL HEADER 2 MOD, 5 ROW STB		
K	V06-0544	DCH	2006-06-09		0.XX ±0.13		projection				
L	DG09-0256	TER	2009-08-19		.XXX ±.051						
-	-	-	-	angles	0° ±2°				product family METRAL code		
F	V21671	TAB	10/21/02	dr	T.BRUNGARD	11/19/99	MM		size		213
G	V03-1059	DAI	09/24/03	engr	M.STRAWSER	11/19/99	← MM →		dwg no		1 of 5
H	V05-1064	LP	11/21/05	chr	M.STRAWSER	11/19/99	scale		A		74742
J	V06-0057	DAI	02/08/06	appd	M.STRAWSER	2/29/00	2:1				
sheet	revision	L	L	L	L	L					
index	sheet	1	2	3	4	5					

This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE

SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

KEY (SIGNAL STB)		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.25
2	5.75	4.25
3	6.50	4.25
4	7.25	4.25
5	5.00	3.30
6	5.75	3.30
7	6.50	3.30
8	7.25	3.30
9	5.00	2.65
10	5.75	2.65
11	6.50	2.65
12	6.50	2.65
13	8.00	4.25

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com		
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		projection		
L					0.XX ±0.13	MM				title METRAL SIGNAL HEADER 2 MOD, 5 ROW STB
					.XXX ±.051	1:1				
				angles	0° ±2°	scale		size A	code 213 sheet 2	
				dr	T.BRUNGARD	11/19/99	size A			dwg no 74742
				engr	M.STRAWSER	11/19/99	cage code 22526		sheet 2	
				chr	M.STRAWSER	11/19/99				
				appd	M.STRAWSER	2/29/00				
sheet index	revision sheet									



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

2												3												4																											
METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2																				
		1	2	3	4	5	6	7	8	9	10			11	12	1	2	3	4	5	6	7	8			9	10	11	12	1	2	3	4	5	6	7	8	9	10	11	12										
74742-X01 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	3	74742-X07 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	2	74742-X32 SEE NOTE 9 LEAD FREE OPTION	E	5	5	5	5	5	5	5	5	5	5	5	74742-X36 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6
	D	3	3	3	3	3	3	3	3	3	3	3		D	2	2	2	2	2	2	2	2	2	2	2		D	5	5	5	5	5	5	5	5	5	5	5		D	6	6	6	6	6	6	6	6	6	6	6
	C	3	3	3	3	3	3	3	3	3	3	3		C	2	2	2	2	2	2	2	2	2	2	2		C	5	5	5	5	5	5	5	5	5	5	5		C	6	6	6	6	6	6	6	6	6	6	6
	B	3	3	3	3	3	3	3	3	3	3	3		B	2	2	2	2	2	2	2	2	2	2	2		B	5	5	5	5	5	5	5	5	5	5	5		B	6	6	6	6	6	6	6	6	6	6	6
	A	3	3	3	3	3	3	3	3	3	3	3		A	2	2	2	2	2	2	2	2	2	2	2		A	5	5	5	5	5	5	5	5	5	5	5		A	6	6	6	6	6	6	6	6	6	6	6
74742-X02 SEE NOTE 9 LEAD FREE OPTION	E	1	1	1	1	1	1	1	1	1	1	74742-X08 SEE NOTE 9 LEAD FREE OPTION	E	4	4	4	4	4	4	4	4	4	4	4	74742-X33 SEE NOTE 9 LEAD FREE OPTION	E	5	5	5	5	5	5	5	5	5	5	5	74742-X37 SEE NOTE 9 LEAD FREE OPTION	E	8	8	8	8	8	8	8	8	8	8	8	
	D	1	1	1	1	1	1	1	1	1	1		D	4	4	4	4	4	4	4	4	4	4	4		D	5	5	5	5	5	5	5	5	5	5	5		D	8	8	8	8	8	8	8	8	8	8	8	
	C	1	1	1	1	1	1	1	1	1	1		C	4	4	4	4	4	4	4	4	4	4	4		C	5	5	5	5	5	5	5	5	5	5	5		C	8	8	8	8	8	8	8	8	8	8	8	
	B	1	1	1	1	1	1	1	1	1	1		B	4	4	4	4	4	4	4	4	4	4	4		B	5	5	5	5	5	5	5	5	5	5	5		B	8	8	8	8	8	8	8	8	8	8	8	
	A	3	3	3	3	3	3	3	3	3	3		3	A	4	4	4	4	4	4	4	4	4	4		4	A	7	7	7	7	7	7	7	7	7	7		7	A	8	8	8	8	8	8	8	8	8	8	8
74742-X03 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	74742-X09 SEE NOTE 9 LEAD FREE OPTION	E	13	13	13	13	13	13	13	13	13	13	13	74742-X34 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6	74742-X61 SEE NOTE 9 LEAD FREE OPTION	E	11	11	11	11	11	11	11	11	11	11	11	
	D	3	3	3	3	3	3	3	3	3	3		D	13	13	13	13	13	13	13	13	13	13	13		D	7	7	7	7	7	7	7	7	7	7	7		D	11	11	11	11	11	11	11	11	11	11	11	
	C	2	2	2	2	2	2	2	2	2	2		C	13	13	13	13	13	13	13	13	13	13	13		C	6	6	6	6	6	6	6	6	6	6	6		C	11	11	11	11	11	11	11	11	11	11	11	
	B	2	2	2	2	2	2	2	2	2	2		B	13	13	13	13	13	13	13	13	13	13	13		B	6	6	6	6	6	6	6	6	6	6	6		B	11	11	11	11	11	11	11	11	11	11	11	
	A	3	3	3	3	3	3	3	3	3	3		A	13	13	13	13	13	13	13	13	13	13	13		A	7	7	7	7	7	7	7	7	7	7	7		A	11	11	11	11	11	11	11	11	11	11	11	
74742-X04 SEE NOTE 9 LEAD FREE OPTION	E	2	2	2	2	2	2	2	2	2	2	74742-X31 SEE NOTE 9 LEAD FREE OPTION	E	7	7	7	7	7	7	7	7	7	7	7	74742-X35 SEE NOTE 9 LEAD FREE OPTION	E	6	6	6	6	6	6	6	6	6	6	6	74742-X62 SEE NOTE 9 LEAD FREE OPTION	E	9	9	9	9	9	9	9	9	9	9	9	
	D	2	2	2	2	2	2	2	2	2	2		D	7	7	7	7	7	7	7	7	7	7	7		D	6	6	6	6	6	6	6	6	6	6	6		D	9	9	9	9	9	9	9	9	9	9	9	
	C	2	2	2	2	2	2	2	2	2	2		C	7	7	7	7	7	7	7	7	7	7	7		C	6	6	6	6	6	6	6	6	6	6	6		C	9	9	9	9	9	9	9	9	9	9	9	
	B	4	4	4	4	4	4	4	4	4	4		B	7	7	7	7	7	7	7	7	7	7	7		B	8	8	8	8	8	8	8	8	8	8	8		B	9	9	9	9	9	9	9	9	9	9	9	
	A	2	2	2	2	2	2	2	2	2	2		A	7	7	7	7	7	7	7	7	7	7	7		A	6	6	6	6	6	6	6	6	6	6	6		A	9	9	9	9	9	9	9	9	9	9	9	
74742-X05 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	74742-X06 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	74742-X06 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	74742-X06 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3				
	D	3	3	3	3	3	3	3	3	3	3		D	3	3	3	3	3	3	3	3	3	3		D	3	3	3	3	3	3	3	3	3	3		D	3	3	3	3	3	3	3	3	3	3				
	C	4	4	4	4	4	4	4	4	4	4		C	3	3	3	3	3	3	3	3	3	3		C	3	3	3	3	3	3	3	3	3	3		C	3	3	3	3	3	3	3	3	3	3				
	B	13	13	13	13	13	13	13	13	13	13		B	13	13	13	13	13	13	13	13	13	13		13	B	13	13	13	13	13	13	13	13	13		13	B	13	13	13	13	13	13	13	13	13	13			
	A	13	13	13	13	13	13	13	13	13	13		A	13	13	13	13	13	13	13	13	13	13		13	A	13	13	13	13	13	13	13	13	13		13	A	13	13	13	13	13	13	13	13	13	13			

mat'l code		--		tolerances unless otherwise specified		CUSTOMER				www.fcjconnect.com	
ltr	ecr no.	dr	date	linear	0.X ±0.3	COPY		projection		title	
L				angles	0.XX ±0.13	MM				METRAL SIGNAL HEADER 2 MOD, 5 ROW STB	
				dr	.XXX ±.051	T.BRUNGARD 11/19/99		product family		METRAL code	
				engr	0° ±2°	M.STRAWSER 11/19/99		size		213	
				chr		M.STRAWSER 11/19/99		dwg no		74742	
				appd		M.STRAWSER 2/29/00		scale		3	
sheet index		revision sheet						A		sheet	
								1:1		3	

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X63 SEE NOTE 9 LEAD FREE OPTION	E	9	9	9	9	9	9	9	9	9	9	9	9
	D	9	9	9	9	9	9	9	9	9	9	9	9
	C	9	9	9	9	9	9	9	9	9	9	9	9
	B	9	9	9	9	9	9	9	9	9	9	9	9
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X64 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10	10	10	10	10
	A	1	1	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X65 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	12	12	12	12	12	12	12	12	12	12	12	12
	A	10	10	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X66 SEE NOTE 9 LEAD FREE OPTION	E	10	10	10	10	10	10	10	10	10	10	10	10
	D	10	10	10	10	10	10	10	10	10	10	10	10
	C	10	10	10	10	10	10	10	10	10	10	10	10
	B	10	10	10	10	10	10	10	10	10	10	10	10
	A	10	10	10	10	10	10	10	10	10	10	10	10

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X67 SEE NOTE 9 LEAD FREE OPTION	E	12	12	12	12	12	12	12	12	12	12	12	12
	D	12	12	12	12	12	12	12	12	12	12	12	12
	C	12	12	12	12	12	12	12	12	12	12	12	12
	B	12	12	12	12	12	12	12	12	12	12	12	12
	A	12	12	12	12	12	12	12	12	12	12	12	12

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
74742-X99 SEE NOTE 9 LEAD FREE OPTION	E	3	3	3	3	3	3	3	3	3	3	1	13
	D	3	3	3	3	3	3	3	3	3	3	3	13
	C	3	3	3	3	3	3	3	3	3	3	3	13
	B	3	3	3	3	3	3	3	3	3	3	3	13
	A	1	3	3	3	3	3	3	3	3	3	3	13

mat'l code		--		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		COPY			title	
L					0.XX ±0.13		METRAL SIGNAL HEADER			2 MOD, 5 ROW STB	
					.XXX ±.051		product family			METRAL	
				angles	0° ±2°		MM		size		213
				dr	T.BRUNGARD	11/19/99	scale		dwg no		4
				engr	M.STRAWSER	11/19/99	1:1		A		sheet
				chr	M.STRAWSER	11/19/99			74742		4
				appd	M.STRAWSER	2/29/00					
sheet index	revision sheet										



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.


PRODUCT NUMBER
74742-XYX
74742-XYXLF

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-NIYY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-IYY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-NIYYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 8
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 8
-IYYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 8
-2YYLF	TELECOM CLASS	SEE NOTE 8
-5YYLF	TELCORDIA UE	SEE NOTE 8

NOTES:

- FOR DIM A, AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL  
PHOSPHOR BRONZE:
- PLATING ON PRESS FIT TAIL:  
74742-XYX IS SnPb.  
74742-XYXLF IS Sn (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.  
IF TRAY PACKAGING IS REQUIRED, SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: 74742-XXXP OR 74742-XXXPLF
- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-074
- THE PRODUCTS WHERE THE PART NUMBERS ENDS IN "LF" MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.) -NI--- OR (DRAWING NO.) -N5--- WILL WITHSTAND EXPOSURE TO 260° C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS(DRAWING NO.) -NI--- AND (DRAWINGS NO.) -N5--- WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM OF 140° C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.  
FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.  
EXAMPLE: 74742-X01LF

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com			
ltr	ecn no.	dr	date	linear	0.X ±0.3	projection		title			
L					0.XX ±0.13			METRAL SIGNAL HEADER		2 MOD, 5 ROW STB	
					.XXX ±.051						
				angles	0° ±2°	 MM	 scale 1:1	product family			
		dr	T.BRUNGARD	11/19/99	METRAL			code	213		
		enrg	M.STRAWSER	11/19/99	size			dwg no	74742		
		chr	M.STRAWSER	11/19/99	A			sheet	5		
		appd	M.STRAWSER	2/29/00							
sheet index	revision sheet										



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCJ. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCJ. Copyright FCJ.

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9