





REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RELEASED	20MAY2019	CJV	JW

21.57	5.385	74.76	80.74	38.17	4.57	77.89	76.34	55.86	43.6	58.31	45.6	25.39	21.53	78.89	33.31	4.05	48V
21.07	4.885	73.76	79.74	37.67	3.57	76.89	75.34	54.86	42.6	57.31	44.6	24.39	21.03	77.89	32.31	3.05	12V
T	S	R	P	N	M	L	K	J	H	G	F	E	D	C	B	A	VOLTAGE RATING



HARD TRAY	48V	2338718-4
HARD TRAY	12V	2338718-3
SOFT TRAY	48V	2338718-2
SOFT TRAY	12V	2338718-1
PACKAGING	VOLTAGE RATING	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE CHK H. ANDREWS APVD H. ANDREWS	22JUN2018 22JUN2018 22JUN2018	NAME RECEPTACLE ASSEMBLY, 4C WITH HIGH POWER, SLIVER 2.0	
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	0 PLC 1 PLC 2 PLC 3 PLC 4 PLC ANGLES FINISH	± ± ± ± ± ± ±	PRODUCT SPEC APPLICATION SPEC	RESTRICTED TO
MATERIAL	1	2	WEIGHT	SIZE A1	CAGE CODE 00779
CUSTOMER DRAWING		SCALE 6:1	SHEET 1	OF 4	REV A




REVISIONS				
P.	LTR.	DESCRIPTION	DATE	DWN. APVD.
-	-	SEE SHEET 1	-	-



RECOMMENDED PCB LAYOUT
AND KEEP OUT AREA




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN. C. VALENTIN 22JUN2018	TE Connectivity	
DIMENSIONS:		CHK. H. ANDREWS 22JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD. H. ANDREWS 22JUN2018	NAME	
Ø	0 PLC ±	PRODUCT SPEC	RECEPTACLE ASSEMBLY, 4C WITH HIGH POWER, SLIVER 2.0	
Ø	1 PLC ±	APPLICATION SPEC		
Ø	2 PLC ±	WEIGHT	SIZE CAGE CODE DRAWING NO	
Ø	3 PLC ±	CUSTOMER DRAWING	A100779C=2338718	
Ø	4 PLC ±	SCALE 6:1	SHEET 2 OF 4	
Ø	ANGLES	REV A		
Ø	FINISH			

[illegible]



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-

CONTACT NUMBER	SIDE A	SIDE B
1	GROUND	GROUND
2	SIGNAL	SIGNAL
3	SIGNAL	SIGNAL
4	GROUND	GROUND
5	SIGNAL	SIGNAL
6	SIGNAL	SIGNAL
7	GROUND	GROUND
8	SIGNAL	SIGNAL
9	SIGNAL	SIGNAL
10	GROUND	GROUND
11	SIGNAL	SIGNAL
12	SIGNAL	SIGNAL
13	GROUND	GROUND
14	SIGNAL	SIGNAL
15	SIGNAL	SIGNAL
16	GROUND	GROUND
17	SIGNAL	SIGNAL
18	SIGNAL	SIGNAL
19	GROUND	GROUND
20	SIGNAL	SIGNAL
21	SIGNAL	SIGNAL
22	GROUND	GROUND
23	SIGNAL	SIGNAL
24	SIGNAL	SIGNAL
25	GROUND	GROUND
26	SIGNAL	SIGNAL
27	SIGNAL	SIGNAL
28	GROUND	GROUND
29	GROUND	GROUND
30	SIGNAL	SIGNAL
31	SIGNAL	SIGNAL
32	GROUND	GROUND
33	SIGNAL	SIGNAL
34	SIGNAL	SIGNAL
35	GROUND	GROUND

CONTACT NUMBER	SIDE A	SIDE B
36	SIGNAL	SIGNAL
37	SIGNAL	SIGNAL
38	GROUND	GROUND
39	SIGNAL	SIGNAL
40	SIGNAL	SIGNAL
41	GROUND	GROUND
42	GROUND	GROUND
43	GROUND	GROUND
44	SIGNAL	SIGNAL
45	SIGNAL	SIGNAL
46	GROUND	GROUND
47	SIGNAL	SIGNAL
48	SIGNAL	SIGNAL
49	GROUND	GROUND
50	SIGNAL	SIGNAL
51	SIGNAL	SIGNAL
52	GROUND	GROUND
53	SIGNAL	SIGNAL
54	SIGNAL	SIGNAL
55	GROUND	GROUND
56	SIGNAL	SIGNAL
57	SIGNAL	SIGNAL
58	GROUND	GROUND
59	SIGNAL	SIGNAL
60	SIGNAL	SIGNAL
61	GROUND	GROUND
62	SIGNAL	SIGNAL
63	SIGNAL	SIGNAL
64	GROUND	GROUND
65	SIGNAL	SIGNAL
66	SIGNAL	SIGNAL
67	GROUND	GROUND
68	SIGNAL	SIGNAL
69	SIGNAL	SIGNAL
70	GROUND	GROUND



DETAIL KK
SCALE 4:1





SOFT TRAY


- DIMENSIONS:
TRAY L= (335), W= (230), H= (19.7).
- QUANTITY:
36 PIECES PER TRAY.

FIGURE 1
SOFT TRAY PACKAGING
2338718-1 AND 2338718-2
SCALE 3:4

CONNECTOR CONTACT IDENTIFICATION



DETAIL LL
SCALE 4:1



HARD TRAY

- MATERIAL:
TRAY- HIPS, COLOR: BLACK.
BOX- CORRUGATED FIBERBOARD.
TRANSPARENT BAG- PE.
- DIMENSIONS:
TRAY- L= 330, W= 136, H= 17.5.
BOX- L= 13.75 IN, W= 11.75 IN, H= 5.75 IN.
- QUANTITY:
24 PIECES PER TRAY.
288 PIECES PER BOX.

FIGURE 2
HARD TRAY PACKAGING
2338718-3 AND 2338718-4
SCALE 3:4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN C. VALENTINE 22JUN2018	 TE Connectivity	
DIMENSIONS:		CHK H. ANDREWS 22JUN2018		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD H. ANDREWS 22JUN2018	PRODUCT SPEC	NAME RECEPTACLE ASSEMBLY, 4C WITH HIGH POWER, SLIVER 2.0
	0 PLC ±.01	APPLICATION SPEC	SIZE	CAGE CODE
	1 PLC ±.01	WEIGHT	00779	DRAWING NO
	2 PLC ±.01	CUSTOMER DRAWING	2338718	RESTRICTED TO
	3 PLC ±.01	SCALE	6:1	SHEET
	4 PLC ±.01	REV	A	OF
	ANGLES			4
	FINISH			4

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9