






PRODUCT NUMBER

SEE SHEET 2



spec ref		*		dr	Zhan Rainbow	2017/08/22	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Zhan Rainbow	2017/09/08			ecn no	-		
				chr	Kaka Zhang	2017/09/08						
				appr	Pei-Ming Zheng	2017/09/08					product family	PwrBlade+
surface	linear	0.X	±0.5	Amphenol FCI 12S + 6HDP RA STB PLUG				dwg no	10106262-6003004		rev	A
		0.XX	±0.25									
		0.XXX	±0.10									
ISO 1302	angular	0°	±2°	www.fci.com			cat. no.	Product - Customer Drw			sheet 1 of 3	

PRODUCT NO.	ROWS	SIGNAL			HIGH POWER								
		E1	1	2	3	P1	P2	P3	P4	P5	P6	E2	
10106262-6003004LF	D C B A		U T S R	U T S R	H T F E	H1	H1	H1	H1	H1	H1		




CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
F	MLBF SIGNAL CONTACT, ROW B (3.43)
G	MLBF SIGNAL CONTACT, ROW C (3.43)
H	MLBF SIGNAL CONTACT, ROW D (3.43)
H1	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

spec ref		*		dr		Zhan Rainbow	2017/08/22	projection				MM		size		A3	scale		3:2
tolerance std		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Zhan Rainbow	2017/09/08					ecn no		-		rel level		Released	
ISO 406		chr		Kaka Zhang	2017/09/08	product family						PwrBlade+							
ISO 1101		appr		Pei-Ming Zheng	2017/09/08														
surface		linear		0.X	±0.5	Amphenol FCi		title		12S + 6HDP		dwg no		10106262-6003004		rev		A	
				0.XX	±0.25														
				0.XXX	±0.10														
		ISO 1302	angular	0°	±2°	www.fci.com		cat. no.		Product - Customer Drw		sheet 2 of 3							

NOTES:

- 1) PRODUCT MARK:
PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE .
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING : HIGH TEMP THERMOPLASTIC WITH GLASS FIBER, UL94V-0, BLACK.
-POWER CONTACT : HIGH CONDUCTIVITY COPPER ALLOY.
-SIGNAL CONTACT : COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15+/-0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN SN
OVER 0.0254-0.0762MM CU PLATING TO ACHIEVE A 1.02+/-0.07MM HOLE.
- 8) THE HOUSING WILL WITHSTAND EXPOSURE TO 265 °C PEAK TEMPERATURE
FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- 9) THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY
REGULATIONS AS DESCRIBED IN GS-47-0004.
- 10)PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION: GS-14-1502.

spec ref *				dr		Zhan Rainbow	2017/08/22	projection				MM		size		A3	scale		3:2			
tolerance std				eng		Zhan Rainbow		2017/09/08				ecn no		-								
ISO 406				chr		Kaka Zhang		2017/09/08														
ISO 1101				appr		Pei-Ming Zheng		2017/09/08														
TOLERANCES UNLESS OTHERWISE SPECIFIED										product family		PwrBlade+		rel level		Released						
surface				linear		0.X		±0.5		Amphenol FCi		title		12S + 6HDP		dwg no		10106262-6003004		rev		A
						0.XX		±0.25														
						0.XXX		±0.10														
				angular		0°		±2°		www.fci.com		cat. no.		Product - Customer Drw		sheet 3 of 3						
ISO 1302																						

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9