




SIGN	DATE	DESCRIPTION	APPROVER
△			
△			
THIS IS CAD DRAWING, DO NOT REVISE MANUALLY!!!			

Material:

- Item ㉓ Terminal body: Thermoplastic (UL94V-0)
- Item ㉔ Terminal side body: Thermoplastic (UL94V-0)
- Item ㉕ Terminal cover: Thermoplastic (UL94V-0)
- Item ㉖ Spring clamp : Stainless steel
- Item ㉗ Solder pin(front) : Copper, Tin Plated.
- Item ㉘ Solder pin(back) : Copper, Tin Plated.

Electrical:

cULus
(Use Group B&C)

- Voltage rating: 600 V
- Current rating: 50 A
- Solid wire(AWG): 8-20
- Stranded wire(AWG): 4-20
- Wire strip length: 18-19mm
- Withstanding Voltage: 2.2KV
- Operating temperature: -40°C to +115°C
- Soldering temperature: 260°C ±5°C/5 Sec
- Safety Approval:
- Critical dimension:

NP xx 1 0 x 1 xxxx G

No. OF POLES
03: 3 POLES
05: 5 POLES
11: 11 POLES

Body Color
0 Black (RAL9005)
2 Red (RAL3001/D)
3 Orange(RAL2011/P)
4 Yellow(RAL1018/A)
5 Green(RAL6018/T)
6 Blue (RAL5015/A)
8 Grey(RAL7004/P)
9 White(RAL1102)
C Multiple colors

RoHS compliant
(lead<4%)
In copper Alloy
0000: "@" Logo (Standard)
000A: "ANYTEK" Mark
Any special item by
customer request,
please contact sales
department.

N=NUMBER OF POLES

DIM	Tolerance		
	3P--5P	7P--9P	11P
Dim P (N-1)×10.0	±0.40	±0.50	±0.60
Dim L N×10.0+1.8	±0.40	±0.50	±0.60


P.C.B. LAYOUT
Top view

ANYTEK

CUSTOMER COPY

ALL RIGHTS RESERVED. REPRODUCTION OR ISSUE TO THIRD PARTIES IN ANY FORM WHATEVER IS NOT PERMITTED WITHOUT WRITTEN AUTHORITY FROM THE PROPRIETOR. PROPERTY OF ANYTEK TECHNOLOGY CO., LTD

TITLE		NP 10.0mm Series Vertical (B type; Frnot contact link together with end cover) Odd number			
PART NO.	NPxx10x1xxxxG			DWG NO.	8NP0102
APPROVED	CHECKED	DESIGNED	DRAWN	CUST NO.	
		Airy min 2015.02.01	Airy min 2015.02.01		Tolerance
					X. ±0.50
					X.X ±0.30
				UNIT: mm	X.XX ±0.10
				SCALE: NONE	X° ±1°
				SHEET: 01/01	REV.: B



DIM		Tolerance		
		2P--4P	6P--8P	10-12P
Dim P	(N-1)×10.0	±0.40	±0.50	±0.60
Dim L	N×10.0+1.8	±0.40	±0.50	±0.60

TITLE		NP 10.0mm Series Vertical (B type; Frnot contact link together with end cover) Even number									
PART NO.		NPxx10x1xxxxG				DWG NO.		8NP0103			
APPROVED	CHECKED	DESIGNED	DRAWN	CUST NO.				Tolerance			
		Airy min 2015.02.01	Airy min 2015.02.01			UNIT: mm		X.	±0.50		
						SCALE: NONE		X.X	±0.30		
				SHEET: 01/01		REV: B		X.XX	±0.10		
								X°	±1°		

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9