





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION  
 © COPYRIGHT - By - ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS                 |           |     |      |
|-----|------|---------------------------|-----------|-----|------|
| P   | LTR  | DESCRIPTION               | DATE      | DWN | APVD |
|     | C    | REVISED PER ECR-12-013431 | 15APR2013 | K.M | E.T  |



NOTE:  
 1. MATERIAL:  
 HOUSING: THERMOPLASTIC WITH GLASS-FIBER FILLED, UL 94V-0 RATED, COLOR: SEE TABLE.  
 TINE PLATE: THERMOPLASTIC WITH GLASS-FIBER FILLED, UL 94V-0 RATED, COLOR: SEE TABLE  
 CONTACTS: COPPER ALLOY.  
 BOARD LOCK: BRASS.  
 SPRING LATCH: STAINLESS STEEL  
 SHELL: STEEL.  
 RIVET: BRASS.  
 2. FINISH:  
 CONTACT: (SEE TABLE) GOLD PLATING ON CONTACT AREA, 2.54µm [100µ"] MIN. TIN-CU ON SOLDER TAIL, 1.27µm [50µ"] MIN. NICKEL UNDERPLATED ALL OVER.  
 SHELL: 1.27µm [50µ"] MIN. NICKEL PLATED.  
 BOARD LOCK: 3.81µm [150µ"] MIN. TIN-CU PLATED.  
 RIVET: 1.27µm [50µ"] MIN. NICKEL PLATED.  
 ⚠ SEE SHEET 4 FOR DIFFERENT POINT EXPLANATION.  
 ⚠ SEE SHEET 3 FOR DIFFERENT POINT EXPLANATION.  
 ⚠ SEE SHEET 4 FOR DIFFERENT POINT EXPLANATION.

CONSTRUCTIVE AND VISUAL CHANGE REFER TO DETAIL B (ONLY FOR 4-1734044-3)  
 CONSTRUCTIVE AND VISUAL CHANGE REFER TO DETAIL A



RECOMMENDED PC BOARD LAYOUT

| REV         | DESCRIPTION                | FINISH    | MIN. THICKNESS             | PART NUMBER |
|-------------|----------------------------|-----------|----------------------------|-------------|
| 5           | W/O                        | BLACK     | GOLD FLASH                 | 5-1734044-3 |
| 4           | W/O                        | BLACK     | GOLD FLASH                 | 4-1734044-3 |
| 3           | W/                         | BLACK     | ⚠ RIVET(M3) 0.381um [15u"] | 3-1734044-3 |
| 2           | W/O                        | BURGUNDY  | SCREW 0.381um [15u"]       | 2-1734044-1 |
| 1           | W/O                        | BLACK     | ⚠ RIVET(M3) 0.381um [15u"] | 1-1734044-3 |
|             | W/O                        | BLACK     | RIVET 0.381um [15u"]       | 1-1734044-2 |
|             | W/O                        | BLACK     | SCREW 0.381um [15u"]       | 1-1734044-1 |
|             | W/O                        | BLACK     | ⚠ RIVET(M3) GOLD FLASH     | 1734044-3   |
|             | W/O                        | BLACK     | RIVET GOLD FLASH           | 1734044-2   |
|             | W/O                        | BLACK     | SCREW GOLD FLASH           | 1734044-1   |
| GROUND TABS | HOUSING & TINE PLATE COLOR | LOCK TYPE | MIN. THICKNESS             | PART NUMBER |

|  |  |   |                            |  |
|--|--|---|----------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN S. CHIEN 27OCT2008                    | <b>STE</b> TE Connectivity |  |
| DIMENSIONS: mm                         |  | CHK S. CHIEN 27OCT2008                    |                            |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | APVD W. KODAMA 27OCT2008                  | NAME                       |  |
| 0 PLC ± 0.38                           |  | PRODUCT SPEC 108-57098                    |                            |  |
| 1 PLC ± 0.25                           |  | APPLICATION SPEC                          |                            |  |
| 2 PLC ± 0.13                           |  | SIZE CAGE CODE DRAWING NO RESTRICTED TO   |                            |  |
| 3 PLC ± 0.05                           |  | WEIGHT GRAMS A3 00779 C-1734044           |                            |  |
| 4 PLC ± -                              |  | CUSTOMER DRAWING SCALE SHEET 1 OF 5 REV C |                            |  |
| ANGLES ± 3'                            |  |   |                            |  |
| FINISH                                 |  |   |                            |  |
| MATERIAL SEE NOTES                     |  |   |                            |  |
| SEE NOTES                              |  |   |                            |  |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

---

ALL RIGHTS RESERVED.

© COPYRIGHT - By -

LOC  
DW



DIST  
/

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |

DETAIL A

DETAIL A



ROUND HEAD SCREW



QUARTRANGLE RIVET

#4-40UNC

BOARD LOCK



BOARD LOCK

SECTION B-B




#4-40UNC

SECTION A-A



FOR X-1734044-1

FOR X-1734044-2

|   |  |                  |  |       |           |        |           |            |
|---|--|------------------|--|-------|-----------|--------|-----------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.  |  | DWN              |  <b>TE Connectivity</b> |       |           |        |           |            |
| DIMENSIONS:<br>mm   |  | CHK              |  |       |           | NAME   |           |            |
|    |  | APVD             |  |       |           |        |           |            |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ± 0.38<br>1 PLC ± 0.25<br>2 PLC ± 0.13<br>3 PLC ± 0.05<br>4 PLC ± -<br>ANGLES ± -<br>FINISH |  | PRODUCT SPEC     |  |       |           | SIZE   | CAGE CODE | DRAWING NO |
| MATERIAL  |  | APPLICATION SPEC | A3   | 00779 | C-1734044 | -      |           |            |
|   |  | WEIGHT           | CUSTOMER DRAWING   |       | SCALE     | SHEET  | REV       |            |
|   |  |                  |  |       | -         | 2 OF 5 | C         |            |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By -



LOC DW DIST

REVISIONS





| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |

DETAIL B

DETAIL A



SECTION C-C



SECTION D-D

ONLY FOR 4-1734044-3-4

|   |  |                  |  |       |           |        |           |            |
|---|--|------------------|--|-------|-----------|--------|-----------|------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.  |  | DWN              |  <b>TE Connectivity</b> |       |           |        |           |            |
| DIMENSIONS: mm  |  | CHK              |  |       |           | NAME   |           |            |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:  |  | APVD             |  |       |           |        |           |            |
| 0 PLC ± -<br>1 PLC ± -<br>2 PLC ± -<br>3 PLC ± -<br>4 PLC ± -<br>ANGLES ± -<br>FINISH |  | PRODUCT SPEC     |  |       |           | SIZE   | CAGE CODE | DRAWING NO |
| MATERIAL  |  | APPLICATION SPEC | A3   | 00779 | C-1734044 | -      |           |            |
|   |  | WEIGHT           | CUSTOMER DRAWING   |       | SCALE     | SHEET  | REV       |            |
|   |  |                  |  |       | -         | 3 OF 5 | C         |            |

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

ALL RIGHTS RESERVED.

© COPYRIGHT - By -

LOC  
DW





DIST  
-

REVISIONS


| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
| - | -   | SEE SHEET 1 | -    | -   | -    |

DETAIL A


DETAIL A



SECTION E-E



SECTION F-F



SECTION F-F





FOR 1734044-3, 1-1734044-3, 3-1734044-3

ONLY FOR 5-1734044-3

|  |  |              |   |        |           |            |               |
|--|--|--------------|---|--------|-----------|------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.   |  | DWN          | TE Connectivity<br>NAME<br>RECEPTACLE ASSEMBLY, 36P<br>RIGHT ANGLE, CENTRONICS. |        |           |            |               |
| DIMENSIONS:<br>mm  |  | CHK          |   |        |           |            |               |
|  |  | APVD         |   |        |           |            |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ± 0.38<br>1 PLC ± 0.25<br>2 PLC ± 0.13<br>3 PLC ± 0.05<br>4 PLC ± -<br>ANGLES ± 3° |  | PRODUCT SPEC |   |        |           |            |               |
| MATERIAL   |  | FINISH       | APPLICATION SPEC  | SIZE   | CAGE CODE | DRAWING NO | RESTRICTED TO |
|  |  |              | WEIGHT  | A3     | 00779     | C-1734044  |               |
| CUSTOMER DRAWING   |  |              | SCALE   | SHEET  | REV       |            |               |
|  |  |              | -   | 4 OF 5 | C         |            |               |

THIS DRAWING IS UNPUBLISHED.      RELEASED FOR PUBLICATION      - , - .  
 © COPYRIGHT - By -      ALL RIGHTS RESERVED.

| LOC |     | DIST        |  | REVISIONS |      |     |      |  |
|-----|-----|-------------|--|-----------|------|-----|------|--|
| P   | LTR | DESCRIPTION |  |           | DATE | DWN | APVD |  |
|     | -   | SEE SHEET 1 |  |           | -    | -   | -    |  |



|                  |                    |          |                  |          |
|------------------|--------------------|----------|------------------|----------|
| 8.0              | 9.0                | 12       | 16               | 192      |
| NET WEIGHT (KGS) | GROSS WEIGHT (KGS) | PCS/TRAY | TRAYS/ OUTER BOX | QUANTITY |

|   |  |              |   |                    |           |            |               |
|---|--|--------------|---|--------------------|-----------|------------|---------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.  |  | DWN          | TE Connectivity<br>RECEPTACLE ASSEMBLY, 36P<br>RIGHT ANGLE, CENTRONICS. |                    |           |            |               |
| DIMENSIONS: mm  |  | CHK          |   |                    |           |            |               |
|   |  | APVD         |   |                    |           |            |               |
| TOLERANCES UNLESS OTHERWISE SPECIFIED:<br>0 PLC ± -<br>1 PLC ± -<br>2 PLC ± -<br>3 PLC ± -<br>4 PLC ± -<br>ANGLES ± - |  | PRODUCT SPEC |   |                    |           |            |               |
| MATERIAL  |  | FINISH       | APPLICATION SPEC  | SIZE               | CAGE CODE | DRAWING NO | RESTRICTED TO |
|   |  |              | WEIGHT  | A3 00779 C-1734044 |           |            |               |
| CUSTOMER DRAWING  |  |              | SCALE   | SHEET              | 5 OF 5    | REV        | C             |

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9