




TYPE 1  
类型 1

Single PG/M thread  
单个 PG/M 螺纹孔

PG/M THREAD-1  
PG/M 螺纹孔-1

2X M6 SCREW  
2X M6 螺丝

4X M3 THREAD  
4X M3 螺纹孔

TYPE 2  
类型 2

Two PG/M threads  
两个 PG/M 螺纹孔

PG/M THREAD-2  
PG/M 螺纹孔-2


PG/M THREAD-3  
PG/M 螺纹孔-3

| REVISIONS |     |                 |           |     |      |
|-----------|-----|-----------------|-----------|-----|------|
| P         | LTR | DESCRIPTION     | DATE      | DWN | APVD |
|           | A   | INITIAL RELEASE | 08OCT2016 | DW  | CW   |
|           | A1  | ECR-17-018159   | 13DEC2017 | RL  | CW   |
|           | B   | ECR-19-009256   | 23FEB2019 | CD  | CW   |

All dimension is same as TYPE 1, except those defined in this TYPE  
除了在本类型中定义的尺寸外, 其他尺寸同类型 1

NOTES:  
1. TECHNICAL CHARACTERISTICS:  
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE: SEE TABLE  
DEGREE OF PROTECTION: IP68 (MATED)

注释  
1. 技术参数:  
壳体材料: 铝合金  
表面处理: 见表格  
防护等级: IP68 (配合)

|                                                                                       |  |                                        |                             |                            |                                                                                                       |                                |  |  |
|---------------------------------------------------------------------------------------|--|----------------------------------------|-----------------------------|----------------------------|-------------------------------------------------------------------------------------------------------|--------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |  |                                        | DWN 08OCT2016<br>DAVID WANG |                            |  TE Connectivity |                                |  |  |
|                                                                                       |  |                                        | CHK 08OCT2016<br>CHRIS WANG |                            |                                                                                                       |                                |  |  |
| DIMENSIONS:<br>mm                                                                     |  | TOLERANCES UNLESS OTHERWISE SPECIFIED: |                             | APVD 08OCT2016<br>XIANG XU |                                                                                                       | NAME<br>H16BPR-TGHC-PG/M-EMC-C |  |  |
|  |  | 0 PLC ±-                               |                             | PRODUCT SPEC               |                                                                                                       | SIZE<br>A2                     |  |  |
|                                                                                       |  | 1 PLC ±-                               |                             | 108-137191                 |                                                                                                       |                                |  |  |
|                                                                                       |  | 2 PLC ±-                               |                             | APPLICATION SPEC           |                                                                                                       |                                |  |  |
|                                                                                       |  | 3 PLC ±-                               |                             | 114-137191                 |                                                                                                       |                                |  |  |
| 4 PLC ±-                                                                              |  | ANGLES ±-                              |                             | WEIGHT -                   |                                                                                                       | CAGE CODE -                    |  |  |
| MATERIAL -                                                                            |  | FINISH -                               |                             | Customer Drawing           |                                                                                                       | DRAWING NO<br>C-T192216XXXXX09 |  |  |
| -                                                                                     |  | -                                      |                             |                            |                                                                                                       | RESTRICTED TO -                |  |  |
|                                                                                       |  |                                        |                             |                            |                                                                                                       | SCALE 1:1                      |  |  |
|                                                                                       |  |                                        |                             |                            |                                                                                                       | SHEET 1 OF 2                   |  |  |
|                                                                                       |  |                                        |                             |                            |                                                                                                       | REV B                          |  |  |

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

| P | LTR | DESCRIPTION | DATE | DWN | APVD |
|---|-----|-------------|------|-----|------|
|   | -   | SEE SHEET 1 | -    | -   | -    |
|   |     |             |      |     |      |
|   |     |             |      |     |      |
|   |     |             |      |     |      |

NOTES:

SEE SHEET 1

备注:

见 SHEET 1

|                   |                        |                                                                                    |                            |                            |                            |               |
|-------------------|------------------------|------------------------------------------------------------------------------------|----------------------------|----------------------------|----------------------------|---------------|
| T1922160225-009   | H16BPR-TGHC-2M25-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY 2M25,BLACK<br>H16BPR上壳,中部锁定,顶出2M25,黑色         | M25                        | M25                        | -                          | TYPE 2<br>类型2 |
| T1922162150-009   | H16BPR-TGHC-M50-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M50,GREY<br>H16BPR上壳,中部锁定,顶出M50,灰色            | -                          | -                          | M50                        | TYPE 1<br>类型1 |
| T1922161140-009   | H16BPR-TGHC-M40-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出M40,银白色   | -                          | -                          | M40                        |               |
| T1922161136-009   | H16BPR-TGHC-PG36-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出PG36,银白色 | -                          | -                          | PG36                       |               |
| T1922161132-009   | H16BPR-TGHC-M32-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出M32,银白色   | -                          | -                          | M32                        |               |
| T1922161129-009   | H16BPR-TGHC-PG29-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出PG29,银白色 | -                          | -                          | PG29                       |               |
| T1922161125-009   | H16BPR-TGHC-M25-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出M25,银白色   | -                          | -                          | M25                        |               |
| T1922161121-009   | H16BPR-TGHC-PG21-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,SILVER WHITE<br>H16BPR上壳,中部锁定,顶出PG21,银白色 | -                          | -                          | PG21                       |               |
| T1922160140-009   | H16BPR-TGHC-M40-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,BLACK<br>H16BPR上壳,中部锁定,顶出M40,黑色           | -                          | -                          | M40                        |               |
| T1922160136-009   | H16BPR-TGHC-PG36-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,BLACK<br>H16BPR上壳,中部锁定,顶出PG36,黑色         | -                          | -                          | PG36                       |               |
| T1922160132-009   | H16BPR-TGHC-M32-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,BLACK<br>H16BPR上壳,中部锁定,顶出M32,黑色           | -                          | -                          | M32                        |               |
| T1922160129-009   | H16BPR-TGHC-PG29-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,BLACK<br>H16BPR上壳,中部锁定,顶出PG29,黑色         | -                          | -                          | PG29                       |               |
| T1922160125-009   | H16BPR-TGHC-M25-EMC-C  | H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,BLACK<br>H16BPR上壳,中部锁定,顶出M25,黑色           | -                          | -                          | M25                        |               |
| T1922160121-009   | H16BPR-TGHC-PG21-EMC-C | H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,BLACK<br>H16BPR上壳,中部锁定,顶出PG21,黑色         | -                          | -                          | PG21                       |               |
| PART NUMBER<br>料号 | DESCRIPTION<br>描述      |                                                                                    | PG/M THREAD-3<br>PG/M 螺纹-3 | PG/M THREAD-2<br>PG/M 螺纹-2 | PG/M THREAD-1<br>PG/M 螺纹-1 | TYPE<br>类型    |

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH -

-

DWN 08OCT2016  
DAVID WANG

CHK 08OCT2016  
CHRIS WANG

APVD 08OCT2016  
XIANG XU

PRODUCT SPEC  
108-137191

APPLICATION SPEC  
114-137191

WEIGHT  
-

Customer Drawing

TE Connectivity

NAME  
H16BPR-TGHC-PG/M-EMC-C

SIZE  
A2

CAGE CODE  
-

DRAWING NO  
T192216XXXXX09

RESTRICTED TO  
-

SCALE  
1:1

SHEET  
2

OF  
2

REV  
B

1471-9 (3/13)

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9