




TYPE 1
类型 1

Single PG/M thread
单个 PG/M 螺纹孔

PG/M THREAD-1
PG/M 螺纹孔-1

2X M6 SCREW
2X M6 螺丝

4X M3 THREAD
4X M3 螺纹孔

TYPE 2
类型 2

Two PG/M threads
两个 PG/M 螺纹孔

PG/M THREAD-2
PG/M 螺纹孔-2

PG/M THREAD-3
PG/M 螺纹孔-3

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	08OCT2016	DW	CW
	A1	ECR-17-018159	13DEC2017	RL	CW
	B	ECR-19-009256	23FEB2019	CD	CW

NOTES:
1. TECHNICAL CHARACTERISTICS:
HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY
SURFACE: SEE TABLE
DEGREE OF PROTECTION: IP68 (MATED)

注释
1. 技术参数:
壳体材料: 铝合金
表面处理: 见表格
防护等级: IP68 (配合)

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN 08OCT2016 DAVID WANG CHK 08OCT2016 CHRIS WANG APVD 08OCT2016 XIANG XU			TE Connectivity		
DIMENSIONS: mm			TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±- FINISH			NAME H16BPR-TGHC-PG/M-EMC-C		
MATERIAL -			PRODUCT SPEC 108-137191 APPLICATION SPEC 114-137191 WEIGHT -			SIZE A2	CAGE CODE -	DRAWING NO C-T192216XXXXX09
			Customer Drawing			SCALE 1:1	SHEET 1	OF 2
						REV B		

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

NOTES:

SEE SHEET 1

备注:

见 SHEET 1

T1922160225-009	H16BPR-TGHC-2M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY 2M25,BLACK H16BPR上壳,中部锁定,顶出2M25,黑色	M25	M25	-	TYPE 2 类型2
T1922162150-009	H16BPR-TGHC-M50-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M50,GREY H16BPR上壳,中部锁定,顶出M50,灰色	-	-	M50	TYPE 1 类型1
T1922161140-009	H16BPR-TGHC-M40-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,SILVER WHITE H16BPR上壳,中部锁定,顶出M40,银白色	-	-	M40	
T1922161136-009	H16BPR-TGHC-PG36-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,SILVER WHITE H16BPR上壳,中部锁定,顶出PG36,银白色	-	-	PG36	
T1922161132-009	H16BPR-TGHC-M32-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,SILVER WHITE H16BPR上壳,中部锁定,顶出M32,银白色	-	-	M32	
T1922161129-009	H16BPR-TGHC-PG29-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,SILVER WHITE H16BPR上壳,中部锁定,顶出PG29,银白色	-	-	PG29	
T1922161125-009	H16BPR-TGHC-M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,SILVER WHITE H16BPR上壳,中部锁定,顶出M25,银白色	-	-	M25	
T1922161121-009	H16BPR-TGHC-PG21-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,SILVER WHITE H16BPR上壳,中部锁定,顶出PG21,银白色	-	-	PG21	
T1922160140-009	H16BPR-TGHC-M40-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M40,BLACK H16BPR上壳,中部锁定,顶出M40,黑色	-	-	M40	
T1922160136-009	H16BPR-TGHC-PG36-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG36,BLACK H16BPR上壳,中部锁定,顶出PG36,黑色	-	-	PG36	
T1922160132-009	H16BPR-TGHC-M32-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M32,BLACK H16BPR上壳,中部锁定,顶出M32,黑色	-	-	M32	
T1922160129-009	H16BPR-TGHC-PG29-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG29,BLACK H16BPR上壳,中部锁定,顶出PG29,黑色	-	-	PG29	
T1922160125-009	H16BPR-TGHC-M25-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY M25,BLACK H16BPR上壳,中部锁定,顶出M25,黑色	-	-	M25	
T1922160121-009	H16BPR-TGHC-PG21-EMC-C	H16BPR HOOD,CENTER LOCKING,TOP ENTRY PG21,BLACK H16BPR上壳,中部锁定,顶出PG21,黑色	-	-	PG21	
PART NUMBER 料号	DESCRIPTION 描述		PG/M THREAD-3 PG/M 螺纹-3	PG/M THREAD-2 PG/M 螺纹-2	PG/M THREAD-1 PG/M 螺纹-1	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±-

1 PLC ±-

2 PLC ±-

3 PLC ±-

4 PLC ±-

ANGLES ±-

FINISH

MATERIAL

-

-

DWN 08OCT2016
DAVID WANG

CHK 08OCT2016
CHRIS WANG

APVD 08OCT2016
XIANG XU

PRODUCT SPEC
108-137191

APPLICATION SPEC
114-137191

WEIGHT
-

Customer Drawing

TE Connectivity

NAME
H16BPR-TGHC-PG/M-EMC-C

SIZE
A2

CAGE CODE
-

DRAWING NO
T192216XXXXX09

RESTRICTED TO
-

SCALE
1:1

SHEET
2

OF
2

REV
B

1471-9 (3/13)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9