

D

C

B

A

D

C


B

A



MATERIAL TABLE		
ITEM	DESCRIPTION	MATERIAL
1	LOWER CLAMP	PEEK GF 30%, BLACK
2	UPPER CLAMP	PEEK GF 30%, BLACK
3	LOCKING PIN	PEEK GF 30%, NATURAL
4	PIVOT PIN	6 7
5	CUSHION	6 5
6	ADHESIVE	ETHYL CYANOACRYLATE
7	PROTECTIVE COATING	CHROMATE-FREE EPOXY TOP COAT




3 PART MARKING
DETAIL A
SCALE 6:1




DETAIL B
SCALE 4:1



SEE
DETAIL A



PART AND DIMENSION TABLE						
CLAMP NO.	WEIGHT	A	B	C	ØD (RANGE)	E
THA-PDKG-03	3.5	28.5	12.9	18.2	3.18 - 6.35	3.5
THA-PDKG-05	4.6	32.5	16.5	20.2	6.35 - 9.53	3.5
THA-PDKG-07	5.7	35.7	20.1	21.6	9.53 - 12.70	3.8
THA-PDKG-09	6.7	40.0	23.7	23.9	12.70 - 15.88	3.8
THA-PDKG-11	7.8	43.2	27.3	25.4	15.88 - 19.05	4.4
THA-PDKG-13	8.9	46.2	30.9	26.7	19.05 - 22.23	4.4
THA-PDKG-15	10.2	49.8	34.5	28.6	22.23 - 25.40	4.4
THA-PDKG-17	11.6	53.1	38.1	29.8	25.40 - 28.58	5.0
THA-PDKG-19	12.9	56.2	41.7	31.6	28.58 - 31.75	5.0
THA-PDKG-21	14.2	59.3	45.3	33.3	31.75 - 34.93	5.0



NOTES: UNLESS OTHERWISE SPECIFIED

- ALL DIMENSIONS ARE NOMINAL
- MATERIAL: SEE TABLE
- PART MARKING: CLAMP PART FAMILY WITH YEAR/WEEK CODE AS SHOWN. FONT 2 MM MINIMUM HEIGHT
- CLAMP MEETS REQUIREMENTS OF SAE AMS23190 TYPE III, CLASS 1, EXCLUDING PHOSPHATE ESTER BASED FLUIDS (SKYDROL LD-4), OPERATING TEMPERATURE RANGE: -65°C TO 85°C
- CUSHION MATERIAL: CHLOROPRENE, MODIFED. MEETS THE REQUIREMENTS OF SAE AMS3207
- ALUMINUM 5056-H32 PER ASTM B211-12
- CHEMICAL CONVERSION COATING PER MIL-DTL-5541, TYPE II, CLASS 1A, CLEAR
- CLAMP SIZE IDENTIFICATION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

PTALLY

26MAR2019

CHK

-

-

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC

±

-

1 PLC

±0.3

-

2 PLC

±0.13

-

3 PLC

±0.025

-

4 PLC

±

-

ANGLES

±

-

FINISH

-

-

MATERIAL

SEE TABLE

DWN

PTALLY

26MAR2019

CHK

-

-

APVD

RODRIGUEZ

18APR2019

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

GRAM

-

CUSTOMER DRAWING

-

NAME

COMPOSITE P-CLAMP, SIZE 03 THRU 21, DUAL CUSHION

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A206090

C-THA-PDKG-XX

-

-

SCALE

3:1

SHEET

1

OF

2

REV


A1

D

C

B

A



D

C

B

A

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	DWN	26MAR2019
mm		CHK	PTALLY
		APVD	18APR2019
		PRODUCT SPEC	RODRIGUEZ
		APPLICATION SPEC	
MATERIAL		WEIGHT	GRAM
SEE TABLE		CUSTOMER DRAWING	

STE

TE Connectivity

NAME

COMPOSITE P-CLAMP, SIZE 03 THRU 21, DUAL CUSHION

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A206090

C-THA-PDKG-XX

-

SCALE

1:1

SHEET

2

OF

2

REV

A1

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9