




1																	2																	3																	4																
PRODUCT NO.	ROWS	POWER				SIGNAL						POWER						E2																																																	
		E1	P1	P2	P3	1	2	3	4	5	6	P4	P5	P6	P7	P8	P9																																																		
51939-210-- NOTE③	D C B A		PA	PA	PA	UUUUUU	TTTTTT	SSSSSS	EEEEEE			PA	PA	PA	PA	PA	PA																																																		




CODE	DIM "M" MATING LENGTH	CONTACT TYPE
U	.270 [6.86]	SIGNAL
T	.270 [6.86]	SIGNAL
S	.270 [6.86]	SIGNAL
R	.270 [6.86]	SIGNAL
E	.220 [5.59]	SIGNAL
PA	N/A [N/A]	POWER
HA	N/A [N/A]	HOLD-DOWN

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecn no.	dr	date	linear	angles	dr	enrg	projection	scale	product family	code
A	DG05-0410	CS	10/24/05	.XX±.01/0.X±0.3	0°±2°	CS	STEVEN WANG	10/24/05	1:1	3ACP + 24S + 6P	213
B	DG06-0013	RYAN	01/27/06	.XXX±.005/0.XX±0.13		enrg	VICTOR LIN	10/24/05		RIGHT ANGLE SOLDER HEADER	sheet 1 of 4
C	DG08-0272	W D	09/25/08	.XXX±.0020/0.XXX±0.051		chr	JOSEPH HSIA	10/24/05			
sheet index				revision sheet	C 1	C 2	C 3	C 4			


B

B


PRODUCT NUMBER
51939-210--
NOTE ③



BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1




SECTION C-C

mat'l code				SEE NOTE 2		tolerances unless otherwise specified		CUSTOMER		FCI	
ltr	ecr no.	dr	date	linear	angles	linear	angles	COPY	projection	title	www.fciconnect.com
C						.XX±.01/0.X±0.3				3ACP + 24S + 6P	
						.XXX±.005/0.XX±0.13				RIGHT ANGLE SOLDER HEADER	
						.XXXX±.0020/0.XXX±0.051					
						0°±2°					
				dr	CS	10/24/05				product family	PwrBlade
				enr	STEVEN WANG	10/24/05				size	213
				chr	VICTOR LIN	10/24/05				dwg no	sheet
				appd	JOSEPH HSIA	10/24/05				51939-210	2 of 4
sheet index	revision sheet										

PRODUCT NUMBER

51939-210--
NOTE(3)



RECOMMENDED PCB LAYOUT

[illegible]

1 | 2

3 |

4

PRODUCT NUMBER


51939-210--
NOTE ③

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- ②. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
- △ 3. SEE ITEM 1 & 2 IN PRINT 10064183 FOR PLATING SPEC OF 51939-210 AND 51939-210LF RESPECTIVELY.
- ④. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
6. PACKAGED IN TRAYS.
- PCB NOTES:
7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- ⑧. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- ⑨. $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
- ⑩. "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- ⑪. CONNECTOR KEEP-OUT ZONE.
12. △/C SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED
WITH THE CURRENT DRAWING REVISION.

mat'l code				SEE NOTE 2				tolerances unless otherwise specified				CUSTOMER				 www.fciconnect.com						
ltr		ecn no.		dr		date		linear	.XX±.01/0.X±0.3				COPY				title 3ACP + 24S + 6P RIGHT ANGLE SOLDER HEADER					
C									.XXX±.005/0.XX±0.13				projection									
									.XXXX±.0020/0.XXX±0.051													
								angles	0°±2°								product family PwrBlade				code	
								dr	CS		10/24/05		INCH/MM				size		dwg no		213	
								enrg	STEVEN WANG		10/24/05		scale 1:1				A		51939-210		sheet 4 of 4	
								chr	VICTOR LIN		10/24/05											
								appd	JOSEPH HSIA		10/24/05											
sheet index		revision sheet																				

1 | 2

Pro/E

PDM: Rev:C

STATUS: Released

Printed: Dec 20, 2010

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9