






PRODUCT NO.

SEE TABLE



mat'l. code				surface		tolerance		projection		product family				
				ISO1302 ✓		ISO1101 ISO406				MOD JACK				
ltr		ecn		nodr		date		tolerances unless otherwise specified				title		
R	S00022		BC L	01/26/00		angle	line	0.X±0.3			6 POS HORIZONTAL P.C.B. MOD JACK ASSY			
S	N05-0002		YS	01/07/05				0.XX±0.15						
T	N06-0130		LONG	5/15/06				0'±2'						
								0.XXX±0.05		scale 2.0				
U	N08-0097		SH MNO	5/10/08		dr	JANET		01/26/00		dwg no		sheet 1 of 2	size
V	ELX-N-010699		SH MNO	03/14/12		engr	TONY CHIEN		01/26/00			68898		A4
						chr	TONY CHIEN		01/26/00					
						appd	JENN TSAO		01/26/00					
sheet		revision		nv		v						type		Product Customer Drawing
index		sheet		1		2								


PRODUCT NO. (NOTE 1)	POSITIONS LOADED	CONTACT PLATING	HOUSING COLOR	EARS	REMARKS
68898-001/-001LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	-
68898-001R/-001RLF	ALL	5u" Au + high performance lubricant @ TM	RED	YES	-
68898-001G/-001GLF	ALL	5u" Au + high performance lubricant @ TM	GREEN	YES	-
-002/-002LF	2,3,4,5	5u" Au + high performance lubricant @ TM	BLACK	YES	-
-003/-003LF	3,4	5u" Au + high performance lubricant	BLACK	YES	-
-004/-004LF	2,3,4,5	5u" Au + high performance lubricant	BLACK	YES	-
-005/-005LF	ALL	5u" Au + high performance lubricant	BLACK	YES	-
-006/-006LF	3,4	5u" Au + high performance lubricant @ TM	BLACK	YES	-
-007	2,3,4,5	GXT @ TM	GRAY	YES	OBSOLETED
-008/-008LF	ALL	5u" Au + high performance lubricant	BLACK	NO	-
-009/-009LF	2,3,4,5	1,27um /50u" GXT	BLACK	YES	-
-010/-010LF	ALL	1,27um /50u" GXT	BLACK	YES	-
-011/-011LF	2,3,4,5	2u" GXT	BLACK	YES	-
-012/-012LF	2,3,4,5	6u" GXT	BLACK	YES	-
-013/-013LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	HI TEMP MATERIAL
-014/-014LF	3,4	6u" GXT	BLACK	YES	
-015/-015LF	3,4	5u" Au + high performance lubricant @ TM	BLACK	NO	
-016/-016LF	2,3,4,5	5u" Au + high performance lubricant @ TM	BLACK	NO	
-017LF	ALL	5u" Au + high performance lubricant @ TM	BLACK	YES	-



VIEW A-A

NOTES :

- 1 WHEN PRODUCT CALLS FOR PACKAGING IN TRAY ORDER THE PRODUCT WITH PART NUMBER 68898-XXXT OR -XXXTLF FOR PACKAGING IDENTIFICATION. FOR PRODUCT NUMBER WITHOUT SUFFIX "T" OR "TLF", THE PRODUCT WILL BE PACKED IN TUBE AS PER DUPONT STANDARD PACKAGING.
- 2 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 3 IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.
- 4 THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.60mm MINIMUM THICK CIRCUIT BOARD.
- 5 FOR 68898-013/013LF THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.
- 6 EQUIVALENT THICKNESS Au AND GXT PLATING HAVE SAME FUNCTION AND THEY ARE ALTERNATIVE BY THE CUSTOEMR .



mat'l. code	surface ISO1302	tolerance ISO1101 ISO406	projection ISO1101	product family MOD JACK
l t r e c n n o d r	date	tolerances unless otherwise specified	mm	title
R S00022 BC L	01/26/00	0.X±0.3	mm	6 POS HORIZONTAL
S N05-0002 YS	01/07/05	0.XX±0.15	mm	P.C.B. MOD JACK ASSY
T N06-0130 LONG	5/15/06	0.XXX±0.05	scale 2.0	
U N08-0097 SH MNO	5/10/08	dr JANET	01/26/00	dwg no
V ELX-N-010699 SH MNO	03/14/12	engr TONY CHIEN	01/26/00	sheet 2 of 2
		chr TONY CHIEN	01/26/00	size A4
		appd JENN TSAO	01/26/00	type Product Customer Drawing
sheet index	revision sheet			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9