

APPLICATOR PARTS LIST

TYPE

SPLICE SIDE FEED 30° ROTATED

CARRIER

NOT
CUT
UP

AMP INCORPORATED HARRISBURG, PENNA.

NO.	DESCRIPTION	REQ.	PART NO.	NO.	DESCRIPTION	REQ.	PART NO.	CRIMPING DATA	TERMINALS
1	■ WIRE CRIMPER	1	3456404-2	42				TO APPLY TERMINAL	62759
2	■ INS. CRIMPER			43					
3	■ ANVIL	1	1-689722-1	44				WIRE SIZE	CRIMP HEIGHT
4	ANVIL SPACER			45				.020 SQ. POST	
5	■ SHEAR FLOATING	1	467624-1	46				(1)*35 SOLID	.058
6	■ REAR SHEAR PLATE	1	811239-1	47				(1)*26 STRANDED	
7	SHEAR DEPRESSOR	1	681246-1	48				(2)*29 MAG	.051
8	■ FRONT SHEAR PLATE			49					
9	SPACER DEPRESSOR	1	370693	50				CRIMP	SIZE
10	FRONT ANVIL SPACER PLT.			51	SPRING, SHEAR	1	387083	WIRE	.070
11	TOOL SPACER	1	470493-4	52				INSUL.	—
12	CRIMP SPACER			53				SLEEVED	—
13	FRONT STRIP GUIDE	1	465320-3	54	SPACER, GUARD	1	811286-3	INSULATION RANGE	WIRE RANGE CMA
14	REAR STRIP GUIDE	1	465350-1	55				— 11 —	400-1600
15	RAM	1	471167	56				EXPLODED VIEW	
16	TOOL HOLDER	1	465325-1	57				SIM TO 6022-748	
17	ADJ. CRIMP MOUNT			58				REMARKS:	
18	ADJ. BLOCK			59				▲ MOUNT ON ITEM 13	
19	APPLICATOR MOUNT ASSY.			60				LEFT SCREW	
20	BASE PLATE	1	465317-1	61	DEFLECTOR, CHIP	1	455443-1		
21	BASE BLOCK	1	565076-1	62	MOUNT REEL BRK (ALUM.)	1	453602-1		
22	STRIP GUIDE PLATE	1	465318-1	63	EXTENSION, BASE	1	465319-2		
23	ANVIL HOLDER	1	689723-3	64	1" AIR FEED ASS'Y	1	690021-1		
24	AUX. ANVIL HOLDER	1	454407-2	65	TENSION ADJ. PLATE	1	374999		
25	STRIPPER	2	811266-3	66	MISCELLANEOUS				
26	STRIPPER MOUNT	1	811240-6	67					
27	RETAINER PLATE			68	TERMINAL GUARD	1	467514-1		
28	STRIPPER MOUNT BRACKET			69	LUBRICATOR ASS'Y	1	465184-8		
29	STRIPPER SPACER	1	692968-7	70	TERMINAL LUBRICANT	REF	22014-1		
30	STOCK DRAG	1	387650-9	71					
31	STOCK DRAG NUT	1	21018-5	72					
32	STOCK DRAG STUD	1	386416	REV.	REVISION RECORD	DATE	BY	ECN	
33	STOCK DRAG SPRING	1	373469	A	ITEM #7 WAS 810237-9 R	9-26-78	KS	2699	
34	STOCK DRAG SCREW	1	2-21006-9	B	EC-A-199289	3-29-81	JED		
35	FEED FINGER HOLDER	1	810131	C	ECN 0150-4105-92	11-92	MD		
36	FEED FINGER	1	811644-1	D	0150-6525-95	11/95	LS		
37	FEED FINGER TIP	1	811645-1						
38	FEED FINGER DOWEL PIN	2	1-21030-5						
39	BASE CASTING	1	570238						
40	GUARD	1	461028-9						
41									

CRIMPING DATA

TERMINALS

TO APPLY TERMINAL

62759

WIRE SIZE

CRIMP HEIGHT

.020 SQ. POST

(1)*35 SOLID

.058

(1)*26 STRANDED

(2)*29 MAG

.051

CRIMP

SIZE

TYPE

FEED

WIRE

.070

F

INSUL.

—

—

.330

SLEEVED

—

—

INSULATION RANGE

WIRE RANGE CMA

— 11 —

400-1600

EXPLODED VIEW

SIM TO 6022-748

REMARKS:

▲ MOUNT ON ITEM 13
LEFT SCREW

■ DENOTES WEARING PARTS
RECOMMEND PURCHASE REPLACEMENT

THIS APPLICATOR IS TO BE USED ON

AMP-O-LECTRIC 1-471273-2

AMP-O-LECTRIC AIR FEED

DIST.

4

SERIAL NO.

DATE SHIPPED

DESIGNED

KS 7-11-78

CUSTOMER NAME AND ADDRESS

CHK'D.

BUT 7-78

APP'D.

R. Bennett 7-12-78

APPLICATOR
NUMBER

REV.

D 566270-2

SHEET

1 OF 2

THIS DRAWING IS A CONTROLLED DOCUMENT FOR
AMP INC. IT IS SUBJECT TO CHANGE AND THE
CONTROLLING ENGINEERING ORGANIZATION SHOULD
BE CONTACTED FOR THE LATEST REVISION.

APPLICATOR PARTS LIST (BOLT, NUT, SCREW, WASHER etc.)

62759

NO.	DESCRIPTION	SIZE	LGTH.	REQ.	PART NO.	NO.	DESCRIPTION	SIZE	LGTH.	REQ.	PART NO.
100	SCREW, SOC. HD. CAP BASE PLATE (20) TO BASE BLOCK (21)	1/4-20	5/8	3	21001-3	127	SCREW, SOC HD CAP FEED FINGER (36) TO FEED FINGER HOLDER (35)	10-32	1/2	1	3-21000-5
101	SCREW, SOC. HD. CAP STRIP GUIDE PLATE (22) TO BASE BLOCK (21)	1/4-20	5/8	2	21001-3	128	SCREW, SET	5-40	3/8	1	9-21001-1
102	SCREW, BUT HD SHEAR PLATE (6) TO BASE BLOCK (21)	10-32	3/8	2	2-21002-6	137	NUT, HEX FEED FINGER TIP (37) TO FEED FINGER (36)	5-40	—	1	1-21018-2
103	SCREW, SOC. HD CAP ANVIL HOLDER (23) & AUX. ANVIL HOLDER (24) TO BASE BLOCK (21)	10-32	5/8	2	3-21000-6	129	SCREW, SOC, HD. CAP REAR GUARD (40) TO STRIPPER MOUNT (26)	8-32	3/8	1	2-21000-6
104	SCREW, SOC. HD. CAP AUX. ANVIL HOLDER (24) ANVIL (3) TO ANVIL HOLDER (23)	8-32	1	2	3-21000-1	131	SCREW, SOC. HD. CAP FRONT GUARD (40) + SPACER (54) TO STRIP GUIDE PLATE (22)	8-32	1/2	2	2-21000-7
105	SCREW, SOC. HD CAP	8-32	3/8	2	2-21000-6						
106	WASHER, FLAT FRONT STRIP GUIDE (13) TO STRIP GUIDE PLATE (22)	8 I.D.	—	2	21055-6						
107	SCREW, Soc. HD. CAP	8-32	3/8	2	2-21000-6						
108	WASHER, FLAT REAR STRIP GUIDE (14) TO STRIP GUIDE PLATE (22)	8 I.D.	—	2	21055-6						
110	TOP NUT, HEX.	10-32	—	1	21018-7	139	SCREW, SOC. HD. CAP CHIP DEFLECTOR (61) TO REAR SHEAR PLATE (6)	6-32	1/4	1	1-21000-8
110	BOT. NUT, HEX. S/L DRAG STUD (32)	10-32	—	1	21021-9	140	SCREW, SET (CUP POINT) FEED FING. HOLDER (35) FEED FING. (36) TO PIN (38)	8-32	1/8	3	3-21006-8
112	SCREW, SOC. HD. CAP EXTENSION BRK. (63) TO BASE CASTING (39)	1/4-20	2 1/4	2	1-21001-1						
113	SCREW, SOC, HD. CAP	1/4-20	1	2	21001-6						
114	WASHER, FLAT AIR FEED ASSY (64) TO EXT BRK. (63)	1/4 I.D.	—	2	21055-8	141	SCREW, SET (CUP POINT)	8-32	1/2	1	4-21008-4
117	SCREW, HEX. HD.	3/8-16	1 1/4	3	3-21015-2	142	WASHER, FLAT	8 I.D.	—	1	21055-6
118	WASHER, FLAT BASE PLATE (20) TO BASE CASTING (39)	3/8 I.D.	—	3	371178	143	NUT, HEX.	8-32	—	1	21018-6
119	SCREW, SET RAM PIN TO RAM (15)	1/4-20	1/2	1	21009-6	144	SCREW, BUTTON HEAD FEED FING. TIP (37) TO FEED FING. (36)	8-32	1/2	1	2-21002-2
120	PIN, SLOTTED SPRING TOOL HOLDER (16) TO RAM (15)	.312 DIA	1 5/8	1	7-21029-0						
121	SCREW, SOC. HD. CAP TOP TOOLING TO TOOL HOLDER (16)	1/4-20	1 1/4	2	21001-7						
122	SCREW, SOC. HD. CAP STRIPPER MT. (26) TO STRIP GUIDE PLATE (22)	8-32	1	2	3-21000-1						
124	SCREW, BUT HD. STRIPPER (25) TO STRIPPER MT. (26)	8-32	1/4	1	2-21002-0						

NOTES:

THIS DRAWING IS A CONTROLLED DOCUMENT FOR AMP INC. IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.

REV. D

566270-2

APPLICATOR PART LIST

SHEET 3 OF 2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9