


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
AA	00		E	REV PER ECO-11-006492	13APR2011	RG	MS
			E1	REV PER ECO-11-019602	30SEP2011	RG	RP
			E2	REV PER ECO-11-022096	03NOV2011	OL	SZ
			E4	ECR-15-001425	08JAN2015	SZ	SZ



1. HOUSING: GLASS FILLED LIQUID CRYSTAL POLYMER, COLOR: BLACK, UL 94 V-O RATED
SIGNAL CONTACT: PHOSPHOR BRONZE
SIGNAL OVERMOLD: GLASS FILLED POLYESTER
POWER CONTACT: COPPER ALLOY
BOARD LOCKS: PHOSPHOR BRONZE
2. SIGNAL CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR 0.00008mm MIN GOLD OVER
0.00076mm MIN PALLADIUM-NICKEL
TAIL AREA: 0.0005mm MIN MATTE TIN

POWER CONTACT: 0.00127mm MIN NICKEL ALL OVER,
MATING AREA: 0.00076mm MIN GOLD OR
0.00008mm MIN GOLD OVER 0.00076mm MIN PALLADIUM-NICKEL,
TAIL AREA: 0.0005mm MIN MATTE TIN

BOARD LOCKS: 0.00076mm MIN MATTE TIN OVER
0.00127mm MIN NICKEL.

3. CONTACT MATING AREA LUBRICATED WITH BELLCORE APPROVED LUBRICANT,
TECHNICAL REFERENCE: GR-1217-CORE, ISSUE 1, NOVEMBER 1995.
4. THIS CONNECTOR EMPLOYS UL RECOGNIZED Z-PACK 2mm HM SIGNAL CONTACTS

5. DATUMS AND BASIC DIMENSIONS TO BE ESTABLISHED BY CUSTOMER.
6. PC BOARD THICKNESS 1.4mm MIN, FOR WAVE SOLDER PC BOARD THICKNESS 2.62 MAX
7. SEE APPLICATION SPEC 114-13215 FOR PLATED THROUGH HOLE INFORMATION
8. SEE CUSTOMER DRAWING 1926731 OR 1926733 FOR MATING CONNECTOR
9. UNPLATED HOLES




2-1926730-5 SHOWN

12	15	1	2	20.60	25.71	15S X 2P	8-1926730-0
12	10	1	1	18.60	23.71	10S X 2P	7-1926730-9
36	20	5	3	33.60	38.71	20S X 6P	1-1926730-0
144	40	23	10	91.10	96.21	40S X 24P	7-1926730-7
96	25	15	4	63.10	68.21	25S X 16P	4-1926730-6
72	15	11	2	48.10	53.21	15S X 12P	3-1926730-0
60	25	9	4	46.60	51.71	25S X 10P	2-1926730-5
48	25	7	4	41.10	46.21	25S X 8P	1-1926730-8
24	10	3	1	24.10	29.21	10S X 4P	1926730-1
DIM F	DIM E	DIM D	DIM C	DIM B	DIM A	NUMBER OF POSITIONS	PART NUMBER

TYPICAL DIMENSIONS TO DIMENSIONS TO BE ESTABLISHED BY CUSTOMER THIS IS SUBJECT TO CHANGE AND SHOULD BE CONTACTED FOR THE LATEST REVISIONS		DWN G. PETERS 19OCT2007	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK N. REESER 11APR2008	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ±		APVD N. REESER 11APR2008	PRODUCT SPEC 108-2325 APPLICATION SPEC 114-13215	
MATERIAL SEE NOTE 1		FINISH SEE NOTE 2	SIZE CAGE CODE DRAWING NO A100779C=1926730	
CUSTOMER DRAWING		SCALE 4:1		SHEET 1 OF 3
		REV E4		


LOC		DIST		REVISIONS					
AA		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

TE PART NUMBER AND DATE CODE



1. THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND EXISTING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN G. PETERS CHK N. REESER APVD N. REESER	19OCT2007 11APR2008 11APR2008	Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH		NAME PLUG ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH BOARD LOCKS, MINIPAK HDL	
MATERIAL SEE NOTE 1		WEIGHT -		SIZE A100779C=1926730	
CUSTOMER DRAWING		SCALE 4:1		SHEET 2 OF 3	
				REV E4	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
AA	00	-	-	SEE SHEET 1	-	-



2-1926730-5 SHOWN

RECOMMENDED PRINTED CIRCUIT BOARD LAYOUT Δ

(AS VIEWED FROM COMPONENT SIDE)

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION. IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND EXISTING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST EDITION.		DWN G. PETERS 19OCT2007	Tyco Electronics Harrisburg, PA 17105-3608	
		CHK N. REESER 11APR2008		
DIMENSIONS:		APVD N. REESER 11APR2008	NAME PLUG ASSEMBLY, RIGHT ANGLE, PASSIVE GUIDE, SIGNAL/POWER, WITH BOARD LOCKS, MINIPAK HDL	
mm		PRODUCT SPEC 108-2325		
		APPLICATION SPEC 114-13215	SIZE A100779	
		FINISH SEE NOTE 2		
MATERIAL SEE NOTE 1		WEIGHT -	CAGE CODE C=1926730	
		CUSTOMER DRAWING		RESTRICTED TO -
		SCALE 4:1		SHEET 3 OF 3
				REV E4

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9