




PNEUMATIC




The diagrams illustrate three different feed mechanisms for the tool holder:

- MECHANICAL POST FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is labeled 47, and the tool holder is labeled 49.
- MECHANICAL PRE FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is labeled 48, and the tool holder is labeled 49.
- AIR FEED:** Shows a vertical feed mechanism with a 30mm STROKE and a 40mm STROKE. The feed is labeled 248, and the tool holder is labeled 49.




TERMINAL SUPPORT LOCATION



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

Shown on sheets 1 of 4 & 2 of 4
(Pacific version shown on sheets 3 of 4 & 4 of 4)

THIS DRAWING IS A CONTROLLED DOCUMENT FOR ISO/IEC CERTIFICATION CONFORMANCE IT IS THE PROPERTY OF TE CONNECTIVITY. IT IS NOT TO BE REPRODUCED OR COPIED IN ANY MANNER WITHOUT THE WRITTEN PERMISSION OF TE CONNECTIVITY. SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN C MOYER 01NOV2011	 TE Connectivity Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CDR ELBIN 01NOV2011	NAME Ocean Side Feed Applicator	RESTRICTED TO -
		CDR ELBIN 01NOV2011		
		TOLERANCES UNLESS OTHERWISE SPECIFIED: -	PRODUCT SPEC -	
		APPLICATION SPEC -	SIZE A1	CAGE CODE 00779
		MATERIAL -	DRAWING NO C-2151033	SHEET 2 OF 4
		FINISH -	WEIGHT -	SCALE 1:2
			CUSTOMER ACCESSIBLE PRODUCTION DRAWING Customer Accessible Production Drawing	REV C

LOC		DIST		REVISIONS			
A	66	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

D

C

B

A


D

C


B

A


FEED TYPE MECHANICAL






PNEUMATIC




SERVO LATCH PLATE



CAM POSITIONS



TERMINAL SUPPORT LOCATION



FEED TRACK POSITION
GUIDE BY INSULATION BARREL

PACIFIC VERSION
Shown on sheets 3 of 4 & 4 of 4
(Atlantic version shown on sheets 1 of 4 & 2 of 4)

DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN C. MOYER 01NOV2011		CHK T. ELBIN 01NOV2011		APVD T. ELBIN 01NOV2011		NAME Ocean Side Feed Applicator	
0 PLC ±.5		1 PLC ±0.13		2 PLC ±0.013		3 PLC ±0.0001		4 PLC ±.5		RESTRICTED TO	
MATERIAL		FINISH		WEIGHT		Customer Accessible Production Drawing		SCALE 1:2		SHEET 4 OF 4	
										REV C	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9