





LOC		DIST		REVISIONS			
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD
		A9		ECR-16-012681	05SEP2016	WW	RR
		A10		ECR-17-001797	16FEB2017	LZ	RR
		A11		ECR-17-009226	03JUL2017	LZ	RR


- NOTE
- HOUSING HAS RAST 5 COMPLIANT KEYING, LATCHING, AND POLARIZATION TAB IS 6.30 X 0.8 ACCORDING TO DIN 46244
 - SEE SHEET 2 FOR AVAILABLE CONFIGURATIONS
 - MATERIAL: HOUSING, NYLON, UL94 V0, 750°C GWT NO FLAME CONTACT, COPPER ALLOY, 0.8MM THICK
 - FINISH: CONTACTS, MATT TIN PLATING OVERALL, NICKEL UNDER-PLATING BRIGHT TIN PLATING OVERALL, NICKEL UNDER-PLATING SILVER PLATING OVERALL, NICKEL UNDER-PLATING
 - PCB TABS INSERTED IN A STAGGERED PATTERN BEGINNING WITH POSITION 1 (C_c+1)
 - THE PART NUMBERS SHOWING IN SHEET 2 & 3 & 4 & 5 ARE FOR NATURAL COLOR. THE PART NUMBER FOR OTHER COLOR ARE BASED ON THE NATURAL ONE: FOR THE SAME CONFIGURATION, THE PREFIX AND POSTFIX OF THE P/N ARE THE SAME, ONLY THE BASE NUMBER IS DIFFERENT ACCORDING TO DIFFERENT COLOR, DETAIL PLEASE SEE SHEET 6
 - PACKAGING: LOOSE PIECE OR TUBE. THE PART NUMBERS IN THIS DRAWING ARE WITH LOOSE PIECE PACKAGING. PLEASE CONTACT TE SALES REPRESENTATIVES FOR TUBE PACKAGING REQUIREMENT.
 - PRELIMINARY PART NOT RELEASED FOR PRODUCTION
 - FOR P/N: 8-2232043-7:
1) THE CONTACTS ARE WITH BRIGHT TIN PLATING ACCORDING TO STANDARD:ASTM B 545.




- △ PART NUMBERS WITH TUBE PACKAGING
- △ PART WITHOUT POLARIZATION PEG STRUCTURE (FOR PN: 2316476-3)



SECTION A-A



RECOMMEND PCB LAYOUT - SOLDER SIDE
EVEN NUMBER OF PINS
PCB 15±0.2 THICK



RECOMMEND PCB LAYOUT - SOLDER SIDE
ODD NUMBER OF PINS
PCB 15±0.2 THICK

42.30	40.30	8
37.30	35.30	7
32.30	30.30	6
27.30	25.30	5
22.30	20.30	4
17.30	15.30	3
12.30	10.30	2
N	M	NO. OF POS.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Raybin.Wu 17Mar2014	TE Connectivity	
DIMENSIONS:		CHK Jain.Liu 17Mar2014	NAME	
mm		APVD Robb.Rickard 17Mar2014	RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE	
0 PLC ±		108-106080	CAGE CODE	
1 PLC ±		APPLICATION SPEC	DRAWING NO	
2 PLC ±			A100779	
3 PLC ±			C=2232043	
4 PLC ±			REV	
ANGLES			A11	
FINISH			SCALE	
MATERIAL			5:1	
			SHEET 1 OF 6	
			Customer Drawing	

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-


8	TAB CONTACT MATT TIN PLATING (8-2232043-7 IS WITH BRIGHT TIN)	1	RAST 5 TAB HEADER HOUSING,8P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	8	5-2232043-8
7		1	RAST 5 TAB HEADER HOUSING,7P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	7	4-2232043-8
					3-2232043-8
					2-2232043-8
					1-2232043-8
					2232043-8
					9-2232043-7
					8-2232043-7 
6		1	RAST 5 TAB HEADER HOUSING,6P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	6	7-2232043-7
					6-2232043-7
					5-2232043-7
					4-2232043-7
					3-2232043-7
					2-2232043-7
					1-2232043-7
					2232043-7
					2232045-6
					9-2232043-6
5		1	RAST 5 TAB HEADER HOUSING,5P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	5	8-2232043-6
					7-2232043-6
					6-2232043-6
					5-2232043-6
					4-2232043-6
					3-2232043-6
					2-2232043-6
					1-2232043-6
					2232043-6
					2232512-5
QTY	②	QTY	①	NO. OF POS.	9-2232043-5
					8-2232043-5
					7-2232043-5
					6-2232043-5
					5-2232043-5
					4-2232043-5
					3-2232043-5
					2-2232043-5
					1-2232043-5
					2232043-5
					TE PART NO.

4		I	RAST 5 TAB HEADER HOUSING,4P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	4		5-2232045-4
						4-2232045-4
						3-2232045-4
						2-2232045-4
						2232045-4
						9-2232043-4
						8-2232043-4
						7-2232043-4
						6-2232043-4
						5-2232043-4
						4-2232043-4
						3-2232043-4
						2-2232043-4
						1-2232043-4
	2303420-4					
	2232043-4					
3		I	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3		5-2232045-3
						4-2232045-3
						3-2232045-3
						2-2232045-3
						1-2232045-3
						2232045-3
						9-2232043-3
						8-2232043-3
						7-2232043-3
						6-2232043-3
						5-2232043-3
						4-2232043-3
						3-2232043-3
						2-2232043-3
	1-2232043-3					
	2303420-3					
	2232043-3					
2		I	RAST 5 TAB HEADER HOUSING,2P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	2		4-2232045-2
						3-2232045-2
						2-2232045-2
						1-2232045-2
						2232045-2
						9-2232043-2
						8-2232043-2
						7-2232043-2
						6-2232043-2
						5-2232043-2
						4-2232043-2
						3-2232043-2
						2-2232043-2
						1-2232043-2
	2232043-2					
QTY	②	QTY	①	NO. OF POS.	TE PART NO.	

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±
1 PLC ±
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES ±2°
FINISH -

MATERIAL

-

CHK'D
HUIPING_WU
30-Jan-13

CHK'D
HAIYE_WU
30-Jan-13

APVD
YHM
30-Jan-13

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

NAME

RAST 5 TAB HEADER ASSY, OPPOSITE
DIN STYLE, TH, VERTICAL

SIZE

A1

CAGE CODE

00779

DRAWING NO

2232043

RESTRICTED TO

-

SCALE

N/A

SHEET

2

OF

6

REV

A9

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-

3	TAB CONTACT W/SILVER PLATING	1	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3	
QTY	②	QTY	①	NO. OF POS.	△① TE PART NO.

8	TAB CONTACT w/ SILVER PLATING	1	RAST 5 TAB HEADER HOUSING,8P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	8	5-2232044-8 4-2232044-8 3-2232044-8 2-2232044-8 1-2232044-8 2232044-8
7		1	RAST 5 TAB HEADER HOUSING,7P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	7	9-2232044-7 8-2232044-7 7-2232044-7 6-2232044-7 5-2232044-7 4-2232044-7 3-2232044-7 2-2232044-7 1-2232044-7 2232044-7
6		1	RAST 5 TAB HEADER HOUSING,6P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 5)	6	2232046-6 9-2232044-6 8-2232044-6 7-2232044-6 6-2232044-6 5-2232044-6 4-2232044-6 3-2232044-6 2-2232044-6 1-2232044-6 2232044-6
5		1	RAST 5 TAB HEADER HOUSING,5P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	5	9-2232044-5 8-2232044-5 7-2232044-5 6-2232044-5 5-2232044-5 4-2232044-5 3-2232044-5 2-2232044-5 1-2232044-5 2232044-5
QTY	②	QTY	①	NO. OF POS.	TE PART NO.

4	TAB CONTACT w/ SILVER PLATING	I	RAST 5 TAB HEADER HOUSING,4P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	4	5-2232046-4 4-2232046-4 3-2232046-4 2-2232046-4 1-2232046-4 2232046-4 9-2232044-4 8-2232044-4 7-2232044-4 6-2232044-4 5-2232044-4 4-2232044-4 3-2232044-4 2-2232044-4 1-2232044-4 2232044-4
3		I	RAST 5 TAB HEADER HOUSING,3P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	3	△84-2232046-3 △83-2232046-3 2-2232046-3 1-2232046-3 2232046-3 9-2232044-3 8-2232044-3 7-2232044-3 6-2232044-3 5-2232044-3 4-2232044-3 3-2232044-3 2-2232044-3 1-2232044-3 2232044-3
2		I	RAST 5 TAB HEADER HOUSING,2P,NATURE (SEE THE DETAIL LAYOUT ON SHEET 4)	2	△04-2232046-2 3-2232046-2 2-2232046-2 1-2232046-2 2232046-2 9-2232044-2 8-2232044-2 7-2232044-2 6-2232044-2 5-2232044-2 4-2232044-2 3-2304587-2 3-2232044-2 2-2232044-2 1-2232044-2 2232044-2
QTY	②	QTY	①	NO. OF POS.	TE PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC
ANGLES
FINISH

±
±
±0.25
±
±
±2°
-

OWN
REV
CHK
HAPYE_WU
YHM
APVD
YHM
PRODUCT SPEC
APPLICATION SPEC
WEIGHT
CUSTOMER DRAWING

30-Jan-13
30-Jan-13
-

NAME
RAST 5 TAB HEADER ASSY. OPPOSITE
DIN STYLE, TH, VERTICAL
-

SIZE
A1

CAGE CODE
00779

DRAWING NO.
2232043

RESTRICTED TO
-


SCALE
N/A

SHEET
3


OF
6

REV
A9


LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




2232043-2
2232044-2




2232045-2
2232046-2




2232043-3
2232044-3
2303420-3




2232045-3
2232046-3




2232043-4
2232044-4
2303420-4




2232045-4
2232046-4




2232043-5
2232044-5




2232512-5




1-2232043-2
1-2232044-2




1-2232045-2
1-2232046-2




1-2232043-3
1-2232044-3




1-2232045-3
1-2232046-3




1-2232043-4
1-2232044-4




1-2232045-4
1-2232046-4




1-2232043-5
1-2232044-5




2-2232043-2
2-2232044-2




2-2232045-2
2-2232046-2




2-2232043-3
2-2232044-3




2-2232045-3
2-2232046-3




2-2232043-4
2-2232044-4




2-2232045-4
2-2232046-4




2-2232043-5
2-2232044-5




3-2232043-2
3-2232044-2
3-2304587-2




3-2232045-2
3-2232046-2




3-2232043-3
3-2232044-3




3-2232045-3
3-2232046-3




3-2232043-4
3-2232044-4




3-2232045-4
3-2232046-4




3-2232043-5
3-2232044-5




4-2232043-2
4-2232044-2




4-2232045-2
4-2232046-2




4-2232043-3
4-2232044-3




4-2232045-3
4-2232046-3




4-2232043-4
4-2232044-4




4-2232045-4
4-2232046-4




4-2232043-5
4-2232044-5




5-2232043-2
5-2232044-2




5-2232043-3
5-2232044-3




5-2232045-3




5-2232043-4
5-2232044-4




5-2232045-4
5-2232046-4




5-2232043-5
5-2232044-5




6-2232043-2
6-2232044-2




6-2232043-3
6-2232044-3




6-2232043-4
6-2232044-4




6-2232043-5
6-2232044-5




7-2232043-2
7-2232044-2




7-2232043-3
7-2232044-3




7-2232043-4
7-2232044-4




7-2232043-5
7-2232044-5




8-2232043-2
8-2232044-2




8-2232043-3
8-2232044-3




8-2232043-4
8-2232044-4




8-2232043-5
8-2232044-5




9-2232043-2
9-2232044-2




9-2232043-3
9-2232044-3




9-2232043-4
9-2232044-4




9-2232043-5
9-2232044-5




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING WU 30-Jan-13	 TE Connectivity										
DIMENSIONS:		CHK HAPYE WU 30-Jan-13											
mm		APVD YHM 30-Jan-13	NAME		RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL								
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC									
		0 PLC ± 1 PLC ±0.25 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH		APPLICATION SPEC									
MATERIAL		WEIGHT		SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO					
-		-		A1		100779	C=2232043	-					
CUSTOMER DRAWING				SCALE		N/A		SHEET	4	OF	6	REV	A9


LOC		DIST		REVISIONS				
ES	00	P	LYR	DESCRIPTION	DATE	DWN	APVD	
		-	-	SEE SHEET 1	-	-	-	




2232043-6
2232044-6




2232045-6
2232046-6




2232043-7
2232044-7




2232043-8
2232044-8




1-2232043-6
1-2232044-6




1-2232043-7
1-2232044-7




1-2232043-8
1-2232044-8




2-2232043-6
2-2232044-6




2-2232043-7
2-2232044-7




2-2232043-8
2-2232044-8




3-2232043-6
3-2232044-6




3-2232043-7
3-2232044-7




3-2232043-8
3-2232044-8




4-2232043-6
4-2232044-6




4-2232043-7
4-2232044-7




4-2232043-8
4-2232044-8




5-2232043-6
5-2232044-6




5-2232043-7
5-2232044-7




5-2232043-8
5-2232044-8




6-2232043-6
6-2232044-6




6-2232043-7
6-2232044-7




7-2232043-6
7-2232044-6




7-2232043-7
7-2232044-7




8-2232043-6
8-2232044-6




8-2232043-7
8-2232044-7



9-2232043-6
9-2232044-6




9-2232043-7
9-2232044-7



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING WU 30-Jan-13		 TE Connectivity	
DIMENSIONS:		CHK HAPYE WU 30-Jan-13			
mm		APVD YHM 30-Jan-13		NAME	
		PRODUCT SPEC		RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL	
		APPLICATION SPEC			
		FINISH			
TOLERANCES UNLESS OTHERWISE SPECIFIED:		WEIGHT		RESTRICTED TO	
0. PLC ± 1. PLC ± 2. PLC ±0.25 3. PLC ± 4. PLC ± ANGLES ±°		-		-	
MATERIAL		CUSTOMER DRAWING		SCALE	
-				N/A	
				SHEET	
				5 OF 6	
				REV	
				A9	

LOC	DIST	REVISIONS					
-	-	P	LTR	DESCRIPTION	DATE	DWN	APVD


FOR ANY KEYING CONFIGURATION, THERE ARE EIGHT COLORS AVAILABLE. BESIDES THE NATURAL COLOR, THERE ARE OTHER SEVEN COLORS, INCLUDE: YELLOW, BLUE, GREY, PURPLE, RED, GREEN, BLACK. THE WHITE VERSION IS PRELIMINARY. THE P/N OF THE COLOR CONNECTOR ARE BASED ON THE NATURAL CONNECTOR, THE PREFIX AND POSTFIX ARE THE SAME FOR THE SAME KEYING CONFIGURATION, BUT THE BASE NUMBERS ARE DIFFERENT ACCORDING TO DIFFERENT COLOR.THE FOLLOWING SHOWS WHAT'S THE P/N FOR COLOR CONNECTOR



COLOR	PART NUMBER OF THE CONNECTOR				COMMENTS
	WITH MATT TIN PLATING CONTACT (SPECIAL P/N: 8-2232043-7 ARE WITH BRIGHT TIN)	 WITH AG PLATING CONTACT			
NATURAL	#-2232043-# 	#-2232045-#	#-2232044-#	#-2232046-#	THE DETAIL P/N FOR DIFFERENT KEYING SEE SHEET 2-5
RED	#-2232055-#	#-2232057-#	#-2232056-#	#-2232058-#	THE PREFIX AND POSTFIX ARE THE SAME WITH THE P/N OF THE NATURAL CONNECTOR FOR THE SAME KEYING CONFIGURATION, JUST THE BASE NUMBERS ARE DIFFERENT BASED ON DIFFERENT COLOR. # CAN BE THE NUMBER FROM 0 TO 9.
BLUE	#-2232047-#	#-2232049-#	#-2232048-#	#-2232050-#	
YELLOW	#-2232063-#	#-2232065-#	#-2232064-#	#-2232066-#	
BALCK	#-2232059-#	#-2232061-#	#-2232060-#	#-2232062-#	
GREY	#-2232067-#	#-2232069-#	#-2232068-#	#-2232070-#	
GREEN	#-2232051-#	#-2232053-#	#-2232052-#	#-2232054-#	
PURPLE	#-2232071-#	#-2232073-#	#-2232072-#	#-2232074-#	
WHITE	#-2232298-#	#-2232300-#	#-2232299-#	#-2232301-#	


COLOR	PART NUMBER OF THE CONNECTOR		COMMENTS
	WITH BRIGHT PLATING CONTACT		
NATURAL	#-2232924-#	#-2232925-#	THE KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION ARE SAME AS THE MATT TIN CONNECTOR WITH THE SAME PREFIX AND POSTFIX FOR EACH COLOR. FOR EXAMPLE: 2232924-4 AND 2232043-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. 2232925-4 AND 2232045-4 HAVE SAME KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION. THE DETAIL KEYING , POLARIZATION AND LATCH WINDOW CONFIGURATION FOR EACH P/N, PLEASE SEE SHEET 2-5
RED	#-2232926-#	#-2232927-#	
BLUE	#-2232928-#	#-2232929-#	
YELLOW	#-2232930-#	#-2232931-#	
BALCK	#-2232932-#	#-2232933-#	
GREY	#-2232934-#	#-2232935-#	
GREEN	#-2232936-#	#-2232937-#	
PURPLE	#-2232938-#	#-2232939-#	
WHITE	#-2232940-#	#-2232941-#	

FOR EXAMPLE,IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 1-2232043-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 1-2232055-4



1-2232043-4

FOR ANOTHER EXAMPLE,IF A CONNECTOR WITH THE CONFIGURATION AS BELOW, AND WITH TIN PLATING CONTACT, IN THE SHEET 4, WE CAN FIND THE RELATED CONNECTOR P/N WITH NATURAL COLOR IS 1-2232045-4, THEN WE CAN LOOK IN THE ABOVE TABLE TO FIND THE CONNECTOR P/N WITH RED COLOR IS 1-2232057-4



1-2232045-4

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RUIPING.WU	10-Jul-17	 TE Connectivity		
		CHK HAPYE.WU	10-Jul-17			
DIMENSIONS:		APVD YJHM	10-Jul-17	NAME	RAST 5 TAB HEADER ASSY, OPPOSITE DIN STYLE, TH, VERTICAL	
mm		PRODUCT SPEC				
		108-106080				
		APPLICATION SPEC		SIZE	CAGE CODE	
MATERIAL		FINISH				
-		-				
		WEIGHT		DRAWING NO		
		-		A100779		
		Customer Drawing		REV. A11		
		SCALE		SHEET 6 OF 6		
		5:1				

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9