

TECHNICAL DATA SHEET Description: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

Series: Outdoor Multi Band



### **Features:**

- 3G, GPRS, GSM
  - 824-960, 1710-2170MHz
- GNSS
  - GPS, Galileo Glonass, Beidou
  - 1560-1608MHz
  - 30dB LNA
- Magnetic mount onto metal surfaces
- IP67

## **Applications:**

- Vehicular use
- Fleet management
- Tracking, navigation
- For easy installation and removal, no need to drill any holes

#### All dimensions are in mm / inches

#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



1



TECHNICAL DATA SHEET Description: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

Series: Outdoor Multi Band

This document covers all product variants of the following product family

Antennas	GSM Cable			GPS Cable		
	Cable Type	Cable Length	Connector	Cable Type	Cable Length	Connector
W4165MM	RG-174 Black	4000mm/157.5"/13.2'	SMA Male	RG-174 Black	4000mm/157.5"/13.2'	SMA Male
W4165MMAI		1524mm/60"/5'	TNC Male		1524mm/60"/5'	RP-TNC Male
W4165MMSMA5		1524mm/60"/5'	SMA Male		1524mm/60"/5'	SMA Male
W4165MMRPSMA10		3048mm/120"/10'	RP-SMA Male		3048mm/120"/10'	RP-SMA Male

#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden.

For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34<sup>th</sup> St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4<sup>th</sup> Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998 2



Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

### **ELECTRICAL SPECIFICATIONS**

Frequency (GSM)	824-960/1710-2170 MHz				
Frequency (Beidou,GPS,	1561.098±2.046/				
		1575.42±1.023/			
		1602.5625±4MHz			
Nominal Impedance	50 Ω				
VSWR** (GSM)	< 2:1				
Average Peak Gain* (GS	4 dB				
Average Peak Gain* (GS	4.5 dB				
GNSS antenna RHCP ga	1 dBic ± 2 dB				
LNA gain	30 dB ± 2 dB				
Noise Figure	2.5 (cascade) dB				
Current		9 mA ± 2 mA			
Vdc		3-5Vdc			
LNA and filter attenuation					
	@ 824 MHz	70 dB			
	@960 MHz	65 dB			
	@1710 MHz	60 dB			
	@2170 MHz	65 dB			

\*Measured on diameter 500mm GND plane and with 5 inch cables

\*\* Measured on diameter 500mm GND plane and with 10 feet cables

Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



3



**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

TECHNICAL DATA SHEET

## Series: Outdoor Multi Band

## **MECHANICAL SPECIFICATIONS**

Antenna Color / Material Connector type Cable type Cable length Fixing system Pull Force (in Z direction) Side Push Forth (in X/Y direction) Connector retention Strain relief Black As requested RG-174, Black As requested Magnetic mount min. 100N (22.5 lbf) min. 140N (30 lbf) 30 N 30 N, applied to cable along axis and perpendicular to cable entry

### **ENVIRONMENTAL SPECIFICATIONS**

Operating Temperature Storage Temperature Ingress Protection Wind-loading RoHS Compliant -40 ~ 85° C -40 ~ 85° C IP67 160 km/h Yes

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

### **MECHANICAL DRAWING**



Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION




5



Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

## TEST SETUP



# Diameter:500mm ground pane

\*Measured on diameter 500mm GND plane and with 5 inch cables for radiation performance

\*\* Measured on diameter 500mm GND plane and with 10 feet cables for VSWR

#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



6




Series: Outdoor Multi Band


**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

### CHARTS

## VSWR\*



## **GNSS LNA performance**



#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



7



Series: Outdoor Multi Band


**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

## CHARTS

#### W4165MMXXX 100 90 80 70 Rad Eff(%) 60 50 40 30 20 10 0 800 1000 1200 1400 1600 1800 2000 2200 2400 Freq(MHz)

## GSM antenna total efficiency\*

# Maximum 3D gain, GSM antenna\*



#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary.

CONFIDENTIAL AND PROPRIETARY INFORMATION



8




**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount

Series: Outdoor Multi Band


PART NUMBER: W4165MMXX

### CHARTS

## GSM antenna Low band Radiation Pattern X-Y Plane\*



# GSM antenna Low band Radiation Pattern Z-X Plane\*



#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



9




**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount

Series: Outdoor Multi Band


PART NUMBER: W4165MMXX

CHARTS

## GSM antenna Low band Radiation Pattern Y-Z Plane\*



GSM antenna High band Radiation Pattern X-Y Plane\*



#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

ROHS 10




Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX


TECHNICAL DATA SHEET

CHARTS

## GSM antenna High band Radiation Pattern Z-X Plane\*



# GSM antenna High band Radiation Pattern Y-Z Plane\*



#### Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Series: Outdoor Multi Band


**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

### CHARTS

## RHCP Radiation Pattern (70mm x 70mm ground plane ) GPS & Galileo



# RHCP Radiation Pattern (70mm x 70mm ground plane ) GLONASS



Issue: 1719

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount PART NUMBER: W4165MMXX

### CHARTS

## RHCP Radiation Pattern (70mm x 70mm ground plane ) BD2



In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION





Series: Outdoor Multi Band

**Description**: 3G/GPRS/GSM + GNSS IP67 with Magnetic Mount **PART NUMBER: W4165MMXX** 

TECHNICAL DATA SHEET

### PACKAGING

- 1 antenna packed in a plastic bag
- 12 plastic bags of antennas packed in a carton
- 1 label on each carton with part number, description, date code.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION







Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001 Адрес: 105318, г.Москва, ул.Щербаковская д.З, офис 1107

### Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

### http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж: moschip.ru moschip.ru\_4

moschip.ru\_6 moschip.ru\_9