

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD

D

C

B

A


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER

FOR REPLACEMENT PARTS FOR APPLICATOR REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED) WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

TE Connectivity

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A3

C-

SCALE


SHEET OF

REV

1470-19 (3/11)

Pro/ENGINEER DRAWING

8				7			
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION			
COPYRIGHT 20 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.				20			
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE			
1852083-1	A	122500-1	LEADMAKER & BENCH MODEL G	POST FEED			
1852083-2	A	565435-5	BENCH MODEL K	PRE FEED			



TERMINAL NAME: FASTON CONN. .187 SERIES					
160431	-	AMP TERMINAL - AMP CRIMP SPECS			
160429	-				
-	-	PAD LTR	CRIMP HEIGHT		WIRE SIZE
-	-	A	.062±.002[1.57±0.05mm]		2.50mm
-	-	B	.058±.002[1.47±0.05mm]		2.0mm
-	-	C	.054±.002[1.37±0.05mm]		1.50mm
-	-	D	.050±.002[1.27±0.05mm]		1.0mm
-	-	CRIMP	SIZE	TYPE	RANGE
-	-	WIRE	.120 [3.05mm]	F	1.0-2.5mm
-	-	INSUL	.155 [3.94mm]	F	3.0-4.3mm
WIRE STRIP LENGTH	TERM APPL SPEC	FEED	APPL INSTRUCTIONS	SET UP GAGE	
.148 -.163	114-20081	.653	408-8040	458638-1	

- △ RECOMMENDED SPARE PARTS
- △ GREASE LIGHTLY
- △ GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE

2	2	-	3-354779-6	PIN, WIRE DISC, .3170	129
2	2	-	2-354779-5	PIN, WIRE DISC, .3115	128
2	2	-	1-354779-8	PIN, WIRE DISC, .3080	127
2	2	-	354779-8	PIN, WIRE DISC, .3030	126
1	1	-	986950-1	WASHER, FLAT PRECISION	125
1	1	-	217238-1	GENERAL INSTRUCTION PKG	124
1	1	-	4088039	EF APPL INST 408-8039	123
-	-	-	-	-	122
-	-	-	-	-	121
-	-	-	-	-	120
-	-	-	-	-	119
-	-	-	-	-	118
-	-	-	-	-	117
-	-	-	-	-	116
-	-	-	-	-	115
-	-	-	-	-	114
-	-	-	-	-	113
-	-	-	-	-	112
-	-	-	-	-	111
7	7	-	21024-4	WASHER, SPRG LOCK, REG NO 8	110
-	-	-	-	-	109
2	2	-	21018-4	NUT, HEX, REG 4-40	108
-	-	-	-	-	107
-	-	-	-	-	106
2	2	-	21022-2	NUT, LOCK, HEX, TORQUE, 8-32	105
-	-	-	-	-	104
-	-	-	-	-	103
2	2	-	2-21006-6	SCR, SET, CUP POINT 4-40 X .625	102
1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	101
2	2	-	21017-2	SCREW, DRIVE	100
1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	99
1	1	-	461264-1	PLATE, IDENTIFICATION	98
-	-	-	-	-	97
-	-	-	-	-	96
2	2	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	95
-	-	-	-	-	94
1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	93
4	4	-	3-21002-3	SCR, BTN SKT HD CAP 1/4-20 X .500	92
-	-	-	-	-	91
-	-	-	-	-	90
-	-	-	-	-	89
-	-	-	-	-	88
2	2	-	2-21000-6	SCR, SKT HD CAP 8-32 X .375	87
3	3	-	2-21000-6	SCR, SKT HD CAP 8-32 X .375	86
2	2	-	2-21000-9	SCR, SKT HD CAP 8-32 X .750	85
-	-	-	-	-	84
-	-	-	-	-	83
-	-	-	-	-	82
-	-	-	-	-	81
2	2	-	2-21002-9	SCR, BTN SKT HD CAP 10-32 X .750	80
REF	-	-	455745-1	GUARD WINDOW	79
-	-	-	679532-1	INSERT, GUARD	78
-	-	-	-	-	77
-	-	-	-	-	76
-	-	-	-	-	75
1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	74
-2	-1	U/M	PART NO	DESCRIPTION	
-2	-1	U/M	PART NO	DESCRIPTION	

1				2			
REVISONS				LOC			
DESCRIPTION				66			
DATE				APPROV			
DATE				TE			
DATE				SK			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			
DATE				APPROV			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9