




THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A3	REVISED PER ECR-16-011494	30MAY2017	NK	CX



- 1 MATERIAL: CONTACTS - BRASS
HOUSING - UL 94V-O RATED HIGH TEMP NYLON, COLOR BLACK.
- 2 PLATING: CONTACTS - 0.76 μ m MINIMUM GOLD ON MATING END,
2.54 μ m MINIMUM TIN LEAD ON SOLDER TAILS, BOTH OVER
1.27 μ m MINIMUM NICKEL.
- 3 DATUMS AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
- 4 RECOMMENDED PC BOARD THICKNESS OF 1.57.
- 5 PLATING: CONTACTS - 0.76 μ m MINIMUM GOLD ON MATING END,
2.54 μ m MINIMUM MATTE TIN ON SOLDER TAILS, BOTH OVER
1.27 μ m MINIMUM NICKEL.

		33.00	28.70	33.00	40.14	12	3-1445098-2
		30.00	25.70	30.00	37.14	11	3-1445098-1
		27.00	22.70	27.00	34.14	10	3-1445098-0
		24.00	19.70	24.00	31.14	9	2-1445098-9
		21.00	16.70	21.00	28.14	8	2-1445098-8
		18.00	13.70	18.00	25.14	7	2-1445098-7
		15.00	10.70	15.00	22.14	6	2-1445098-6
		12.00	7.70	12.00	19.14	5	2-1445098-5
		9.00	4.70	9.00	16.14	4	2-1445098-4
		-	-	6.00	13.14	3	2-1445098-3
		-	-	3.00	10.14	2	2-1445098-2
2		33.00	28.70	33.00	40.14	12	—1-1445098-2—
		30.00	25.70	30.00	37.14	11	—1-1445098-1—
0		27.00	22.70	27.00	34.14	10	—1-1445098-0—
9		24.00	19.70	24.00	31.14	9	—1445098-9—
8		21.00	16.70	21.00	28.14	8	—1445098-8—
7		18.00	13.70	18.00	25.14	7	—1445098-7—
6		15.00	10.70	15.00	22.14	6	—1445098-6—
5		12.00	7.70	12.00	19.14	5	—1445098-5—
4		9.00	4.70	9.00	16.14	4	—1445098-4—
3		-	-	6.00	13.14	3	—1445098-3—
2		-	-	3.00	10.14	2	—1445098-2—
	FINISH	DIM Z	DIM V	DIM T	DIM W	NO. OF POSN	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN 09OCT2000		 TE Connectivity		
L ROOT 17-APR-2001			CHK K WHITAKER				
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD C JONES 17-APR-2001		NAME RIGHT ANGLE THRU HOLE HEADER ASSY, 0.76 MIC GOLD CONTACTS, W/PLASTIC™ HOLDDOWNS, SGL ROW, MICRO MATE-N-LOK	
mm				PRODUCT SPEC			
		0 PLC ±		-			
		1 PLC ±		-			
		2 PLC ±		-			
		3 PLC ±		-			
		4 PLC ±		-			
		ANGLES ±		-			
MATERIAL		FINISH		WEIGHT		SIZE	
		SEE TABLE		-		A200779	
CUSTOMER DRAWING				DRAWING NO		RESTRICTED TO	
				C=1445098		-	
				SCALE 5:1		SHEET 1 OF 2	
				REV A3			

D


D

C


C



PCB LAYOUT FOR 2 POSITION 
COMPONENT SIDE



PCB LAYOUT FOR 3 POSITION 
COMPONENT SIDE



PCB LAYOUT FOR 4-12 POSITION 
COMPONENT SIDE

B

B

A

A

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN

J. ROOT

09OCT2000

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±0.13
3 PLC	±
4 PLC	±
ANGLES	±
FINISH	SEE TABLE

APVD

C. JONES

17-APR-2001

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

CHK

K. WHITAKER

17-APR-2001

NAME

RIGHT ANGLE THRU HOLE HEADER ASSY, 0.76 MIC GOLD CONTACTS, W/PLASTIC HOLDDOWNS, SGL ROW, MICRO MATE-N-LOK

SIZE

A2

CAGE CODE

00779

DRAWING NO

1445098

RESTRICTED TO

-

SCALE

5:1

SHEET

2

OF

2

REV

A3

 TE Connectivity

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9