










13	12	11	10	9	8	7	6	5	4	3	2	1																																																															
MAT'L NO.		INTERNAL THREAD	DIM. "A"	MATERIAL / PLATING		NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm.																																																																					
74962-1000		4-40 UNC-2B	.338 / 8.60	STAINLESS STEEL 303																																																																							
74962-2000		M3x0.5 CLASS 6H	.338 / 8.60																																																																								
74962-3000		4-40 UNC-2B	.378 / 9.60	STAINLESS STEEL 303																																																																							
74962-4000		M3x0.5 CLASS 6H	.378 / 9.60																																																																								
74962-0005		4-40 UNC-2B	.421 / 10.69	STAINLESS STEEL 303																																																																							
74962-0006		M3x0.5 CLASS 6H	.421 / 10.69																																																																								
  																																																																											
<table><tr><td rowspan="5">INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 REV</td><td rowspan="5">DESCRIPTION</td><td>QUALITY SYMBOLS</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE</td><td>SCALE</td><td>DESIGN UNITS</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td rowspan="5">=0 =0 =0</td><td rowspan="5">mm</td><td rowspan="5">INCH</td><td colspan="2">IN/MM</td><td rowspan="5">10:1</td><td rowspan="5">INCH</td><td colspan="2" rowspan="5">TDP 3/16" HEX JACKPOST</td></tr><tr><td>4 PLACES</td><td>± .005</td><td>± .005</td></tr><tr><td>3 PLACES</td><td>± .005</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .005</td></tr><tr><td>1 PLACE</td><td>± .005</td><td>± .005</td></tr><tr><td>0 PLACE</td><td>± .005</td><td>± .005</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">MATERIAL NO.</td><td colspan="2">DOCUMENT NO.</td><td colspan="2">SHEET NO.</td></tr><tr><td colspan="3">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">SEE TABLE</td><td colspan="2">SD-74962-1000</td><td colspan="2">1 OF 1</td></tr><tr><td colspan="11">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION		 =0  =0  =0	mm	INCH	IN/MM		10:1	INCH	TDP 3/16" HEX JACKPOST		4 PLACES	± .005	± .005	3 PLACES	± .005	± .010	2 PLACES	± 0.25	± .005	1 PLACE	± .005	± .005	0 PLACE	± .005	± .005	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-74962-1000		1 OF 1		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
INITIAL RELEASE EC NO: UCP2015-0921 DRWN: TIBARRA 2014/08/01 CHKD: MPOFF 2014/08/29 APPR: SMILLER 2014/09/04 REV	DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE		SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION																																																																		
		 =0  =0  =0	mm	INCH	IN/MM		10:1	INCH	TDP 3/16" HEX JACKPOST																																																																		
					4 PLACES	± .005					± .005																																																																
					3 PLACES	± .005					± .010																																																																
					2 PLACES	± 0.25					± .005																																																																
1 PLACE	± .005				± .005																																																																						
0 PLACE	± .005	± .005	ANGULAR ±1/2°		MATERIAL NO.		DOCUMENT NO.		SHEET NO.																																																																		
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS			SEE TABLE		SD-74962-1000		1 OF 1																																																																				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																											
12	11	10	9	8	7	6	5	4	3	2	1																																																																

13	12	11	10	9	8	7	6	5	4	3	2	1																																														
MAT'L NO.		INTERNAL THREAD	EXTERNAL THREAD	DIM. "A"	MATERIAL / PLATING			NOTES: 1. PARTS ARE PACKAGED IN POLY BAGS CONSISTING OF 40 PIECES. 2. INTERNAL AND EXTERNAL THREADS TO WITHSTAND A MINIMUM APPLIED TORQUE OF 5 lbf in/5.76 kgf cm. 3. NYLOK® TORQUE PATCH LOCATED TO THE LEFT OF THE FIRST OR SECOND FULL THREADS AND COVERS 3 THREADS MINIMUM.																																																		
74962-1110		4-40 UNC-2B	4-40 UNC-2A	.338 / 8.60			STAINLESS STEEL 303 / NYLON TORQUE PATCH																																																			
  																																																										
<table><tr><td rowspan="5">MOD NOTE 3 EC NO: UCP2016-1139 2015/09/14 DRWN:TIBARRA CHKD:MCAIN 2015/09/14 APPR:SMILLER 2015/09/17</td><td rowspan="5">QUALITY SYMBOLS ▽=0 ▽=0 ▽=0</td><td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td><td colspan="2">DIMENSION STYLE IN/MM</td><td>SCALE 10:1</td><td>DESIGN UNITS INCH</td><td colspan="2">THIRD ANGLE PROJECTION</td></tr><tr><td>4 PLACES</td><td>± .005</td><td>± .005</td><td>DRAWN BY TIBARRA</td><td>DATE 2015/07/09</td><td colspan="4" rowspan="2">TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH</td></tr><tr><td>3 PLACES</td><td>± .005</td><td>± .010</td><td>CHECKED BY DMORGAN</td><td>DATE 2017/07/09</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .005</td><td>APPROVED BY SMILLER</td><td>DATE 2015/08/14</td></tr><tr><td>1 PLACE</td><td>± .005</td><td>± .005</td><td colspan="2">MATERIAL NO. SEE TABLE</td><td>DOCUMENT NO. SD-74962-1110</td><td>SHEET NO. 1 OF 1</td></tr><tr><td colspan="2">0 PLACE</td><td>± .005</td><td>± .005</td><td colspan="2">ANGULAR ±1/2°</td><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td colspan="2">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													MOD NOTE 3 EC NO: UCP2016-1139 2015/09/14 DRWN:TIBARRA CHKD:MCAIN 2015/09/14 APPR:SMILLER 2015/09/17	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		4 PLACES	± .005	± .005	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH				3 PLACES	± .005	± .010	CHECKED BY DMORGAN	DATE 2017/07/09	2 PLACES	± 0.25	± .005	APPROVED BY SMILLER	DATE 2015/08/14	1 PLACE	± .005	± .005	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74962-1110	SHEET NO. 1 OF 1	0 PLACE		± .005	± .005	ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
MOD NOTE 3 EC NO: UCP2016-1139 2015/09/14 DRWN:TIBARRA CHKD:MCAIN 2015/09/14 APPR:SMILLER 2015/09/17	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION																																																		
		4 PLACES	± .005	± .005	DRAWN BY TIBARRA	DATE 2015/07/09	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH																																																			
		3 PLACES	± .005	± .010	CHECKED BY DMORGAN	DATE 2017/07/09																																																				
		2 PLACES	± 0.25	± .005	APPROVED BY SMILLER	DATE 2015/08/14																																																				
		1 PLACE	± .005	± .005	MATERIAL NO. SEE TABLE		DOCUMENT NO. SD-74962-1110	SHEET NO. 1 OF 1																																																		
0 PLACE		± .005	± .005	ANGULAR ±1/2°		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																		
12	11	10	9	8	7	6	5	4	3	2	1																																															



MOD NOTE 3 EC NO: UCP2016-1139 DRWN: TIBARRA 2015/09/14 CHKD: MCAN 2015/09/14 APPR: SMILLER 2015/09/17 B	DESCRIPTION REV	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	 THIRD ANGLE PROJECTION	TITLE TDP 3/16" HEX JACKPOST WITH TORQUE PATCH molex DOCUMENT NO. SD-74962-1110 SHEET NO. 1 OF 1			
				mm	INCH	DRAWN BY TIBARRA	DATE 2015/07/09						
			4 PLACES	± .005	± .005	CHECKED BY DMORGAN	DATE 2017/07/09						
			3 PLACES	± .010	± .010	APPROVED BY SMILLER	DATE 2015/08/14						
			2 PLACES	± 0.25	± .010	MATERIAL NO. SEE TABLE							
			1 PLACE	± .010	± .010	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							
			0 PLACE	± .010	± .010	SIZE C							
								THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION					

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9