





| LOC |  | DIST |  | REVISIONS |     |             |      |     |      |
|-----|--|------|--|-----------|-----|-------------|------|-----|------|
| AD  |  | 00   |  | P         | LTR | DESCRIPTION | DATE | DWN | APVD |
|     |  |      |  |           | —   | SEE SHEET 1 | —    | —   | —    |

- 1 MATERIAL:  
CONTACT: PHOSPHOR BRONZE.  
HOUSING: GLASS-FILLED POLYESTER.
- 2 GENERAL PLATING SPECIFICATION: UNDERPLATING  
(ENTIRE CONTACT): 1.27µm MIN NICKEL AND ACTION  
PIN: 0.5µm MIN TIN\LEAD.  
FOR PLATING OF MATING SURFACES SEE APPLICABLE  
SPECIFICATION REFERENCE FOR EACH DASH NUMBER.
- 3 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 2.
- 4 CONFORMS TO ALL TESTING ACCORDING TO IEC 61076-4-101  
PERFORMANCE LEVEL 1.
- 5 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
CENTRAL OFFICE APPLICATIONS.
- 6 CONNECTOR TESTED AND QUALIFIED AGAINST TELCORDIA GR-1217-CORE QUALITY LEVEL 3,  
UNCONTROLLED ENVIROMENT APPLICATIONS.
- 7 CONNECTOR MARKED WITH PART NUMBER AND DATE CODE.  
ADDITIONAL CHARACTERS OR MARKINGS, AS WELL AS THE LOCATION OF THE MARKINGS,  
MAY BE ADDED FOR TRACEABILITY BASED UPON MANUFACTURERS DISCRETION.
- 8 PLATED-THROUGH HOLES AT 2x2mm SQUARE GRID  
PATTERN DEFINED BY CONTACT LAYOUT.
- 9 FOR ACTUAL PIN LOADING SEE "CONTACT LAYOUT".
- 10 FOR ACTUAL PIN DIMENSIONS SEE "CONTACT DIMENSIONS".
- 11 TO BE MEASURED AT BOTTOM OF SHROUD.
- 12 POLARIZATION FEATURE.
- 13 AREA RESERVED FOR KEYING PART (BASIC P/N 100525).
- 14 CONNECTOR LUBRICATED WITH BELCORE APPROVED LUBRICANT,  
TECHNICAL REFERENCE: TR-NWT-001217 ISSUE 1, SEP 1992.
- 15 0.76µm MIN GOLD PLATING AT MATING SURFACES.

|                                                                                       |                       |                               |                                                           |                    |                      |                    |
|---------------------------------------------------------------------------------------|-----------------------|-------------------------------|-----------------------------------------------------------|--------------------|----------------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT.                                                |                       | DWN<br>B CARBO<br>13DEC05     | Tyco Electronics Corporation<br>Harriaburg, Pa 17105-3608 |                    |                      |                    |
| DIMENSIONS:<br>mm                                                                     |                       | CHK<br>G SKIPPER<br>13DEC05   | NAME<br>MALE ASSEMBLY, Z-PACK 2mm HM,<br>TYPE A           |                    |                      |                    |
|  |                       | APVD<br>G SKIPPER<br>13DEC05  |                                                           |                    |                      |                    |
|                                                                                       |                       | PRODUCT SPEC<br>108-19082     |                                                           |                    |                      |                    |
|                                                                                       |                       | APPLICATION SPEC<br>114-19029 | SIZE<br>A1                                                | CAGE CODE<br>00779 | DRAWING NO<br>188398 | RESTRICTED TO<br>— |
| MATERIAL<br>SEE SHEET 1                                                               | FINISH<br>SEE SHEET 1 | WEIGHT<br>—                   | CUSTOMER DRAWING                                          |                    |                      | SCALE<br>4:1       |
|                                                                                       |                       |                               |                                                           | SHEET<br>2         | OF<br>2              | REV<br>F           |

## Данный компонент на территории Российской Федерации

**Вы можете приобрести в компании MosChip.**

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9