










LOC	DIST	REVISIONS				
AD	00	P	LTR	DESCRIPTION	DATE	APVD
		C2		REVISED PER ECO-12-002677	13FEB12	KH PO



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.S.VISWESWARA		02MAR05		 TE Connectivity	
DIMENSIONS: mm		CHK M.S.SARVER		—			
		APVD —		NAME		SWITCH, SLIDE, RIGHT ANGLE, SE(**)GRA	
		PRODUCT SPEC —					
		APPLICATION SPEC —					
		WEIGHT —					
MATERIAL —		FINISH —		SIZE A2	CAGE CODE —	DRAWING NO C=1825031	RESTRICTED TO —
CUSTOMER DRAWING				SCALE 3:1	SHEET 1 of 2	REV C2	

LOC	DIST	REVISIONS					
AD	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

16. LIFE EXPECTANCY: ON-OFF ELECTRICAL SWITCHING OPERATIONS PER EIA 364-9C
10 CYCLES PER MINUTE AT THE FOLLOWING RATED LOAD.

TYPE	MAXIMUM CONTACT RATING	0.4 VA	MINIMUM CONTACT RATING
D.E	10000 (OPERATIONS)	30000 (OPERATIONS)	30000 (OPERATIONS)

17. ACTUATION FORCE: 70-500g PER EIA 364-13B.
18. THERMAL SHOCK PER EIA 364-32C, -25°C TO 85°C.
19. HUMIDITY-TEMPERATURE CYCLING PER EIA 364-31B, METHOD III.
20. TEMPERATURE LIFE PER EIA 364-17B, METHOD B, TEMPERATURE TEST CONDITION 3, TIME CONDITION B.
21. RESISTANCE TO SOLDER HEAT PER 109-202,CON B.
22. SOLDERABILITY PER EIA 364-52, CLASS 2, CATEGORY 1.
23. PROCESS SEALED.
24. ALL MATERIALS AND FINISHES SHALL COMPLY WITH EU DIRECTIVE 2000/95/EC OF 27 JAN2003 (ROHS)

COLOR— WHITE	PET FILM UL94—HB	SLIDE PLATE
COLOR— BLACK	PA46 UL94V—O 30% GLASS FILLED	TERMINAL BOARD
—	STAINLESS STEEL	COIL SPRING
COLOR— WHITE	PA46 UL94V—O 30% GLASS FILLED	PLUNGER
—	SILICON RUBBER	ACTUATOR BOOT
—	EPOXY	TERMINAL SEAL
	PHOSPHOR BRONZE	MOVABLE CONTACT
	PHOSPHOR BRONZE	FIXED CONTACT /TERMINAL
COLOR— YELLOW	PA46 UL94V—O 30% GLASS FILLED	ACTUATOR
	BRASS	FRAME
COLOR— GRAY	PA46 UL94V—O 30% GLASS FILLED	CASE
FINISH	MATERIAL	PART DESCRIPTION

ON 2-3 5-6	OFF	ON 2-1 5-4	ALCO	SE2EGRA04	1825031-4
ON 2-3 5-6	NONE	ON 2-1 5-4	ALCO	SE2DGRA04	1825031-3
ON 2-3	OFF	ON 2-1	ALCO	SE1EGRA04	1825031-2
ON 2-3	NONE	ON 2-1	ALCO	SE1DGRA04	1825031-1
			MARKINGS	ALCOSWITCH PART NUMBER	TE PART NUMBER
CIRCUIT ARRANGEMENT					
CIRCUIT CHARACTERISTICS					

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN B.S.VISWESWARA		02MAR05		 TE Connectivity	
		CHK M.S.SARVER		—			
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		APVD		NAME	
mm				—		SWITCH, SLIDE, RIGHT ANGLE, SE(**)GRA	
		0 PLC ± —		PRODUCT SPEC			
		1 PLC ± —		—			
		2 PLC ± 0.25		—			
		3 PLC ± —		APPLICATION SPEC			
		4 PLC ± —		—		SIZE	
		ANGLES ± 0°30'		—		CAGE CODE	
MATERIAL		FINISH		WEIGHT		DRAWING NO	
—		—		—		A2 — C=1825031	
				CUSTOMER DRAWING		RESTRICTED TO	
						—	
						SCALE 1:1	
						SHEET 2 OF 2	
						REV C2	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9