



* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final

Table 1. Electrical specification


Passband: 1559.05 ~ 1605.89 MHz						
Item	Condition (MHz)	Specification			Unit	Remarks
		Min.	Typ.	Max.		
Insertion Loss	1574.42 – 1576.42	-	1.2	1.7	dB	(*)
	1597.55 – 1605.89	-	1.8	2.5	dB	(*)
	1559.05 – 1563.14	-	1.7	2.5	dB	(*)
Ripple	1574.42 – 1576.42	-	0.1	0.8	dB	
	1597.55 – 1605.89	-	0.55	1.4	dB	
	1559.05 – 1563.14	-	0.2	1.2	dB	
VSWR(Input)	1574.42 – 1576.42	-	1.5	2.1	-	
	1597.55 – 1605.89	-	1.4	2.0	-	
	1559.05 – 1563.14	-	1.5	2.0	-	
VSWR(Output)	1574.42 – 1576.42	-	1.5	2.1	-	
	1597.55 – 1605.89	-	1.4	2.0	-	
	1559.05 – 1563.14	-	1.5	2.0	-	
Group delay ripple	1574.42 – 1576.42	-	1.0	6.0	ns	
	1597.55 – 1605.89	-	4.0	12.5	ns	
	1559.05 – 1563.14	-	5.0	16	ns	
Absolute attenuation	699 – 716	43	47	-	dB	
	777 -787	45	46.5	-	dB	
	814 – 849	45	46.5	-	dB	
	880 – 915	45	46.5	-	dB	
	1427.9 – 1446.9	45	53	-	dB	
	1447.9 – 1462.9	45	54	-	dB	
	1710 – 1785	47	54	-	dB	
	1850 – 1915	47	54	-	dB	
	1920 – 1980	47	54	-	dB	
	2400 – 2500	45	50	-	dB	
	2500 - 2570	45	50	-	dB	
Input Impedance		50			Ohm	Single-ended
Output Impedance		50			Ohm	Single-ended
Operating temp.		-30 to +85			°C	
Package size		1.1typ.x 0.9typ.x 0.5max.			mm	

(*) Specification of insertion loss excludes loss that comes from the test board.

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final

Dimensions


Device size: 1.1typ. x 0.9typ. x 0.5max



Pin Configuration

Pin No.	Symbol	Function
1	IN	Single-ended pin
2	GND	Ground
3	GND	Ground
4	OUT	Single-ended pin
5	GND	Ground

Test Condition





* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final




Fig.1 Pass-band Characteristics




Fig.2 In-band Characteristics

TAIYO YUDEN





* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final





* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final




Fig.5 Input Impedance




Fig.6 Output Impedance

TAIYO YUDEN



* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final




Fig7. Group delay



* Pb Free Part



MSL1

Customer Name	Standard specification	TAIYO YUDEN Mobile Technology Co.,Ltd.	
System	GPS+GLONASS+Compass	DATE	Jun. 10, 2014
Part Number	F6QA1G582H2JM	Version 2.1bA	Final

Ordering Code

Ordering Code	Packing	Reel size	Status
F6QA1G582H2JM-J	Tape & Reel	5,000pcs.	MP
F6QA1G582H2JM-JA	Tape & Reel	less than 5,000 pcs.	MP
F6QA1G582H2JM-Y	Tape & Reel	15,000pcs	MP
F6QA1G582H2JM-YA	Tape & Reel	Less than 15,000pcs	MP
F6QA1G582H2JM-Q	Bulk	few pcs.	MP

*Minimum order quantity (MOQ) is assigned for each inquiry, Please contact to Sales Representatives.

*MP: Mass Production

Notice

All of the contents specified herein are subject to change without notice due to technical improvements, etc.

Please contact TAIYO YUDEN Co., Ltd. for further details of product specifications.

Please conduct validation and verification of products in actual condition of mounting and operating environment before commercial shipment of the equipment.

This product is for general electronics equipment such as Audio-Visual equipment, household electronics, office supplies, information services and telecommunications; therefore, in case this product is used for any medical equipment, space equipment, nuclear equipment or disaster prevention equipment, please contact TAIYO YUDEN in advance.

In case this product is used for general electronics equipment or circuits which require high safety and high reliability, thoroughly evaluate on safety and add a protection circuit if necessary.

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9