



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.	ROWS	SIGNAL					POWER					
		6	5	4	3	2	1	P5	P4	P3	P2	P1
51756-001-- NOTE: 3	D	E	E	E	E	E	E	X	PA	PA	PA	PA
	C	E	E	E	E	E	E					
	B	E	E	E	E	E	E					
	A	E	E	E	E	E	E					



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
E	[N/A]	SIGNAL
PA	[1.07]	POWER
X	OMITTED	OMITTED

mat'l code				SEE NOTE		tolerances unless otherwise specified		CUSTOMER		CONFIDENTIAL			
lir	ecr no.	dr	date	linear	0.X ±0.3 0.XX ±0.10 0.XXX ±0.050 0° ±2°	JM GUO 22/06/06 SLUO 22/06/06 BEER FU 22/06/06 JOSEPH HSIA 22/06/06	22/06/06 22/06/06 22/06/06 22/06/06	projection MM scale 1:1	COPY title 5P + 24S VERTICAL STB RECEPTACLE WITHOUT GUIDE POST product family PwrBlade size A dwg no 51756-001	www.fciconnect.com			
A	DG06-0245	JMG	22/06/06							code 213 sheet 1 of 4			
sheet index		revision sheet	A 1	A 2	A 3	A 4				cage code 22526			

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010



Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51756-001--
NOTE: 3



CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI			
lir	ecn no.	dr	date			COPY		www.fciconnect.com			
A				linear	0.X ±0.3	projection		title 5P + 24S VERTICAL STB RECEPTACLE WITHOUT GUIDE POST			
					0.XX ±0.10						
				angles	0.XXX ±0.050						
					0° ±2°			product family PwrBlade			
				dr	JM GUO	22/06/06					
				engr	SLUO	22/06/06		size A		dwg no 51756-001	
				chr	BEER FU	22/06/06					
				appd	JOSEPH HSIA	22/06/06		code 213		sheet 2 of 4	
sheet index	revision sheet										

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire. Propriété de c FCI. Droits de reproduction FCI.



All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER

51756-001--
NOTE: 3



CONFIDENTIAL

mat'l code				tolerances unless otherwise specified				CUSTOMER		 www.fciconnect.com				
lfr	ecr no.	dr	date	linear	0.X ±0.3		projection	COPY		title	5P + 24S VERTICAL STB RECEPTACLE WITHOUT GUIDE POS			
A			0.XX ±0.10											
			0.XXX ±0.050											
				angles	0° ±2°			scale	1:1	product family		PwrBlade		code
			dr	JM GUO	22/06/06	size				dwg no	A		51756-001	213
			enrg	SLUO	22/06/06									
			chr	BEER FU	22/06/06									
			appd	JOSEPH HSIA	22/06/06									
sheet index	revision sheet													

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010



PRODUCT NUMBER

51756-001--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

- 2 HOUSING MATERIAL: UL 94 V-0 GLASS FILLED
HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY
3. PLATING SPEC.
51756-001,51756-001LF PLATING SPEC. WAS SHOWN IN THE PRINT OF 10064183.
- 4 MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON
THIS SURFACE.
5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.
6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 8 MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.
- 9 $\varnothing .0453 \pm .0010$ [1.151 $\pm$ 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [1.02 $\pm$.07] HOLE.
- 10 "DIM XXX" TO BE DETERMINED BY THE CUSTOMER.
- 11 CONNECTOR KEEP-OUT ZONE.

CONFIDENTIAL

mat'l code				tolerances unless otherwise specified		CUSTOMER		FCI			
lfr	ecn no.	dr	date			COPY		www.fciconnect.com			
A				linear	$0.X \pm 0.3$ $0.XX \pm 0.10$ $0.XXX \pm 0.050$	projection		title			
				angles	$0^\circ \pm 2^\circ$			5P + 24S VERTICAL STB RECEPTACLE WITHOUT GUIDE POST			
				dr	JM GUO 22/06/06	MM		product family			
				engr	SLUO 22/06/06	scale		PwrBlade			
				chr	BEER FU 22/06/06			size	dwg no	code	
				appd	JOSEPH HSIA 22/06/06	1:1		A	51756-001	213	
										sheet	
										4 of 4	
sheet index	revision sheet										

cage code 22526

Pro/E

PDM: Rev:A

STATUS: Released

Printed: Dec 20, 2010

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9