




PART NUMBER
SEE TABLE


OCTIS UNIVERSAL PLUG KIT,PITCH 26 MM

BOM OF PLUG KIT PART NUMBER: 10145416-XXXLF

SL NO.	COMPONENT	MATERIAL	QTY	COLOUR
1	PLUG CAP	PBT GF	1	BLACK
2	HOLDER SUBSET KIT	PBT GF+SILICONE	1	GREY+BLACK
3	HOUSING SUBSET KIT	PBT GF+IXEF	1	GREY+BLACK
4	SPLIT RUBBER GLAND	SILICONE	-	BLACK (SEE TABLE BELOW)
5	TIGHTENING CONE	PA	1	BLACK
6	GLAND NUT	PBT GF	1	BLUE



PACKING CONFIGURATION



AFCI PN	DESCRIPTION	RUBBER GLAND DIA	CABLE SPEC	QTY
10145416-101LF	LC DUPLEX/MPO ADAPTER VERSION	6MM	FOR Ø6MM GLAND- OD 4.6MM MIN TO 5.6MM MAX.	1

* STANDARD RUBBER GLAND DIA OFFERED IS 6MM
OPTIONAL RUBBER GLAND DIA OF 7MM,8MM,9MM & 10 MM AVAILABLE ON REQUEST

spec ref		-		dr		Jibin John	2017/11/28	projection		MM		size	A3	scale	1:1						
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		B T Varghese	2018/01/18					ecn no				-					
				chr		-	-					rel level				Released					
ISO 406				appr		K-Paul Biju	2018/01/18	product family				OCTIS									
ISO 1101																					
surface	linear	0.X		±0.3		Amphenol FCI				title		UNIVERSAL PLUGKIT		dwg no		10145416		rev		A	
		0.XX		±0.13																	
		0.XXX		±0.05																	
	ISO 1302	angular	0°		±2°						cat. no.		Product - Customer Drw				sheet 1 of 2				

GENERAL CHARACTERISTICS		
Mechanical		
Mating endurance (cycles)	IEC 61300-2-2	100
Axial Tensile load (N min)	IEC 61300-2-4	150
Vibration	IEC 61300-2-1	-
Recom. coupling torque (N.cm)	-	200 min / 250 max
Weight (g)	-	43.127
Environmental		
Protection class (mated condition)	IEC 60529	IP67(*)
Operating temperature (°C)	IEC 61300-2-22	-40 / +85
Storage temperature (°C)	IEC 61300-2-22	-40 / +85
Humidity (damp heat) (%RH)	IEC 61300-2-19	5 / 95
Salt Mist	IEC 61300-2-26 (ISO21207 method B)	720h (To be tested) (*)
RoHS	-	Compliant
Flammability	UL 94	V0
UVB Resist	ASTM G154	Compliant
Others:		
Cable	IEC 60603-7	For use with standard LC duplex patchcord, MultiMode or SingleMode, standard SFP or SFP+ transceiver
		Diameter Cable tbd ± 0.2 mm
Packaging	-	Unitary in plastic bag. With assembly note

(*) Mated condition

NOTES:

1. 10145416-XXXLF-PLUGKIT CAN BE USED EITHER WITH

- * 10145423-101LF "BULKHEAD LC DUPLEX ADAPTER ASSEMBLY"
- * 10145295-101LF "BULKHEAD MPO ADAPTER ASSEMBLY"

10145416-XXXLF



PRELIMINARY

spec ref		-		dr		Jibin John	2017/11/28	projection		MM		size	A3	scale	1:1	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		B T Varghese	2018/01/18					ecn no				-
				chr		-	-					rel level				Released
ISO 406 ISO 1101				appr		K-Paul Biju	2018/01/18	product family			OCTIS					
surface		linear	0.X	±0.3	Amphenol FCi	title	UNIVERSAL PLUGKIT OCTIS, PITCH 26 MM				dwg no	10145416		rev	A	
			0.XX	±0.13												
			0.XXX	±0.05												
ISO 1302		angular	0°	±2°			cat. no.		Product - Customer Drw				sheet 2 of 2			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9