

D
Dimensioning and tolerancing per ASME Y14.5M-2009

B

A

D
C

B


A

4		3		2		1					
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		LOC	DIST	REVISIONS					
© COPYRIGHT		ALL RIGHTS RESERVED.				P	LTR	DESCRIPTION	DATE	DWN	APVD
							A1	ECR-13-004734	15MAR2013	XZ	LZ


REPLACED BY OCEAN STYLE APPLICATOR PART NUMBER 2151300-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1852540
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.

THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1852540

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN X. ZHAO		 TE Connectivity			
DIMENSIONS:		CHK L. ZHANG					
		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD L. ZHANG			
		0 PLC ±		NAME			
		1 PLC ±		PRODUCT SPEC			
MATERIAL		2 PLC ±		APPLICATION SPEC			
		3 PLC ±		SIZE CAGE CODE DRAWING NO RESTRICTED TO			
FINISH		4 PLC ±		A 3 C- 1852540			
		ANGLES ±		SCALE SHEET 1 OF 2 REV A1			





8			7		
THIS DRAWING IS UNPUBLISHED.			RELEASED FOR PUBLICATION		
COPYRIGHT 20			20		
BY TICO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.					
PART NUMBER	REV	FIRST USED	POWER UNIT	FEED TYPE	DESCRIPTION
1852540-1	A	122500-1	LEADMAKER	POST FEED	CUTS CARRIER
1852540-2	A	565435-5	BENCH MODEL K	PRE FEED	CUTS CARRIER
1852540-3	A	354500-1	BENCH MODEL G	PRE FEED	CUTS CARRIER
1852540-6	A	122500-1	LEADMAKER	POST FEED	CONTINUOUS CARRIER
7-1852540-7	A	-	-	-	SPARE PARTS



TERMINAL NAME: TAB CONTACT 1.2 MM FLACHSTECKER 1.2mm						
SOCKET		PIN		TE TERMINAL - TE CRIMP SPECS		
-	-	1418760				
-	-	PAD LTR	CRIMP HEIGHT		WIRE SIZE	
-	-	A	1.05±0.03mm [.041±.001]		0.75mm2	
-	-	B	.93±0.03mm [.037±.001]		20AWG or 0.5mm.	
-	-	C	-		-	
-	-	D	-		-	
-	-	CRIMP		SIZE	TYPE	RANGE
-	-	WIRE		1.40mm [.055]	F	0.5mm2 OR 20 AWG-0.75mm
-	-	INSUL		1.83mm [.072]	SPECIAL	1.40-1.90mm (.055-.075)
WIRE STRIP LENGTH 3.3-3.9mm		TERM APPL SPEC 114-18464		FEED 8mm		APPLICATOR INSTRUCTIONS 408-8322
						SET UP GAGE 458637-1

2				1			
LOC	DIST	REVISIONS					
A	66	P	LTR	DESCRIPTION	DATE	DWN	AK
			A	RELEASED	04SEP2007	LG	G

- 1 RECOMMENDED SPARE PARTS
- 2 GREASE LIGHTLY
- 3 GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE



3	-	2	2	2	2	-	4-354779-4	PIN, WIRE DISC, .3210	1
	-	2	2	2	2	-	3-354779-3	PIN, WIRE DISC, .3155	1
	-	-	-	REF	-	..	455749-1	GUARD WINDOW	1
3	-	-	-	REF	-	..	679532-1	INSERT, GUARD	1
	-	1	1	1	1	-	690603-1	SPRING ASSIST AMP-O-MATOR APPLICATOR	1
	-	1	1	1	1	-	1-21002-7	SCR, BTN SKT HD CAP 6-32 X .375	9
3	-	1	1	1	1	-	318563-1	GUARD, FRONT CHIP	6
	-	1	1	1	1	-	4088040	SF APPL INST 408-8040	7
	-	1	1	1	1	-	217238-1	GENERAL INSTRUCTION PKG	7
3	-	1	1	1	1	-	461264-1	PLATE, IDENTIFICATION	6
	-	2	2	2	2	-	21017-2	SCREW, DRIVE	6
	-	1	1	1	1	-	986950-1	WASHER, FLAT PRECISION	6
3	-	1	1	1	1	-	21009-2	SCR, SET, SELF LOCKING 1/4-20 X .250	6
	-	1	1	1	1	-	23030-1	SCR, SKT HD CAP 6-32 x .25	6
	-	1	1	1	1	-	22733-8	SCR, BHSC, SELF-LOCKING, 8-32 X .375	6
3	-	1	1	1	1	-	2-22603-0	SCR, HEX HD CAP 8-32 X .312	5
	-	1	1	1	1	-	458537-2	PAWL, FEED	5
	-	4	4	4	4	-	2-21002-2	SCR, BTN SKT HD CAP 8-32 X .500	5
3	-	2	2	2	2	-	2-21000-8	SCR, SKT HD CAP 8-32 X .625	5
	-	1	1	1	1	-	21018-5	NUT, HEX, REG 6-32	5
	-	1	1	1	1	-	811242-2	BUMPER, HOLD DOWN	5
3	-	1	1	1	1	-	690753-1	SPACER, TONKER	5
	-	-	1	-	-	..	690602-6	CAM, PRE FEED, 1 5/8	4
	-	-	-	1	-	..	690602-5	CAM, PRE FEED, 1 1/8	4
3	-	1	-	-	1	-	690501-4	CAM, POST FEED, 1 5/8	4
	-	1	1	1	1	-	459456-1	APPL, BASIC SUB ASSY (SIDE WISE MQCA)	4
	-	1	1	1	1	-	690191-1	PLUG,NYLON	4
3	-	1	1	1	1	-	455673-1	RAM, SIDE FEED	4
	-	1	1	1	1	-	690125-1	SHIM SUB-ASSY	4
	-	1	1	1	1	-	1-690124-4	WASHER, RAM (.120)	4
3	-	1	1	1	1	-	7-21002-9	SCR, BTN SKT HD CAP 5/16-24 X 1.00	4
	-	1	1	1	1	-	23241-6	BALL, STEEL	4
	-	1	1	1	1	-	690170-1	SPRING, COMPRESSION	3
3	-	1	1	1	1	-	690142-1	DISC, INSULATION	3
	-	1	1	1	1	-	354777-1	WIRE DISC, ASSEMBLY	3
	-	1	1	1	1	-	22480-5	SPRING, COMPRESSION	3
3	-	1	1	1	1	-	690212-1	POST, RAM	3
	-	1	1	1	1	-	2-690786-3	TERMINAL SUPPORT	3
	-	2	2	2	2	-	2-21002-4	SCR, BTN SKT HD CAP 8-32 X .750	3
3	-	1	1	1	1	-	21024-5	WASHER, SPRG LOCK, REG NO 10	3
	-	1	1	1	1	-	3-21000-4	SCR, SKT HD CAP 10-32 X .375	3
	-	1	1	1	1	-	1-1320908-5	SPACER, STRIP GUIDE	3
3	-	1	1	1	1	-	1633091-3	ASSEMBLY, STRIP GUIDE	2
	-	1	1	1	1	-	455888-6	SPACER, CRIMPER	2
	-	1	1	1	1	-	1320928-5	PLATE, STRIP GUIDE	2
3	-	1	-	-	1	-	690472-2	STRIPPER	2
	-	1	1	1	1	-	2-21000-7	SCR, SKT HD CAP 8-32 X .500	2
	-	4	4	4	4	-	21024-4	WASHER, SPRG LOCK, REG NO 8	2
3	-	1	1	1	1	-	691353-1	STRIPPER	1
	-	1	-	-	-	-	679625-1	SHEAR HOLDER, FRONT (NO CUT)	1
	-	1	1	1	1	-	3-22280-3	SPRING, COMPRESSION	1
3	-	1	1	1	1	-	690461-1	STOP, SHEAR	1
	-	-	1	1	1	-	690459-1	SHEAR HOLDER, FRONT	1
	-	1	1	1	1	-	462006-1	FLOATING SHEAR, FRONT	9
3	1	1	1	1	1	-	1633594-1	ANVIL, COMBINATION	8
	-	1	1	1	1	-	5-240641-0	SPACER	7
	-	-	-	-	-	..	-	-	6
3	-	1	1	1	1	-	1-455889-4	DEPRESSOR, SHEAR	4
	-	1	1	1	1	-	4-238011-2	BLOCK, CRIMPER SPACER	2
	1	1	1	1	1	-	1752766-1	CRIMPER, INSULATION, SPECIAL	3
3	-	-	-	-	-	..	-	-	2
	1	1	1	1	1	-	1-456402-8	CRIMPER, WIRE PREMIUM	1
	-77	-6	-3	-2	-1	U/M	PART NO	DESCRIPTION	IT

THIS DRAWING IS A PRELIMINARY DOCUMENT FOR THE CUSTOMER'S INFORMATION IT IS SUBJECT TO CHANGE WITHOUT NOTICE AND SHOULD BE CONTACTED FOR THE LATEST REVISION.						DWS 15AUG2007 C.CHEN 15AUG2007 Z.YOU 15AUG2007		 Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS:		TOLERANCES (UNLESS OTHERWISE SPECIFIED):		NAME		SIDE FEED HDM APPLICATOR			
INCHES				APPROXIMATE WEIGHT					
				PRODUCT SPEC		-			
				APPLICATION SPEC		-			
MATERIAL		FINISH		WEIGHT	A 00779	CAGE CODE	DRAWING NO	SIDE FEED HDM APPLICATOR	RESTRICTED
-	-	-	-	-	-	-	-	-	-
CUSTOMER DRAWING				SCALE	2.5	SHEET	OF	REV.	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9