




PCB LAYOUT: COMPONENT SIDE



NOTES:

1. MATERIAL:  
HSG: NYLON, GLASS-FILLED, UL94V-0 COLOR: BLACK  
PIN: 0.50MM SQ, COPPER ALLOY
2. PLATING TYPE:
  - (1) GOLD FLASH OVER  
1.25µm MIN. NICKEL OVERALL.
  - (2) GOLD FLASH ON CONTACT AND  
2.50µm MIN. TIN ON SOLDERTAIL OVER  
1.25µm MIN. NICKEL OVERALL.
  - (3) 0.38µm MIN. GOLD PLATE ON CONTACT AND  
2.00µm MIN. TIN ON SOLDERTAIL OVER  
1.25µm MIN. NICKEL OVERALL.
  - (4) 0.75µm MIN. GOLD PLATE ON CONTACT AND  
2.00µm MIN. TIN ON SOLDERTAIL OVER  
1.25µm MIN. NICKEL OVERALL.
  - (5) 2.50µm MIN. TIN OVERALL  
1.25µm MIN. NICKEL OVERALL
3. PRODUCT SPECIFICATION: PS-87761-100
4. PACKAGING TYPE: SEE TABLE
5. WAFER TO BE FLAT WITHIN 0.003 mm/mm
6. IRREGULAR CIRCUIT CUTOFF WITHIN BREAKAWAY SECTION IS PERMISSIBLE. CUTTING OR CHIPPING OF THE MAIN BODY IS NOT ACCEPTABLE
7. RECOMMENDED PCB THICKNESS IS 1.60mm±0.10
8. THE ABOVE CKT 10 (WITH VOID PIN) IS FOR ILLUSTRATION PURPOSE ONLY
9. PACKAGING SPECIFICATION:  
TRAY: PK-89990-487

SEE SHEET 2 EC NO: S2015-1446 DRW/NAT/SEE 2013/12/02 CHK'D: NARAKRI SHIMA 2015/06/12 APPR: KPRASAD 2015/06/16	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																															
	$\nabla_{\text{F}} = 0$ $\nabla_{\text{G}} = 0$ $\nabla_{\text{P}} = 0$	<table border="1"> <thead> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> </thead> <tbody> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.2</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>0 PLACE</td> <td>±</td> <td>±</td> </tr> </tbody> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	<table border="1"> <thead> <tr> <th>DRAWN BY</th> <th>DATE</th> <th>TITLE</th> </tr> </thead> <tbody> <tr> <td>SKLIM01</td> <td>2005/10/05</td> <td rowspan="3">CUSTOM HEADER 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR</td> </tr> <tr> <td>CHECKED BY</td> <td>DATE</td> </tr> <tr> <td>BHLOW</td> <td>2005/10/18</td> </tr> <tr> <td>APPROVED BY</td> <td>DATE</td> <td rowspan="2"> </td> </tr> <tr> <td>PTLIM</td> <td>2005/10/18</td> </tr> </tbody> </table>	DRAWN BY	DATE	TITLE	SKLIM01	2005/10/05	CUSTOM HEADER 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR	CHECKED BY	DATE	BHLOW	2005/10/18	APPROVED BY	DATE		PTLIM	2005/10/18	MATERIAL NO.	DOCUMENT NO.	SHEET NO.
		mm	INCH																																				
	4 PLACES	± ---	± ---																																				
3 PLACES	± ---	± ---																																					
2 PLACES	± 0.2	± ---																																					
1 PLACE	± ---	± ---																																					
0 PLACE	±	±																																					
DRAWN BY	DATE	TITLE																																					
SKLIM01	2005/10/05	CUSTOM HEADER 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR																																					
CHECKED BY	DATE																																						
BHLOW	2005/10/18																																						
APPROVED BY	DATE																																						
PTLIM	2005/10/18																																						
ANGULAR ± 3 ° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	SD-87758-108	1 OF 2																																				
REV	SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																					

CKT SIZE	DIMENSION	
	A	B
04	4.00	2.00
06	6.00	4.00
08	8.00	6.00
10	10.00	8.00
12	12.00	10.00
14	14.00	12.00
16	16.00	14.00
18	18.00	16.00
20	20.00	18.00
22	22.00	20.00
24	24.00	22.00
26	26.00	24.00
28	28.00	26.00
30	30.00	28.00
32	32.00	30.00
34	34.00	32.00
36	36.00	34.00
38	38.00	36.00
40	40.00	38.00
42	42.00	40.00
44	44.00	42.00
46	46.00	44.00
48	48.00	46.00
50	50.00	48.00

PART NO. IN BULK	PART NO. IN TRAY	CKT SIZE	PEG	PLATE OPT.	VOID PIN POSITION	DIMENSION		F
						MATING END	SOLDER TAIL	
						M	P	
-	87758-0647	06	N	3	-	6.85	3.10	11.45
-	87758-0808	08	N	4	-	4.00	4.20	9.70
-	87758-1007	10	N	3	10	4.00	2.60	8.10
-	87758-1008	10	N	4	10	4.00	3.20	8.70
-	87758-1012	10	N	3	-	7.65	2.60	11.75
-	87758-0014	14	N	3	-	5.50	1.40	8.40
-	87758-1492	14	N	5	-	10.00	2.90	14.40
-	87758-0016	16	N	5	-	6.30	2.50	10.30
-	87758-0017	16	N	5	-	6.60	2.60	10.70
-	87758-2608	26	N	4	-	4.00	4.20	9.70
-	87758-4000	40	N	3	-	7.90	3.40	12.80
-	87758-4471	44	N	4	19	4.00	2.60	8.10
-	87758-4477	44	N	3	20	4.00	2.60	8.10
-	87758-0050	50	N	3	-	13.00	4.20	18.70

SHT 2. +87758-1492 EC NO: S2015-1446 DRWN:ATSEE 2013/12/02 CHKD:MRAMAKRISHNA 2015/06/12 APPR:KPRASAD 2015/06/26	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE MM ONLY	SCALE NTS	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION																																					
	$\nabla_A = 0$ $\nabla_G = 0$ $\nabla_P = 0$	<table border="1"> <tr><th></th><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr> <tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr> <tr><td>0 PLACE</td><td>±</td><td>±</td></tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	<table border="1"> <tr><th></th><th>mm</th><th>INCH</th></tr> <tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>3 PLACES</td><td>± ---</td><td>± ---</td></tr> <tr><td>2 PLACES</td><td>± 0.2</td><td>± ---</td></tr> <tr><td>1 PLACE</td><td>± ---</td><td>± ---</td></tr> <tr><td>0 PLACE</td><td>±</td><td>±</td></tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.2	± ---	1 PLACE	± ---	± ---	0 PLACE	±	±	DRAWN BY SKLIM01 DATE 2005/10/05 CHECKED BY BHLOW DATE 2005/10/18 APPROVED BY PTLIM DATE 2005/10/18	TITLE	CUSTOM HEADER 2MM DUAL ROW SINGLE WAFER, VERTICAL T/H HDR	
		mm	INCH																																								
	4 PLACES	± ---	± ---																																								
3 PLACES	± ---	± ---																																									
2 PLACES	± 0.2	± ---																																									
1 PLACE	± ---	± ---																																									
0 PLACE	±	±																																									
	mm	INCH																																									
4 PLACES	± ---	± ---																																									
3 PLACES	± ---	± ---																																									
2 PLACES	± 0.2	± ---																																									
1 PLACE	± ---	± ---																																									
0 PLACE	±	±																																									
DESCRIPTION	ANGULAR ± 3°	MATERIAL NO.	DOCUMENT NO.	SHEET NO.																																							
REV	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	SEE TABLE	SD-87758-108	2 OF 2																																							
		SIZE A3	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																								

## Данный компонент на территории Российской Федерации

### Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

### Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: [info@moschip.ru](mailto:info@moschip.ru)

Skype отдела продаж:

moschip.ru

moschip.ru\_4

moschip.ru\_6

moschip.ru\_9