THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A1	REVISED PER ECO-17-018762	22DEC2017	J.Z	D.Z



1. MATERIAL:
   HOUSING: POLYAMIDE, UL94V-0, NATURAL
   CONTACTS: HIGH PERFORMANCE COPPER ALLOY, TIN PLATED
2. GLOW WIRE APPROVED, CONTACT TE ENGINEERING FOR SPECIFICATION.
3. MATES WITH VAL-U-LOK(TM) RECEPTACLE HOUSINGS:
   X-1586019-X(UL94-V0)
   X-1586765-X(UL94-V2,GLOW WIRE)











PCB LAYOUT: COMPONENT SIDE

RECOMMENDED BOARD THICKNESS 1.78 [.070]

POS	DIM A	DIM B	DIM C	PART NUMBER
24	46.2±0.2 [1.819±.008]	$51.6^{+0.5}_{-0}$ [$2.031^{+0.02}_{-0}$]	55.6 [2.189]	2-2825274-4
22	42.0±0.2 [1.654±.008]	$47.4^{+0.5}_{-0}$ [$1.866^{+0.02}_{-0}$]	51.4 [2.024]	2-2825274-2
20	37.8±0.2 [1.488±.008]	$43.2^{+0.5}_{-0}$ [$1.701^{+0.02}_{-0}$]	47.2 [1.858]	2-2825274-0
18	33.6±0.2 [1.323±.008]	$39.0^{+0.5}_{-0}$ [$1.536^{+0.02}_{-0}$]	43.0 [1.693]	1-2825274-8
16	29.4±0.2 [1.157±.008]	$34.8^{+0.5}_{-0}$ [$1.370^{+0.02}_{-0}$]	38.8 [1.528]	1-2825274-6
14	25.2±0.2 [.992±.008]	$30.6^{+0.5}_{-0}$ [$1.205^{+0.02}_{-0}$]	34.6 [1.362]	1-2825274-4
12	21.0±0.2 [.827±.008]	26.4±0.2 [1.039±.008]	30.4 [1.197]	1-2825274-2
10	16.8±0.1 [.661±.004]	22.2±0.2 [.874±.008]	26.2 [1.031]	1-2825274-0
8	12.6±0.1 [.496±.004]	18.0±0.2 [.709±.008]	22.0 [.866]	2825274-8
6	8.4±0.1 [.331±.004]	13.8±0.2 [.543±.008]	17.8 [.701]	2825274-6
4	4.2±0.1 [.165±.004]	9.6±0.2 [.378±.008]	13.6 [.535]	2825274-4
2		5.4±0.2 [.213±.008]	9.4 [.370]	2825274-2

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ± 0.5 [.02]
2 PLC ± 0.25 [.010]
3 PLC ± -
4 PLC ± -
ANGLES ±

MATERIAL 1

FINISH

DWN 15AUG2017 WARREN HUO
CHK 15AUG2017 DANIEL ZHANG
APVD 15AUG2017 DANIEL ZHANG
PRODUCT SPEC 108-150000
APPLICATION SPEC 114-13172
WEIGHT

TE Connectivity

NAME VERTICAL HEADER WITH PEGS, WITHOUT DRAIN HOLES VAL-U-LOK(TM), HCS

SIZE A1 | CAGE CODE 00779 | DRAWING NO C-2825274 | RESTRICTED TO —

CUSTOMER DRAWING | SCALE N/A | SHEET 1 OF 2 | REV A1

4805 (1/15)

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION -,- .
© COPYRIGHT - By - ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



2825274-2



1-2825274-0



1-2825274-8



2825274-4



1-2825274-2



2-2825274-0



2825274-6



1-2825274-4



2-2825274-2



2825274-8



1-2825274-6



2-2825274-4

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm [INCHES]

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ± 0.5 [.02]
2 PLC ± 0.25 [.010]
3 PLC ± -
4 PLC ± -
ANGLES ±

MATERIAL
FINISH

DWN WARREN HUO 15AUG2017
CHK DANIEL ZHANG 15AUG2017
APVD DANIEL ZHANG 15AUG2017
PRODUCT SPEC 108-150000
APPLICATION SPEC 114-13172
WEIGHT

TE Connectivity

NAME VERTICAL HEADER WITH PEGS, WITHOUT DRAIN HOLES VAL-U-LOK(TM), HCS

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A1	00779	C-2825274	-

CUSTOMER DRAWING | SCALE N/A | SHEET 2 OF 2 | REV A1

4805 (1/15)

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9