






LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—		E	REVISED PER ECO-10-025607	21DEC10	HMR	MW




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC






TYCO ELECTRONICS LOGO
PER TEC-202-36

6 1634200-2 SHOWN ON-OFF


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	SA008712	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608		
DIMENSIONS: mm		CHK	—	—			
		APVD	—	—	NAME		
		PRODUCT SPEC		—	Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, Single Throw, NON-Illuminated		
MATERIAL		APPLICATION SPEC		—	SIZE	CAGE CODE	DRAWING NO
		WEIGHT		—	A2	00779	C=1634200
FINISH		CUSTOMER DRAWING		—	SCALE	SHEET	REV
—		—		—	3:1	1 of 7	E

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

7 1634200–8 SHOWN ON–OFF ILLUMINATED

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2–4–07	Tyco Electronics Corporation Harrisburg, PA 17105–3608	
		CHK	—		
DIMENSIONS: mm		APVD	—	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, Single Throw, Illuminated	
		PRODUCT SPEC	—		
		APPLICATION SPEC	—	SIZE	RESTRICTED TO
		WEIGHT	—	A2	—
MATERIAL		FINISH	—	CAGE CODE	REV
				00779	E
		CUSTOMER DRAWING	SCALE	SHEET	
			3:1	2 of 7	


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—

D


C

B

A




PANEL CUT OUT




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y

CIRCUIT DIAGRAM



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC





TYCO ELECTRONICS LOGO
PER TEC-202-36


8 1-1634200-2 SHOWN ON-ON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
		CHK	—		
DIMENSIONS:		APVD	—	NAME	
mm		PRODUCT SPEC	—		
		APPLICATION SPEC	—	SIZE	
		WEIGHT	—		
MATERIAL		CUSTOMER DRAWING	—	CAGE CODE	RESTRICTED TO
		FINISH	—	00779	—
				DRAWING NO	
				C=1634200	
				SCALE	REV
				3:1	E
				SHEET	
				3 of 7	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC






TYCO ELECTRONICS LOGO
PER TEC-202-36


1-1634200-7 SHOWN ON-OFF-ON

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm		CHK	—		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD	—	NAME	
0 PLC ± -		PRODUCT SPEC	—	Power Rocker Switch	
1 PLC ± -		APPLICATION SPEC	—	19,4mm x 22,2mm Panel Cut Out Size	
2 PLC ± -		WEIGHT	—	Double Pole, NON-Illuminated	
3 PLC ± -		CUSTOMER DRAWING	—	SIZE	RESTRICTED TO
4 PLC ± -				A2	—
ANGLES ± -				CAGE CODE	
FINISH				00779	
				DRAWING NO	
				C=1634200	
				SCALE	
				3:1	
				SHEET	
				4 of 7	
				REV	
				E	

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING
DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

10 2–1634200–3 SHOWN ON–OFF–(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	2–4–07	Tyco Electronics Corporation Harrisburg, PA 17105–3608			
		CHK	—				
DIMENSIONS: mm		APVD	—	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON–Illuminated			
		PRODUCT SPEC	—				
		APPLICATION SPEC	—	SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
		MATERIAL	—	A2	00779	C=1634200	—
		FINISH	—	CUSTOMER DRAWING			
				SCALE	3:1	SHEET	5 of 7
						REV	E





LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—						
			—	SEE SHEET 1	—	—	—

D


C

B

A




2.00–3.00	20.20	22.20
1.25–2.00	19.60	22.20
0.75–1.25	19.40	22.20
PANEL THICKNESS	X	Y



PRODUCT MARKING DETAIL A

PRE
10A 125VAC, 6A 250VAC



TYCO ELECTRONICS LOGO
PER TEC-202-36

11 2-1634200-6 SHOWN (ON)-OFF-(ON)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 2-4-07	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm		SA008712		
		CHK —	NAME Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size Double Pole, NON-Illuminated	
		APVD —		
TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC —	SIZE CAGE CODE DRAWING NO A2 00779 C=1634200	
		APPLICATION SPEC —		
MATERIAL —		WEIGHT —	RESTRICTED TO —	
FINISH —		CUSTOMER DRAWING		
		SCALE 3:1	SHEET 6 OF 7	REV E

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
IF	—		—	SEE SHEET 1	—	—	—

ALCOSWITCH PART NUMBER

1 MATERIALS:
HOUSING FRAME: NYLON 66.
ACTUATOR: NYLON 66/ PC(ILLUMINATED)
TERMINALS C1100R-1/2H WITH SILVER PLATED CONTACTS
AgALLOY

2 FINISH:
TERMINAL, ACTIVE CONTACTOR: 1.0µm [.000039] SILVER
PLUNGER: 3.0µm[.000118] NICKEL

3 ELECTRICAL SPECIFICATIONS:
CONTACT RESISTANCE : 50m ohm Max
DIELECTRIC STRENGTH : AC 1500V, 1 MINUTE
OPERATION TEMPERATURE: -20°C~85°C
INSULATION R: DC 500V 100M ohm MIN

4 CURRENT AND VOLTAGE 10A@125VAC/6A@250VAC

5 ELECTRICAL RATINGS, APPROVED AGENCY LOGOS,
TE LOGO PER TEC-202-36 APPROXIMATELY AS SHOWN
AND PART NUMBER CAN APPEAR ON EITHER SIDE
(FOR FULL DETAIL SEE INDIVIDUAL DRAWING)

6 ON-OFF, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.


7 ON-OFF, WITH TRANSPARENT, LAMP-ILLUMINATED ROCKER
BUTTON.

8 ON-ON, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.

9 ON-OFF-ON, WITH OPAQUE, SINGLE-COLOR ROCKER BUTTON.

10 ON-OFF-(ON), WITH OPAQUE, SINGLE-COLOR ROCKER
BUTTON.

11 (ON)-OFF-(ON), WITH OPAQUE, SINGLE-COLOR ROCKER
BUTTON.

12  REFER TO QIP DIMENSIONAL REPORT

13 2002/95/EC/(RoHS) COMPLIANT

14 COMPONENT RECOGNIZED TO EUROPEAN STANDARDS (ENEC,
PENDING VDE). MARKS LICENSE No. 40006757

X1X2 X3 X4 X5X6 ——— X7X8 X9 ——— X10X11X12X13X14

SWITCH TYPE: X1X2 = PR - POWER ROCKER

NOMINAL PANEL CUT OUT SIZE: X3 = E - 19.4X22.2 [.764x.874]

NUMBER OF POLES: X4 = D - DOUBLE

SWITCH FUNCTION: X5X6 = A1 - 
B1 - 
D1 - 
D3 - 
D4 - 
D5 - 

CURRENT RATING: X7X8 = OZ - 

TERMINAL TYPE: X9 = E - FASTON™ TAB
L - SOLDER LUG


FRAME COLOR: X10 = B - BLACK
W - WHITE

ROCKER COLOR: X11 = B - BLACK
G - GREEN
R - RED
W - WHITE

SECONDARY ROCKER COLOR: X12 = Ø - NOT APPLICABLE

B - BLACK
G - GREEN
R - RED
W - WHITE

LEGEND TEXT PATTERN: X13 =

Ø B C D E F G
      

LEGEND TEXT COLOR: X14 = Ø - NOT APPLICABLE

G - GREEN
R - RED
B - BLACK
W - WHITE

1	PRED A1-07F-BB000	1634200-1
1	PRED A1-07F-BB0BW	1634200-2
1	PRED A1-07F-BB0CW	1634200-3
1	PRED A1-07L-BB000	1634200-4
1	PRED A1-07L-BB0BW	1634200-5
1	PRED A1-07L-BB0CW	1634200-6
2	PRED B1-07F-BR000	1634200-7
2	PRED B1-07L-BR000	1634200-8
2	PRED B1-07F-BG000	1634200-9
2	PRED B1-07L-BG000	1-1634200-0
3	PRED D1-07F-BB000	1-1634200-1
3	PRED D1-07F-BB0DW	1-1634200-2
3	PRED D1-07F-BB0EW	1-1634200-3
3	PRED D1-07L-BB000	1-1634200-4
3	PRED D1-07L-BB0DW	1-1634200-5
3	PRED D1-07L-BB0EW	1-1634200-6
4	PRED D3-07F-BB0FW	1-1634200-7
4	PRED D3-07F-BB0GW	1-1634200-8
4	PRED D3-07L-BB0FW	1-1634200-9
4	PRED D3-07L-BB0GW	2-1634200-0
5	PRED D4-07F-BB000	2-1634200-1
5	PRED D4-07F-BB0FW	2-1634200-2
5	PRED D4-07F-BB0GW	2-1634200-3
6	PRED D5-07F-BB000	2-1634200-4
6	PRED D5-07F-BB0FW	2-1634200-5
6	PRED D5-07F-BB0GW	2-1634200-6
SHEET REF		ALCOSWITCH PART NUMBER.
		TE PART NUMBER.

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN SA008712		2-4-07		 Tyco Electronics Corporation Harrisburg, PA 17105-3608				
DIMENSIONS: mm			TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -			CHK —		—			
						APVD —		—			
			PRODUCT SPEC —			NAME		Power Rocker Switch 19,4mm x 22,2mm Panel Cut Out Size			
						APPLICATION SPEC —		—			
MATERIAL —			FINISH —			WEIGHT —		SIZE A2	CAGE CODE 00779	DRAWING NO C=1634200	RESTRICTED TO —
CUSTOMER DRAWING						SCALE 3:1		SHEET 7 OF 7		REV E	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9