

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

REVISIONS



P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL RELEASE	10MAR2015	DL	CW
	B	ECR-15-014907	14OCT2015	DL	CW
	B1	ECR-16-015492	21NOV2016	QY	CW
	B2	ECR-19-012251	31AUG2019	WQR	CW

NOTES:

1. TECHNICAL CHARACTERISTICS:
INSULATION MATERIAL: PC
RATED VOLTAGE: 500 V
RATED CURRENT: 16 A
INSULATION RESISTANCE: $\geq 400M\Omega$
RATED IMPULSE VOLTAGE: 6 KV
POLLUTION DEGREE: 3
FLAMMABILITY: UL94V-0
MATING CYCLES: 500 CYCLES
WIRE RANGE: 0.14-4 mm² (26-12 AWG)
CONTACT TYPE: CRIMP CONTACT
2. CONTACT NEED TO BE ORDERED SEPARATELY.
(ORDER No. T20300X20XX-000)


注释:

1. 技术参数:
绝缘材料: PC
额定电压: 500V
额定电流: 16A
绝缘电阻: $\geq 400M\Omega$
额定脉冲电压: 6 KV
污染等级: 3
阻燃等级: UL94V-0
插拔次数: 500次
接线范围: 0.14-4 mm² (26-12 AWG)
接线类型: 冷压接
2. 端子需要单独订购.
(订货号 T20300X20XX-000)




TYPE-1, T2050182201-000, TE LOGO
类型-1, T2050182201-000, TE LOGO




4X M3 SCREW, RECOMMENDED
TIGHTENING TORQUE 0.5Nm
4X M3螺丝, 推荐锁紧力矩0.5Nm




M4 SCREW, RECOMMENDED
TIGHTENING TORQUE 1.2Nm
M4螺丝, 推荐锁紧力矩1.2Nm




DETAIL A




DETAIL A
SCALE 5:1



PANEL CUT FOR INSERTS FOR USING
WITHOUT HOODS/ HOUSINGS
不使用防护外壳时芯件的安装开孔图





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 10MAR2015		 TE Connectivity											
		CHK CHRIS WANG 10MAR2015													
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME HEE-018-F											
		0 PLC ±-		PRODUCT SPEC 108-106137											
		1 PLC ±-													
		2 PLC ±-													
		3 PLC ±-													
		4 PLC ±-		APPLICATION SPEC 114-106137											
		ANGLES ±-													
MATERIAL		FINISH		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO					
-		-		A3		-		C-T2050182201000							
-		-		CUSTOMER DRAWING						SCALE 1:1		SHEET 1 OF 3		REV B2	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




NOTE:
SEE SHEET 1

注释:
见页 1




TYPE-2,T2059182201-000,NO TE LOGO
类型-2,T2059182201-000,无TE LOGO









HDC-HEE-018F
16A 500V 6KV 3

ALL SPEC DIMENSION REFER TO TYPE 1
所有产品规格尺寸参照 TYPE 1

DETAIL B
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 10MAR2015	 TE Connectivity		
		CHK CHRIS WANG 10MAR2015			
DIMENSIONS: mm		APVD XU XIANG 10MAR2015	NAME HEE-018-F		
		PRODUCT SPEC 108-106137	SIZE A3		
		APPLICATION SPEC 114-106137			
MATERIAL -		WEIGHT -	CAGE CODE -		RESTRICTED TO
		CUSTOMER DRAWING		SCALE 1:1	SHEET 2 OF 3
				REV B2	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-




NOTE:
SEE SHEET 1

注释:
见页 1

TYPE-3, T2050182201-001, STAINLESS STEEL SCREW, NO LOGO
类型-3, T2050182201-001, 不锈钢螺丝, 无LOGO

T2050182201-001	HEE-018-F	HEE-018 FEMALE INSERT, STAINLESS STEEL SCREW, NO LOGO HEE-018 母插, 不锈钢螺丝, 无LOGO	TYPE-3 类型-3
T2059182201-000	HEE-018-F	HEE-018 FEMALE INSERT, NO TE LOGO HEE-018 母插, 无TE LOGO	TYPE-2 类型-2
T2050182201-000	HEE-018-F	HEE-018 FEMALE INSERT HEE-018 母插	TYPE-1 类型-1
PART NUMBER 料号	PART DESCRIPTION 描述		TYPE 类型

ALL SPEC DIMENSION REFER TO TYPE 1
所有产品规格尺寸参照 TYPE 1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN DAVID LI 10MAR2015		TE Connectivity											
DIMENSIONS: mm		CHK CHRIS WANG 10MAR2015													
		APVD XU XIANG 10MAR2015		NAME HEE-018-F											
		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±- 3 PLC ±- 4 PLC ±- ANGLES ±-													
MATERIAL - -		FINISH - -		PRODUCT SPEC 108-106137		APPLICATION SPEC 114-106137		SIZE A3		CAGE CODE -		DRAWING NO C-T2050182201000		RESTRICTED TO	
				WEIGHT -		CUSTOMER DRAWING		SCALE 1:1		SHEET 3 OF 3		REV B2			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9