




Copyright FCI.

PRODUCT NO.	ROW S	SIGNAL												POWER								E1								
		E2	4	3	2	1	P12	P11	P10	P9	P8	P7	P6	P5	P4	P3	P2	P1												
51923-011-- NOTE: 3	D C B A		SM	SM	SM	SM	SL	SL	SL	SL	SK	SK	SK	SK	SJ	SJ	SJ	SJ	PN	PN	PN	PN	PN	PN	PN	PN	PM	PH	PH	



CODE	DIM "M" MATING LENGTH	CONTACT TYPE
PH	[2.34]	POWER
PN	[2.34]	POWER
SM	[N/A]	SIGNAL
SL	[N/A]	SIGNAL
SK	[N/A]	SIGNAL
SJ	[N/A]	SIGNAL
PM	[1.07]	POWER


spec ref *		dr		Luo Weller	2013/07/29	projection	MM	size	A4	scale	1:1		
tolerance std SEE NOTES	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng				Luo Weller	2014/02/16	ecn no -			
				chr				-	-				
				appr				Pei-Ming Zheng	2014/02/16	product family			PwrBlade
surface ✓	linear	0.X	±0.5		title	3ACP + 9P + 16S R/A STB RCPT CABLE PORT			dwg no	51923-011		rev	A
		0.XX	±0.25										
		0.XXX	±0.1										
	angular	0°	±2°	www.fci.com									

PrintE File - REV C - 2009-06-09


PRODUCT NUMBER

51923-011--
NOTE: 3


DIM "M" ± 0.010




BROKEN-OUT SECTION A-A
SCALE 2:1



BROKEN-OUT SECTION B-B
SCALE 2:1



SECTION F-F
SCALE 2:1




SECTION C-C
PARTIAL SECTION E-E

dr	Luo Weller	2013/07/29	projection	MM	size	A4	scale	1:1
eng	Luo Weller	2014/02/16			ecn no	-		
chr	-	-			rel level	Released		
appr	Pei-Ming Zheng	2014/02/16	product family	PwrBlade				
	title	3ACP + 9P + 16S R/A STB RCPT CABLE PORT			dwg no	51923-011		
www.fci.com	cat. no.	-	Product - Customer Drw				sheet 2 of 4	rev A

PRODUCT NUMBER

51923-011--
NOTE: 3



dr	Luo Weller	2013/07/29	projection	MM	size	A4	scale	1:1	
eng	Luo Weller	2014/02/16			ecn no	-	rel level		Released
chr	-	-							
appr	Pei-Ming Zheng	2014/02/16	product family		PwrBlade				
		title			dwg no		rev		
www.fci.com		cat. no.			Product - Customer Drw			sheet 3 of 4	



Copyright FCI.

PRODUCT NUMBER
51923-011--
NOTE: 3

NOTES:

1. DIMENSIONS AND TOLERANCES ARE IN ACCORDANCE WITH
ASME Y14.5M, 1994 UNLESS OTHERWISE SPECIFIED.

CONNECTOR NOTES:

2. HOUSING MATERIAL: UL 94 V-0 GLASS FILLED HIGH-TEMP THERMOPLASTIC
POWER CONTACT MATERIAL: COPPER ALLOY
SIGNAL PIN MATERIAL: COPPER ALLOY

3. SEE ITEM 5 & 6 IN PRINT 10064183 FOR PLATING SPEC OF 51923-011 AND 51923-011LF RESPECTIVELY.

4. MANUFACTURER'S NAME, P/N, AND DATE CODE TO APPEAR ON THIS SURFACE.

5. PRODUCT SPECIFICATION GS-12-149.
APPLICATION SPECIFICATION BUS-20-067.

6. PACKAGED IN TRAYS.

PCB NOTES:

7. ALL HOLE DIAMETERS ARE FINISHED HOLE SIZE.

8. MOUNTING HOLES, WHERE APPLICABLE, ARE UNPLATED.

9. $\varnothing .0453 \pm .0010$ [1.151 ± 0.025] DRILLED HOLES PLATED WITH
.0003 [0.008] MIN SnPb OVER .001 [0.03]
TO .003 [0.08] Cu PLATING TO ACHIEVE
 $\varnothing .040 \pm .003$ [$1.02 \pm .07$] HOLE.

10. CONNECTOR KEEP-OUT ZONE.

dr	Luo Weller	2013/07/29	projection	MM	size	A4	scale	1:1					
eng	Luo Weller	2014/02/16			ecn no -								
chr	-	-											
appr	Pei-Ming Zheng	2014/02/16	product family		PwrBlade		rel level		Released				
		title			3ACP + 9P + 16S			dwg no		51923-011	rev	A	
		R/A STB RCPT CABLE PORT											
www.fci.com		cat. no.		-		Product - Customer Drw				sheet 4 of 4			

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9