



THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	20
(C) COPYRIGHT 20 BY - ALL RIGHTS RESERVED.		

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	INITIAL	29MAY2015	DW	CW
	A1	ECR-17-013895	22SEP2017	RL	CW



NOTES:

I. TECHNICAL CHARACTERISTICS:

HOOD MATERIAL: DIE CAST ALUMINIUM ALLOY

SURFACE: POWDER COATED, GREY

DEGREE OF PROTECTION: IP65 (MATED)



注释：

技术参数:

上壳材料： 铝合金


表面处理： 灰色粉末喷涂

防护等级: IP65 (配合)



TYPE 1: LOW CONSTRUCTION, SIDE ENTRY
WITH STAINLESS STEEL LOCKING

类型 | : 低结构, 侧出, 不锈钢双扣





TYPE 2: LOW CONSTRUCTION, TOP ENTRY
WITH STAINLESS STEEL LOCKING
OTHER SPEC REFER TO TYPE 1

类型 2: 低结构, 侧出, 不锈钢双扣
其他尺寸参照类型 1

TI250103121-000	HI0B-TSBS-PG21	HI0B HOOD, SIDE ENTRY PG21, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 侧出PG21, 不锈钢双扣, 灰色粉末喷涂	PG21	-	TYPE 1 类型 1
TI250103116-000	HI0B-TSBS-PG16	HI0B HOOD, SIDE ENTRY PG16, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 侧出PG16, 不锈钢双扣, 灰色粉末喷涂	PG16	-	
TI250103120-000	HI0B-TSBS-M20	HI0B HOOD, SIDE ENTRY M20, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 侧出M20, 不锈钢双扣, 灰色粉末喷涂	M20	-	
TI250103125-000	HI0B-TSBS-M25	HI0B HOOD, SIDE ENTRY M25, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 侧出M25, 不锈钢双扣, 灰色粉末喷涂	M25	-	
TI260103116-000	HI0B-TGBS-PG16	HI0B HOOD, TOP ENTRY PG16, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 顶出PG16, 不锈钢双扣, 灰色粉末喷涂	-	PG16	TYPE 2 类型 2
TI260103120-000	HI0B-TGBS-M20	HI0B HOOD, TOP ENTRY M20, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 顶出M20, 不锈钢双扣, 灰色粉末喷涂	-	M20	
TI260103125-000	HI0B-TGBS-M25	HI0B HOOD, TOP ENTRY M25, STAINLESS STEEL DOUBLE LOCKING, POWDER COATED, GREY HI0B上壳, 顶出M25, 不锈钢双扣, 灰色粉末喷涂	-	M25	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 1 PG/M 螺纹孔 1	PG/M THREAD 2 PG/M 螺纹孔 2	TYPE 类型

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 29MAY2015 David Wang CHK 29MAY2015 Chris Wang APVD 29MAY2015 Xiang Xu		 TE Connectivity	
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME H10B-TSBS/TGBS/TSBHS/TGBHS-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE CAGE CODE DRAWING NO RESTRICTED TO	
MATERIAL - -		FINISH - -		WEIGHT - Customer Drawing	
				SCALE 1:1 SHEET 1 OF 2 REV A1	



T1270103121-000	H10B-TSBHS-PG21	H10B HOOD, SIDE ENTRY PG21, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 侧出PG21, 不锈钢双扣, 高结构, 灰色粉末喷涂	PG21	-	TYPE 3 类型 3
T1270103125-000	H10B-TSBHS-M25	H10B HOOD, SIDE ENTRY M25, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 侧出M25, 不锈钢双扣, 高结构, 灰色粉末喷涂	M25	-	
T1270103129-000	H10B-TSBHS-PG29	H10B HOOD, SIDE ENTRY PG29, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 侧出PG29, 不锈钢双扣, 高结构, 灰色粉末喷涂	PG29	-	
T1270103132-000	H10B-TSBHS-M32	H10B HOOD, SIDE ENTRY M32, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 侧出M32, 不锈钢双扣, 高结构, 灰色粉末喷涂	M32	-	
T1270107134-000	H10B-TSBHS-NPT3/4	H10B HOOD, SIDE ENTRY NPT3/4, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 侧出NPT3/4, 不锈钢双扣, 高结构, 灰色粉末喷涂	NPT3/4	-	
T1280103121-000	H10B-TGBHS-PG21	H10B HOOD, TOP ENTRY PG21, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 顶出PG21, 不锈钢双扣, 高结构, 灰色粉末喷涂	-	PG21	TYPE 4 类型 4
T1280103125-000	H10B-TGBHS-M25	H10B HOOD, TOP ENTRY M25, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 顶出M25, 不锈钢双扣, 高结构, 灰色粉末喷涂	-	M25	
T1280103129-000	H10B-TGBHS-PG29	H10B HOOD, TOP ENTRY PG29, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 顶出PG29, 不锈钢双扣, 高结构, 灰色粉末喷涂	-	PG29	
T1280103132-000	H10B-TGBHS-M32	H10B HOOD, TOP ENTRY M32, STAINLESS STEEL DOUBLE LOCKING, HIGH CONSTRUCTION, POWDER COATED, GREY H10B上壳, 顶出M32, 不锈钢双扣, 高结构, 灰色粉末喷涂	-	M32	
PART NUMBER 料号	PART DESCRIPTION 描述		PG/M THREAD 3 PG/M 螺纹孔 3	PG/M THREAD 4 PG/M 螺纹孔 4	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 29MAY2015 David Wang CHK 29MAY2015 Chris Wang APVD 29MAY2015 Xiang Xu		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ±		NAME H10B-TSBS/TGBS/TSBHS/TGBHS-M/PG	
		PRODUCT SPEC 108-137013 APPLICATION SPEC 114-137013		SIZE A2	CAGE CODE 00779
MATERIAL - -		FINISH - -		DRAWING NO T12X01031XX000	RESTRICTED TO -
WEIGHT -				SCALE 1:1	
Customer Drawing				SHEET 2 OF 2	
				REV A1	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9