



| SYMBOL DEFINITION | | TOTAL NO OF INSPECTIONS REQUIRED | | LAST NO. USED | |
|--|--|----------------------------------|--|---------------|--|
| A DIMENSION WITHOUT AN INSPECTION REPORT SYMBOL DOES NOT REQUIRE INSPECTION. IT MAY BE CONTROLLED ON THE INDIVIDUAL COMPONENT DRAWING. | | 7 | | 7 | |


| MISSING SYMBOLS | | | | | REVISION HISTORY | | | AUTH | | DR | | AP/VD | |
|-----------------|-----|-----|-----|-----|------------------|--|--|------|--------|-----|-----|-------|----|
| DATE | STG | REV | N/P | CHG | ZONE | | | | | | | | |
| 25AP06 | R | 01 | - | - | | 15486860 - RELEASED; 15486798 - WAS SEPARATE DWG | | | 279481 | PCP | PCP | NL | NL |
| 14JN06 | R | 02 | - | - | | ALL PARTS - REVISED RADIUS ON 4 CORNERS TO 1MM; 13591733 - RELEASED; 15486860 - MATERIAL SPEC WAS M4629005 | | | 281675 | RH | RH | NL | NL |






TYPE 102
SAME AS TYPE 101
EXCEPT AS SHOWN



TYPE 101



TYPE 103
SAME AS TYPE 101
EXCEPT AS SHOWN



NOTES

- UNLESS OTHERWISE SPECIFIED AND/OR INDICATED: DIMENSIONS ARE TO FACE OF VIEW SHOWN AND AUTOMATICALLY ROUNDED BY COMPUTER FOR INSPECTION (SEE MATH MODEL FOR PRECISE DIMENSIONS). FOR ALL OTHER DIMENSIONS NOT SHOWN BUT REQUIRED FOR TOOL BUILD, SEE MATH MODEL FOR PRECISE TOOL PATH DATA.
- MATERIAL RECYCLING CODE PER ISO 11469. (1)X(0.1) RAISED CHARACTERS AS SHOWN TO BE LOCATED ON ANY EXTERIOR SURFACE. OPTIONAL CONSTRUCTION TO BE NO MATERIAL RECYCLING CODE.
- (1)X(0.1) RAISED DELPHI CORPORATE BRAND TO BE LOCATED ON ANY EXTERIOR SURFACE, PREFERABLY VISIBLE AT FINAL ASSEMBLY. OPTIONAL CONSTRUCTION TO BE "PED" OR NO LOGO.

| PART NO | REV | N/P | MATERIAL SPECIFICATION AND COLOR | TYPE | VOLUME | MATING CONNECTOR OR EQUIVALENT |
|----------|-----|-----|----------------------------------|------|--------|--------------------------------|
| 13591733 | 01 | - | M4629012 PBT GF20 LT GRA | 103 | 0.199 | 13591731 |
| 15486860 | 02 | - | M4629006 PBT GF20 YELLOW | 102 | 0.098 | 15486854 |
| 15486798 | 02 | - | M4629005 PBT GF20 ORN | 101 | 0.159 | 15486792 |

| DWG TYPE PART DRAWING | | DISTR CODE D | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|--------------------------------------|-----------|--|--|------------------------|-----------|----------|------|-------|----|----|-----|-----|-----|-----|-----|-----|-----|--------------------------------------|--|-------|------|------|------|------|------|------|------|----|------|-----------------------|--|
| VOLUME (OF) SEE CHART | | UNLESS OTHERWISE SPECIFIED THIS DOCUMENT IS IN ACCORDANCE WITH ASME Y14.5M-1994 AS MODIFIED BY THE MDCS DIMENSIONING AND TOLERANCE PRACTICE (MDCS-DTP) SEPARATE MATTERS OF FEATURES MAY BE BASED SEPARATELY PER ASSEMBLY REFERENCES. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ALL DIMENSIONS ARE IN MILLIMETERS | | THIRD ANGLE PROJECTION | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| DO NOT SCALE USE MATH DATA | | <table border="1"> <thead> <tr> <th>DIMENSIONAL RANGE (MM)</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>FROM > 0</td> <td>> 30</td> </tr> <tr> <td>TO 20</td> <td>30</td> </tr> <tr> <td>70</td> <td>100</td> </tr> <tr> <td>150</td> <td>200</td> </tr> <tr> <td>250</td> <td>300</td> </tr> <tr> <td>300</td> <td>400</td> </tr> <tr> <td colspan="2">TOLERANCE UNLESS OTHERWISE SPECIFIED</td> </tr> <tr> <td>±0.15</td> <td>±0.2</td> </tr> <tr> <td>±0.3</td> <td>±0.4</td> </tr> <tr> <td>±0.5</td> <td>±0.6</td> </tr> <tr> <td>±0.6</td> <td>±0.8</td> </tr> <tr> <td>±1</td> <td>±1.2</td> </tr> <tr> <td colspan="2">ANGULAR TOLERANCE 30'</td> </tr> </tbody> </table> | | DIMENSIONAL RANGE (MM) | TOLERANCE | FROM > 0 | > 30 | TO 20 | 30 | 70 | 100 | 150 | 200 | 250 | 300 | 300 | 400 | TOLERANCE UNLESS OTHERWISE SPECIFIED | | ±0.15 | ±0.2 | ±0.3 | ±0.4 | ±0.5 | ±0.6 | ±0.6 | ±0.8 | ±1 | ±1.2 | ANGULAR TOLERANCE 30' | |
| DIMENSIONAL RANGE (MM) | TOLERANCE | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| FROM > 0 | > 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TO 20 | 30 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 70 | 100 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 150 | 200 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 250 | 300 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 300 | 400 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOLERANCE UNLESS OTHERWISE SPECIFIED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±0.15 | ±0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±0.3 | ±0.4 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±0.5 | ±0.6 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±0.6 | ±0.8 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ±1 | ±1.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ANGULAR TOLERANCE 30' | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

DELPHI
DELPHI PACKARD ELECTRIC SYSTEMS
WARREN, OH

| DR | DATE |
|----------------------|--------|
| APV01 P. C. PRIDMORE | 25AP06 |
| APV02 P. C. PRIDMORE | 25AP06 |
| APV03 NICOLE LIPTAK | 25AP06 |
| APV04 | |
| APV05 | |

UNLESS OTHERWISE SPECIFIED
SUBSTANCES OF CONCERN AND RECYCLED
CONTENT PER DELPHI 10949001

MATERIAL
SEE CHART

DRAWING NAME
TAXI LOCK SECONDARY COMB MICRO HVT

DRAWING NUMBER
13583597

SIZE
A0

SCALE
10:1

FRAME NO
1 OF 2

SHEET NO
1 OF 1

REV N/P
R 02 -

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9