




DETAIL B -90° ROTATED
(OPTIONAL DESIGN
BERG TAIWAN ONLY)



(OPTIONAL RECESS) —


DETAIL C



NOTE 3

mat'l. code				surface ISO1302 ✓		tolerance ISO1101 ISO406		projection 		product family MOD JACK			
ltr	ecn no	dr	date	tolerances unless otherwise specified					title				
N	S90142	JSR	10/4/'99	angles linear	0.X±0.3				4 POS VERTICAL P.C.B. MOD JACK ASSY				
P	N05-0002	YS	01/06/05		0.XX±0.15								
R	N08-0170	SH MAO	10/10/08		0'±2'								
S	N09-0092	SH MAO	05/25/09		C L FENG	02/21/97			dwg no		sheet, 1 of 2	size	
T	ELX-N-010701	SH MAO	03/14/12	engr	TONY CHIEN	02/21/97			69253		A4		
U	ELX-N-21224	J.H	06/24/15	chr	TONY CHIEN	02/21/97							
				appd	JENN TSAO	02/21/97			type		Product Customer Drawing		
sheet index		revision sheet		U	U								
				1	2								

PRODUCT NO.	POSITIONS LOADED	CONTACT PLATING	HOUSING COLOR	NOTES
69253-001 -001LF -011LF	ALL	5u" Au	BLACK	-
-002 -002LF -012LF	ALL	5u" Au	BLACK	-
-003 -003LF -013LF	ALL	5u" Au	BLACK	NOTE 1
-004 -004LF -014LF	ALL	50u" /1,27u GXT	BLACK	-
-005 -005LF -015LF	ALL	5u" Au	GREY	-
-006 -006LF -016LF	ALL	15u" GXT	BLACK	-
-202 -202LF -212LF	ALL	5u" Au	BLACK	-

BOARD LAYOUT
VIEWED FROM TOP

NOTE :

- ① SPECIAL PACKAGING.
- 2 GXT IS 0,76um / 30u" OR 0,28um / 15u" MIN GXT WITH Au FLASH OVER 1,27um / 50u" MIN Ni.
- ③ THIS PIN NUMBERING IS OPPOSITE TO FCC, PART 68, SUBPART F REQUIREMENTS.
- 4 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
- 5 THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.6mm MINIMUM THICK CIRCUIT BOARD.
- 6 IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.
- ⑦ PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.
- 8 PART NUMBER:
69253-XXXLF

LEAD FREE PRODUCT NO.
SEE TABLE
0: MEETS WAVE SOLDER PROCESS PRODUCT NO.
1: MEETS PIP PROCESS PRODUCT NO.
0: TAIL LENGTH=3.18/.125.
2: TAIL LENGTH=4.00/.157.

mat'l. code				surface ISO1302	tolerance ISO1101 ISO406	projection	product family MOD JACK			
ltr	ecn no	dr	date	tolerances	unless otherwise specified		title			
N	S90142	JSR	10/4/'99	angles	0.X±0.3	mm	4 POS VERTICAL			
P	N05-0002	YS	01/06/05	0°±2°	0.XX±0.15	scale 2.0	P.C.B. MOD JACK ASSY			
R	N08-0170	SH MAO	10/10/08		0.XXX±0.05		dwg no			
S	N09-0092	SH MAO	05/25/09	dr	C L FENG	02/21/97	sheet, 2 of 2			
T	ELX-N-010701	SH MAO	03/14/12	engr	TONY CHIEN	02/21/97	69253			
U	ELX-N-21224	J.H	06/24/15	chr	TONY CHIEN	02/21/97	A4			
				appd	JENN TSAO	02/21/97	type Product Customer Drawing			
sheet index	revision sheet									

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9