


D


C

B


A



- 1 HOUSING MATERIAL: GLASS-FILLED POLYESTER. COLOR: GRAY.
- 2 POST MATERIAL: BRASS.
- 3 POST FINISH: DIN 41612 CLASS 2 IN CONTACT AREA. TIN-LEAD PLATE ON POSTS.
- 4 RECOMMENDED HOLE SIZE FOR MANUAL APPLICATION OF CONNECTOR ONTO PC BOARD.
- 5 PART NUMBER, DATE CODE MARKED THIS APPROXIMATE AREA.
- 6 MARKING ON THIS SIDE.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



SECTION Z-Z



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN L. BRINER 8/25/92	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: mm [INCHES]		CHK R. PATTERSON 8/25/92	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD R. PATTERSON 8/25/92	PRODUCT SPEC	
0.15 [.006] M		APPLICATION SPEC		RESTRICTED TO
MATERIAL		WEIGHT	SIZE A1	CAGE CODE 00779
FINISH		SCALE 5:1	DRAWING NO. 536437	SHEET 1 OF 3
CUSTOMER DRAWING		REV AY2		

8	7	6	5	4	3	2	1								
THIS DRAWING IS UNPUBLISHED.								REVISIONS							
© COPYRIGHT 2005 BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.								LOC	DIST	P	LTR	DESCRIPTION	DATE	DWN	APVD
								AD	25	—	—	SEE SHEET 1	—	—	—
D	1—21,23,27—32	22,24—26	C	32	3—536437—8	2—4,7—32	NONE	C	29	1—536437—7					
	1—32	NONE	B	32	OBSOLETE	1,9—31	8,32	B	26						
	1—32	NONE	A	32		1,2,4—6,9—32	NONE	A	29						
	2—31	1,32	C	32	3—536437—7	NONE	1—32	C	32	1—536437—6					
	2—31	1,32	B	32	OBSOLETE	10—12,27—30	1—9,13—26,31,32	B	32						
	2—31	1,32	A	32		NONE	1—32	A	32						
	1—3,22,29—32	4—21,23—28	C	32	3—536437—6	1,2	3—32	C	32	1—536437—5					
	1—3,30—32	4—29	B	32	OBSOLETE	NONE	1—32	B	32						
	1—4,30—32	5—29	A	32		1,23	2—22,24—32	A	32						
	25—28	1—24,29—32	C	32	3—536437—5	25,27,28	1—24,26,29—32	C	32	1—536437—4					
NONE	NONE	B	0	OBSOLETE	1	2—32	B	32							
25—28	1—24,29—32	A	32		NONE	1—32	A	32							
21,22,29	1—20,23—28,30—32	C	32	3—536437—4	1	2—32	B	32	1—536437—3						
NONE	NONE	B	0	OBSOLETE	NONE	1—32	A	32							
21,22,29	1—20,23—28,30—32	A	32		1,5,7,32	2—4,6,8—31	C	32							
1,2,6,10,16,20,25	3—5,7—9,11—15,17—19,21—24,26—32	C	32	3—536437—3	6,8,14,16,18,20,26,28	1—5,7,9—13,15,17,19,21—25,27,29—32	B	32	1—536437—2						
NONE	1—32	B	32	OBSOLETE	1,32	2—31	A	32							
1,2,6,8,10,14,16,18,20,25	3—5,7,9,11—13,15,17,19,21—24,26—32	A	32		3,6,9,12,15,18,31,32	1,2,4,5,7,8,10,11,13,14,16,17,19—30	C	32							
NONE	1—32	C	32	3—536437—2	2,3,6—26	1,4,5,27—32	B	32	1—536437—1						
NONE	NONE	B	0	OBSOLETE	2,5,8,11,14,17,20	1,3,4,6,7,9,10,12,13,15,16,18,19,21—32	A	32							
1,32	2—31	A	32		1,32	2—31	C	32							
NONE	NONE	C	0	3—536437—1	NONE	1—32	B	32	1—536437—0						
2,12,22,31	1,13,32	B	7	OBSOLETE	1,32	2—31	A	32							
NONE	NONE	A	0		31	1—30,32	C	32							
9	31,32	C	3	3—536437—0	1,2,31	3—30,32	B	32	536437—9						
20,23	4—11,31,32	B	12	OBSOLETE	31	1—30,32	A	32							
9,11,15,17,19	21,22,31,32	A	9		NONE	1—32	C	32							
1,8,13,15,18,19,32	2—7,9—12,14,16,17,20,22,24,26,28,30	C	26	2—536437—9	NONE	1—32	B	32	536437—8						
NONE	NONE	B	0	OBSOLETE	1,32	2—31	A	32							
1,8,13,15,18,19,32	2—7,9—12,14,16,17,20,22,24,26,28,30	A	26		NONE	1—32	C	32							
1,14,15,20,26,32	3,5,7,9,11,13,16—19,21—25,27—31	C	26	2—536437—8	13,14,16	1—12,15,17—32	B	32	536437—7						
NONE	NONE	B	0	OBSOLETE	NONE	1—32	A	32							
1,14,15,20,26,32	3,5,7,9,11,13,16—19,21—25,27—31	A	26		1,31,32	2—30	C	32							
1,12,14,21,22,32	2—11,13,15—20,23—31	C	32	2—536437—7	1,32	2—31	B	32	536437—6						
12,14,21,22,32	1—11,13,15—20,23—31	B	32	OBSOLETE	1,32	2—31	A	32							
1,12,14,21,22,32	2—11,13,15—20,23—31	A	32		9	1—8,10—32	C	32							
9,11,12,15	1—8,10,13,14,16—32	C	32	2—536437—6	20,23	1—19,21,22,24—32	B	32	536437—5						
NONE	NONE	B	0	OBSOLETE	9,11,15,17,19	1—8,10,12—14,16,18,20—32	A	32							
9,11,12,15	1—8,10,13,14,16—32	A	32		NONE	1—32	C	32							
1	2—32	C	32	2—536437—5	2,12,22,31	1,3—11,13—21,23—30,32	B	32	536437—4						
NONE	1—32	B	32	OBSOLETE	NONE	1—32	A	32							
1	2—32	A	32		1,32	2—31	C	32							
2,3	1,4—32	C	32	2—536437—4	1,32	2—31	B	32	536437—3						
2,3	1,4—32	B	32	OBSOLETE	1,32	2—31	A	32							
2,3	1,4—32	A	32		1,2,31,32	3—30	C	32							
NONE	1—32	C	32	2—536437—3	1,2,31,32	3—30	B	32	536437—2						
NONE	2—32	B	31	OBSOLETE	1,2,31,32	3—30	A	32							
2	1,3—32	A	32		NONE	1—32	C	32							
1,32	2—31	C	32	2—536437—2	NONE	1—32	B	32	536437—1						
NONE	NONE	B	0	OBSOLETE	1,32	2—31	A	32							
1,32	2—31	A	32		NONE	1—32	C	32							
8,9	1—7,10—32	C	32	2—536437—1	NONE	1—32	B	32	536437—0						
9	1—8,10—32	B	32	OBSOLETE	NONE	1—32	A	32							
NONE	1—32	A	32		NONE	1—32	C	32							
NONE	2,4,6,8,...30,32	C	16	2—536437—0	POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER						
NONE	NONE	B	0	OBSOLETE											
2,32	4,6,8,10,...28,30	A	16												
2—31	1,32	C	32												
1—32	NONE	B	32	1—536437—9											
2—32	1	A	32												
1—5,16—20,29—32	6—15,21—28	C	32												
1—5,16—20,29—32	6—15,21—28	B	32	1—536437—8											
1—5,16—20,29—32	6—15,21—28	A	32	OBSOLETE											
POSITIONS LOADED WITH 4.93[.194] CONTACTS		POSITIONS LOADED WITH 4.16[.164] CONTACTS		ROWS	NO. OF LOADED POSITION										

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	L. BRINER	2/18/94	Tyco Electronics		Tyco Electronics Corporation			
		CHK	RON BRANDT	2/23/94			Harrisburg, PA 17105—3608			
DIMENSIONS: mm [INCHES]		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	PIN ASSEMBLY, EUROCARD, TYPE C WITH MFBL CONTACTS					
				APVD						
				PRODUCT SPEC						
				APPLICATION SPEC						
				SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO			
				WEIGHT	—	A100779	—			
MATERIAL		FINISH		CUSTOMER DRAWING						
				SCALE	5:1	SHEET 2 OF 3	REV AY2			

LOC	DIST	REVISIONS					
AD	25	P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

1	2-32	C	32	4-536437-7
1	2-32	B	32	OBSOLETE
1	2-32	A	32	
1,2,3,30,31,32	4-29	C	32	4-536437-6
1,2,3,30,31,32	4-29	B	32	OBSOLETE
1,2,3,30,31,32	4-29	A	32	
1-26,32	27-31	C	32	4-536437-4
NONE	NONE	B	0	OBSOLETE
1-32	NONE	A	32	
NONE	NONE	C	0	4-536437-3
NONE	1-32	B	32	OBSOLETE
2,4,6,7,30,31,32	1,3,5,8-29	A	32	
3-31	1,2,32	C	32	4-536437-2
3-32	1,2	B	32	OBSOLETE
1,3-32	2	A	32	
32	1-31	C	32	4-536437-1
NONE	NONE	B	0	OBSOLETE
32	1-31	A	32	
31,32	1-30	C	32	4-536437-0
32	1-31	B	32	OBSOLETE
32	1-31	A	32	
2,6,9,20,25,28	1,3-5,7,8,10-19,21-24,26,27,29-32	C	32	3-536437-9
2,14,19,31	1,3-13,15-18,20-30,32	B	32	OBSOLETE
5,8,13,15,24,27,31	1-4,6,7,9-12,14,16-23,25,26,28-30,32	A	32	
POSITIONS LOADED WITH 4.93[.194] CONTACTS	POSITIONS LOADED WITH 4.16[.164] CONTACTS	ROWS	NO. OF LOADED POSITION	ASSY PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm [INCHES]

0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

± -
± -
± -
± 0.13[.005]
± -

ANGLES
FINISH

1

2

3

DWN
L. BRINER
CHK
C. RICHARD
APVD
C. RICHARD

2/6/97
2/6/97
2/6/97

Tyco
Electronics

Tyco Electronics Corporation
Harrisburg, PA 17105-3608

NAME

PIN ASSEMBLY, EUROCARD,
TYPE C WITH MFBL CONTACTS

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

SIZE
A1

CAGE CODE
00779

DRAWING NO
536437

RESTRICTED TO

CUSTOMER DRAWING

SCALE
5:1

SHEET
3

OF
3

REV
AY2

AMP 4805 REV 31MAR2000

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9