





LOC		DIST		REVISIONS				
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD	
		F		REVISED 2-2 BY CUSTOMER	09MAR2015	CZ	SZ	




- 1 "AMP", TRADEMARK, PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN
- 2 MATERIAL: HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, UL94 V-O, BLACK
SIGNAL CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 6 PCB - ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES
- 7 PCB - .0453 ±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 CU PLATING TO ACHIEVE A .040±.003 DIA HOLE
- 8 DIM W & DIM R ARE APPLICABLE TO P+S+P CONFIGURATION.
- 9 FOR P/N 6450850-3,-11,THE VARIABLE DIMENSIONS PLEASE SEE SHEET 2.
- 10 VARIABLE DIMENSIONS SHOW ON TABLE OR PART VIEW



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN S.ZHAO CHK S.ZHAO APVD S.YAO	20SEP2007 20SEP2007 -	TE Connectivity	
DIMENSIONS: INCHES		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME VERTICAL RECEPTACLE ASSEMBLY, WITH GUIDES MULTI-BEAM XLE	
		0 PLC ±.01 1 PLC ±.01 2 PLC ±.01 3 PLC ±.005 4 PLC ±.0020 ANGLES ±2° FINISH		PRODUCT SPEC 108-1973 APPLICATION SPEC 114-13038	
MATERIAL		WEIGHT		SIZE A100779	
		CUSTOMER DRAWING		CAGE CODE 6450850	
				RESTRICTED TO -	
				SCALE 4:1	
				SHEET 1	
				OF 8	
				REV F	

LOC	DIST	REVISIONS					
ES	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-	SEE SHEET I		-	-	-



FOR P/N 6450850-3,-11,THE OTHER DIMENSIONS PLEASE SEE THE TABLE OF SHEET 1.

$\triangle 0$	$\triangle 0$	2.1275	1.1025	4.590	4.240	4.400	.1025	9LP + 36S + 1P + 16LP	2-6450850-2
.300	.250	1.275	.800	2.490	2.140	2.300	.195	3ACP + 16S + 3P	2-6450850-1
.230	.230	1.090	.7825	1.990	1.640	1.800	.1025	3LP + 12S + 4LP	2-6450850-0
.250	.250	1.150	.675	2.340	1.990	2.150	.170	3P + 16S + 3P	1-6450850-9
$\triangle 0$	$\triangle 0$	$\triangle 0$	$\triangle 0$	3.270	2.920	3.080	.170	5HDP + 24S + 1P + 7LP	1-6450850-8
-	-	.500	.200	1.140	.790	.950	.145	1P + 8S + 1P	1-6450850-7
.300	.250	1.250	.775	2.940	2.590	2.750	.170	3ACP + 16S + 5P	1-6450850-6
.200	.200	.800	.350	1.840	1.490	1.650	.145	2P + 16S + 3P	1-6450850-4
.250	.250	1.300	.925	2.740	2.390	2.550	.170	4P + 12S + 4P	1-6450850-3
-	-	.850	.175	1.540	1.190	1.350	.170 $\triangle 9$	1P + 24S + 1P	1-6450850-1
-	-	.850	.175	1.540	1.190	1.350	.170 $\triangle 9$	1P + 24S + 1P	6450850-3
.230	.250	1.4075	.7325	2.555	2.205	2.365	.1275	6LP + 24S + 3P	6450850-2
DIM T	DIM S	DIM R $\triangle 8$	DIM W $\triangle 8$	DIM L	DIM U	DIM D	DIM K	DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±.01
1 PLC ±.01
2 PLC ±.01
3 PLC ±.005
4 PLC ±.0020
ANGLES ±2°
FINISH

MATERIAL

-

DWN S.ZHAO 20SEP2007
CHK S.ZHAO 20SEP2007
APVD S.YAO -

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

VERTICAL RECEPTACLE ASSEMBLY, WITH GUIDES MULTI-BEAM XLE

SIZE

A1

CAGE CODE

00779

DRAWING NO

6450850

RESTRICTED TO

-


TE Connectivity

SCALE 4:1

SHEET 2 OF 8

REV F

PART NUMBER	ROWS		POWER	SIGNAL						POWER	
			P2	6	5	4	3	2	1	P1	
6450850-3	D		VM 	E	E	E	E	E	E	VM 	
	E			E	E	E	E	E			
	E			E	E	E	E	E			
	E			E	E	E	E	E			
											
IP + 24S + IP											



PART NUMBER	ROWS		POWER	SIGNAL						POWER	
			P2	6	5	4	3	2	1	P1	
1-6450850-1	D			E	E	E	E	E	E		
	C			E	E	E	E	E	E		
	B			E	E	E	E	E	E		
	A			E	E	E	E	E	E		
				E	E	E	E	E	E		
IP + 24S + IP											



LM	LOW POWER CONTACT .135" TAIL LENGTH
M	SIGNAL CONTACT .165" TAIL LENGTH
E	SIGNAL CONTACT .135" TAIL LENGTH
VO	POWER CONTACT, STD.165" TAIL LENGTH
VA	POWER CONTACT, MFB.135" TAIL LENGTH
VM	POWER CONTACT, STD.135" TAIL LENGTH
CODE	DESCRIPTION
CONTACTS	

4805 (3/11)

LOC		DIST		REVISONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	


PART NUMBER	ROWS		POWER				SIGNAL			POWER				
			P8	P7	P6	P5	3	2	1	P4	P3	P2	P1	
1-6450850-3	D		VM	VM	VM	VM	E	E	E	VM	VM	VM	VM	
	C						E	E	E					
	B						E	E	E					
	A						E	E	E					
4P + 12S + 4P														

PART NUMBER	ROWS		POWER			SIGNAL				POWER		
			P5	P4	P3	4	3	2	1	P2	P1	
1-6450850-4	D		VM	VM	VM	E	E	E	E	VM	VM	
	C					E	E	E	E			
	B					E	E	E	E			
	A					HD	E	E	E			
2HDP + 16S + 3HDP												




LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	

PART NUMBER	ROWS		POWER					SIGNAL				POWER			
			P8	P7	P6	P5	P4	4	3	2	1	P3	P2	P1	
1-6450850-6	D		VA	VM	VM	VM	VA	E	E	E	E	VM	VM	VA	
	C							E	E	E	E				
	B							E	E	E	E				
	A							E	E	E	E				
3ACP + 16S + 5P															



PART NUMBER	ROWS		POWER	SIGNAL		POWER	
			P2	2	1	P1	
1-6450850-7	D		VM	E	E	VM	
	C			E	E		
	B			E	E		
	A			E	E		
IP + 8S + IP							



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

S.ZHAO

20SEP2007

CHK

S.ZHAO

20SEP2007

APVD

S.YAO

-

DIMENSIONS:

INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±"

1 PLC ±.01

2 PLC ±.01

3 PLC ±.005

4 PLC ±.0020

ANGLES ±2°

FINISH

MATERIAL

-

PRODUCT SPEC

108-1973

APPLICATION SPEC

114-13038

WEIGHT

-

CUSTOMER DRAWING

NAME

VERTICAL RECEPTACLE ASSEMBLY, WITH GUIDES MULTI-BEAM XLE

SIZE

CAGE CODE

DRAWING NO

A100779

RESTRICTED TO

-

SCALE

4:1

SHEET

5

OF



8

REV


F

TE Connectivity


PART NUMBER	ROWS		POWER			SIGNAL				POWER			
			P6	P5	P4	4	3	2	1	P3	P2	P1	
I-6450850-9	D C B A	 	 	 	 	 	 	 	 	 	 	 	 
3P + 16S + 3P													



PART NUMBER	ROWS		<i>POWER</i>			<i>SIGNAL</i>				<i>POWER</i>			
			P6	P5	P4	4	3	2	I	P3	P2	P1	
2-6450850-I	D	 [HD]	VA	VM	VA	E	E	E	E	VM	VM	VA	 [HD]
	C					E	E	E	E				
	B					E	E	E	E				
	A					E	E	E	E				
3ACP + 16S + 3P													

4805 (3/11)

NO CONTACTS LOADED

4805 (3/11)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9