


Networked Digital Audio Technology



Over a Half Million Connected By CobraNet™ Technology

CobraNet™ technology is the de facto standard for transporting high fidelity, uncompressed digital audio in real time over off-the-shelf, switched Ethernet networks. Imagine the flexibility of dynamically routing digital audio from

various sources to one, some, or all points in a network of devices. Cirrus Logic provides OEMs with a family of CobraNet solutions for compelling commercial, professional and consumer networked audio products.

Cirrus Logic offers CobraNet audio system processors, network interface modules, software, development tools and support, making the selection of CobraNet technology for your audio products a smart choice.

TYPICAL EQUIPMENT APPLICATIONS

- Facility audio distribution
- Power amplifiers
- Paging stations and Intercoms
- Media servers
- Signal processors
- Mixing consoles
- Voice audio recording, archival and playback
- Microphone preamps
- Audio snakes
- Stand-alone A/D and D/A interfaces
- Ceiling speakers
- Self-powered speakers
- Whole-house audio
- Security and surveillance

KEY BENEFITS OF COBRANET TECHNOLOGY

- No-compromise, high-fidelity, multichannel audio.
- Use of standard Ethernet equipment leverages the most common, low-cost digital networking infrastructure in the world.
- Audio routing enables real-time reconfiguration of connections between sources and destinations.
- Digital audio transport alongside LAN traffic eliminates additional infrastructure costs.
- Use of SNMP provides powerful control and monitoring of the network and devices.
- True audio networking enables audio, control and monitoring flows between nodes at any time regardless of physical layout.
- Numerous fault tolerant features ensure reliability of mission critical applications.
- Widespread use of the CobraNet standard provides a strong CobraNet community.

CobraNet™ Products from Cirrus Logic

CS1810xx CobraNet Networked Digital Audio Interfaces

The CobraNet CS1810xx Silicon Series features three IC models that provide 2, 8 or 16 full-duplex channels of audio input and output at configurable network sample rates of 48 kHz and 96 kHz and configurable sample sizes of 16, 20 or 24 bits. The integrated CobraNet interface manages real-time audio transport across a switched Fast Ethernet network. Using an external VCXO, the CS1810xx delivers a studio-grade, low-jitter clock source and supports dual Ethernet connections for “mission-critical” applications. Control, monitoring, and management functions are provided by a high-speed parallel host processor interface or via Ethernet using industry standard SNMP. Firmware can be updated over Ethernet or via the host interface with additional control and monitoring functions provided by the innovative, built-in asynchronous or packet-bridge functions.

CS4961xx CobraNet Audio System Processors

The CS4961xx Silicon Series adds Cirrus Logic’s highly regarded 32-bit, 120 MIPS audio DSP to the robust feature set of the CS1810xx models, enabling local signal processing of CobraNet audio streams into or out of the audio product. This level of integration and optimization can provide dramatic cost-savings in end products while enabling new benefits for the user. The CS4961xx is supported by DSP Conductor™, a powerful, graphical DSP programming tool for rapid audio signal processing development and end product implementation.

CM-1 and CM-2 CobraNet network interface modules

Cirrus Logic makes the addition of CobraNet technology to an audio product even easier with the CM-1 and CM-2 embeddable modules. These modules look like dual-port Ethernet interface cards with a plug-in connector interface to the embedded system. Various CobraNet channel counts and DSP processing resources are available. Consult Cirrus Logic for your particular needs.

CobraNet Development Tools

CobraNet Discovery™

CobraNet Discovery is a CobraNet network maintenance utility that configures, queries and reports the working state of a CobraNet network and its nodes. Discovery also provides a CobraNet firmware update function.

CobraCAD™

CobraCAD is a graphical tool for modeling and validating a CobraNet network design. This tool is ideal for contractors or end users installing CobraNet-enabled systems.

DSP Conductor

DSP Conductor is a powerful, graphical tool for rapid, drag-and-drop audio signal processing firmware development on CS4961xx platforms. Drawing upon a comprehensive library of DSP functions, any CS4961xx CobraNet node on an Ethernet LAN can be programmed in real time from a PC. An assembler/linker is available for designs requiring further customized signal processing development.

CobraNet Object Tools

CobraNet Object Tools is a Microsoft® COM object library that provides the low-level functions around which an end user application can be built to easily control and exploit the flexible functionality of CobraNet devices.

EV-2 Evaluation & Developer’s Kit

The EV-2 kit provides a convenient means of evaluating CM-2 CobraNet modules. The EV-2 serves as a CobraNet interface reference design and can be used as a development platform for CobraNet products.

Resources

www.cirrus.com

For details on the Cirrus Logic CobraNet products described above.

www.cobranet.info

For information about CobraNet system development, installations, OEMs and third-party developers.

To locate your nearest Cirrus Logic sales representative, please go to

<http://www.cirrus.com/en/contacts/sales/index.html>

www.cirrus.com

Cirrus Logic, Inc. · 2901 Via Fortuna · Austin TX 78746 USA · T 512-851-4000 · T 800-888-5016 · F 512-851-4977

Product Bulletin 0173-0506-PB © 2005 Cirrus Logic, Inc. All rights reserved. Product information is subject to change without notice. Cirrus Logic, Cirrus, the Cirrus Logic logo designs, CobraNet, CobraCAD, CobraNet Discovery, and DSP Conductor are trademarks of Cirrus Logic, Inc. Other brand and product names may be trademarks or service marks of their respective owners.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Cirrus Logic:](#)

[CDB496122-EV2](#)

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9