




REVISIONS					
P.	LTR	DESCRIPTION	DATE	DWN	APVD
F31		REVISED PER ECO-15-012265	24AUG2015	DLD	DCM
F32		REVISED PER ECO-16-003418	08MAR2016	DLD	DCM



1438129-1
SHOWN WITH SPACER
IN SEATED POSITION



- 1


PRINT PART NUMBER (5S4T-14A464-L*-***, 5S4T-14A464-M*-***, 5S4T-14A464-N*-***) AND TRACEABILITY (YY : 2 DIGIT YEAR, JJJ = JULIAN DATE, HH = 2 DIGIT MILITARY HOUR CODE IN THE LOCATION AT ASSEMBLY. SEE SHEET 3 THRU 7 (-*) PART NUMBERS.
2.

APPLICABLE MOLEX (1.5) POWER TERMINAL PART NUMBERS:
33012-0002 TIN 0.50-1.50mm²
3.





CAM LEVER AND SPACER ARE SHIPPED IN THEIR PRE-ASSEMBLED POSITIONS.
4.

REFERENCE TE CONNECTIVITY INSTRUCTION SHEET 408-8893.
- 5

COMPANY LOGO.




SECTION A-A
SPACER AND LEVER IN
PRE-SEATED POSITION
(DELIVERY CONDITION)





SCALE 1:1

APPLICABLE COMPONENTS (FOR REFERENCE ONLY)						
DESCRIPTION	NOMINAL TERMINAL SIZE	COLOR/ PLATING	FORD COMPONENT PART NUMBER	SUPPLIER PART NUMBER	MATERIAL/SPECIFICATION NUMBER	SAE WIRE SIZE
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-AA	1393366-2	COPPER ALLOY/SILVER PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Ag)	0.64 (CAT. 0)	SILVER	7S4T-14474-BA	1393367-2	COPPER ALLOY/SILVER PLATE	22AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-AA	1393366-1	COPPER ALLOY/TIN PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Sn)	0.64 (CAT. 0)	TIN	1L2T-14474-BA	1393367-1	COPPER ALLOY/TIN PLATE	22AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-CA	1393365-1	COPPER ALLOY/GOLD PLATE	20AWG
						18AWG
TERMINAL - FEMALE (Au)	0.64 (CAT. 0)	GOLD	1L2T-14474-DA	1393364-1	COPPER ALLOY/GOLD PLATE	22AWG


ANY DESIGN CHANGES ON THIS ASSEMBLY MAY
ALSO BE REQUIRED ON ASSEMBLY DRAWING 1438691

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN R. VESTAL 15APR2005		SEE TABLES SHEETS 3 THRU 7									
				CHK T. VALASEK 15APR2005		PART NUMBER									
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T. VALASEK 15APR2005		NAME									
mm															
		0 PLC ±.		PRODUCT SPEC		PCM 50-WAY HARNESS ASSEMBLY									
		1 PLC ±0.3		-											
		2 PLC ±0.10		-											
		3 PLC ±.		APPLICATION SPEC											
		4 PLC ±.		-											
ANGLES		±1°		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO					
MATERIAL		FINISH		WEIGHT		A1		00779		C=1438129		-			
-		-		-		CUSTOMER DRAWING		SCALE		1:1		SHEET 1 OF 10		REF 32	


REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-




1438129-1
KEYING OPTION "A"




1438129-2
KEYING OPTION "B"




1438129-3
KEYING OPTION "C"



1438129-4
KEYING OPTION "D"



1438129-5
KEYING OPTION "E"



1438129-6
KEYING OPTION "F"

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±.3 1 PLC ±0.3 2 PLC ±0.10 3 PLC ±. 4 PLC ±. ANGLES ±1° FINISH	PRODUCT SPEC	PCM 50-WAY HARNESS ASSEMBLY	
MATERIAL	-	APPLICATION SPEC	SIZE	RESTRICTED TO
-	-	WEIGHT	A100779C=1438129	-
-	-	CUSTOMER DRAWING	SCALE 2:1	SHEET 2 OF 10

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 15APR2005		 TE Connectivity	
		CHG VALASEK 15APR2005			
DIMENSIONS:		TOLERANCES, UNLESS OTHERWISE SPECIFIED:		NAME	
mm				PCM 50-WAY HARNESS ASSEMBLY	
		0 PLC ±		PRODUCT SPEC - APPLICATION SPEC - SIZE CASE CODE DRAWING NO A1 00779 C 1438129 RESTRICTED TO -	
		1 PLC ±0.3			
		2 PLC ±0.10			
		4 PLC ±			
ANGLES ±1°		WEIGHT -			
FINISH				SCALE 1:1 SHEET 3 OF 10 REF 32	
MATERIAL				CUSTOMER DRAWING	

8		7		6		5		4		3		2		1									
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20															
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.															
														REVISIONS									
P		LTR		DESCRIPTION										DATE		DWN		APVD					
-		-		SEE SHEET 1										-		-		-					

				46		43	42											29		27	26	25	24	22									9		7						1	5-1438950-9	5S4T-14A464-MA-065																				
				46															28	27													13	9					1	5-1438950-5	5S4T-14A464-MA-064																						
				46		43			39	38	37			34	32	31	29					24	22	20					15	14											5-1438950-4	5S4T-14A464-MA-063																					
				46		43			39	37			34	32	31	29						24	22	20					15													5-1438950-3	5S4T-14A464-MA-062																				
						43			39	37			34	32	31	29								20					15														5-1438950-2	5S4T-14A464-MA-061																			
				46		43			39	37			34	32	31	29						24	22						15												2	5-1438950-1	5S4T-14A464-MA-060																				
				46		43			39	38	37			34	32	31	29					24	22						15	14											2	5-1438950-0	5S4T-14A464-MA-059																				
						43			39	37			34	32	31	29													15														4-1438950-9	5S4T-14A464-MA-058																			
						43			39	37			34	32	31	30	29							20	19				15															4-1438950-8	5S4T-14A464-MA-057																		
							42									31												15	14												7			3	2	1	4-1438950-7	5S4T-14A464-MA-056															
				46		43	42		39	38	37			33	31					27		25		22			18	16														8	7			2	4-1438950-3	5S4T-14A464-MA-055															
				46						40				33			30	29	28				24	22		19	18	17	16	15	14	13									9		7	6	5			4-1438950-2	5S4T-14A464-MA-054														
				46									39		37		34	32	31	29				24	22					15																		4-1438950-0	5S4T-14A464-MA-053														
				46									39	38	37		34	32	31	29				24	22					15	14																3-1438950-9	5S4T-14A464-MA-052															
				46		43				39	38	37			33						27		25		22			18	16															8	7				3-1438950-6	5S4T-14A464-MA-051													
															33	32					27										13												9				3		1	3-1438950-4	5S4T-14A464-MA-050												
				46			42					37			33		31	30	29	28				24	22		19	18	17	16		14													6	5	4			3-1438950-0	5S4T-14A464-MA-049												
				46			42					37			33		31	30	29	28				24	22		19	18	17	16		14													7	6	5	4			2-1438950-9	5S4T-14A464-MA-048											
50				46			42					37			33		31	30	29	28	27			24	22		19	18	17	16		14													7	6	5	4			2-1438950-8	5S4T-14A464-MA-047											
							43					38									27		25		22			18	16																				1	2-1438950-7	5S4T-14A464-MA-046												
50	49								40	39	38	37	36	35		33	32	31	30				26			22	21	20	19	18																		14	13	12		10	9	8	7	6	5			2	1	2-1438950-6	5S4T-14A464-MA-045
50	49			46	45	44	43	42		40	39	38	37	36	35	34	33	32	31	30	29	28	27	26		23	22		20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4			2	1	2-1438950-5	5S4T-14A464-MA-044												
				46			43	42			39	38	37				33	32	31	30		28	27	26	25	24	22		20	19	18	17	16																9			6	5	4			2-1438950-0	5S4T-14A464-MA-043					
				46			43	42			39	38	37			34	33	32	31	30		28	27	26	25	24	22		20	19	18	17	16															9			6	5	4			1-1438950-8	5S4T-14A464-MA-042						
				46			43	42			38	37			34	32	31	30	29	28	27	26	25	24	22		20	19	18	17	16																		9			6	5	4			1-1438950-7	5S4T-14A464-MA-041					
							43	42			39	38	37			33	32	31	30		28	27	26	25	24	22		20	19	18	17	16																		9			6	5	4			1-1438950-4	5S4T-14A464-MA-040				
				46			43	42			38	37				32	31	30	29	28	27	26	25	24	22		20	19	18	17	16																			9			6	5	4			1-1438950-3	5S4T-14A464-MA-039				
				46				41				37			33			30	29	28				24	22			19	18	17	16		14																6	5	4			1	1-1438950-0	5S4T-14A464-MA-038							
				46				40							33			30	29	28				24	22			19	18	17	16		14	13																				1438950-8	5S4T-14A464-MA-037								
							43			39						33														20																								1438950-1	5S4T-14A464-MA-036								
							43			39	38				34	33	32													20																									9-1438129-9	5S4T-14A464-MA-035							
				46			43			39	37				33				29		27		25		22		20	18	16	15																				8					1	9-1438129-7	5S4T-14A464-MA-034						
				46			43	42			38	37				32	31	30		28	27	26	25	24	22		20	19	18	17	16																				9			6	5	4			9-1438129-5	5S4T-14A464-MA-033			
							42			39	38	37				33				29						22			18	16	15	14																				8				2	1	9-1438129-4	5S4T-14A464-MA-032				
							42			39	38				34	33	32	31			27	26	25			20																										7					9-1438129-3	5S4T-14A464-MA-031					
				46						39	37				34	32	31	29						24	22						15																					2		9-1438129-2	5S4T-14A464-MA-030								
				46						39	38	37			34	32	31	29						24	22						15	14																			2		9-1438129-1	5S4T-14A464-MA-029									
				46				42		39	37			34	33	32	31	29			26		24	22						15																				9		7			2		9-1438129-0	5S4T-14A464-MA-028					
									39	38	37				33				29										18	16	15	14																					1	8-1438129-8	5S4T-14A464-MA-027								
				46																	28	27																												1	8-1438129-0	5S4T-14A464-MA-026											
				46		43	42	41	40	39	38	37			34			31	30	29	28	27	26	25		22			19			15	14	13															9					3	2	1	7-1438129-9	5S4T-14A464-MA-025					
				46			42			39	38	37			34	33	32																																														

8	7	6	5	4	3	2	1
THIS DRAWING IS UNPUBLISHED.		RELEASED FOR PUBLICATION		20			
COPYRIGHT 20		BY -		ALL RIGHTS RESERVED.			

8		7		6		5		4		3		2		1	
THIS DRAWING IS UNPUBLISHED.				RELEASED FOR PUBLICATION				20							
© COPYRIGHT 20				BY -				ALL RIGHTS RESERVED.							
</															

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-

KEYING OPTION C

CAVITIES WITH A NUMERIC SYMBOL INDICATES CLOSED TERMINAL LOCATIONS

BLANK CAVITIES INDICATES OPEN TERMINAL HOLE LOCATIONS

TERMINAL HOLE POSITION

50	49	48	47	46	45	44	43	42	41	40	39	38	37	36	35	34	33	32	31	30	29	28	27	26	25	24	23	22	21	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	---	---	---	---	---	---	---	---	---

5S4T-14A464-N* PIN-OUT CHART

ASSEMBLY
PART
NUMBER

FORD PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.


DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005
15APR2005
15APR2005

DIMENSTIONS:
mm



0 PLC
1 PLC
2 PLC
3 PLC
4 PLC

±
±0.3
±0.10
±
±

ANGLES
FINISH

±1°
-
-

PRODUCT SPEC
APPLICATION SPEC
WEIGHT
CUSTOMER DRAWING

DWN
R. VESTAL

CHK
T. VALASEK

APVD
T. VALASEK

15APR2005
15APR2005
15APR2005

NAME
PCM
50-WAY HARNESS
ASSEMBLY

SIZE
A1

CAGE CODE
00779

DRAWING NO
C=1438129


RESTRICTED TO
-

SCALE
1:1



SHEET
8

OF
10


REV
F32



SCALE 2:1




SECTION B-B



DETAIL E
SCALE 8:1


- NOTES: UNLESS OTHERWISE SPECIFIED
- GENERAL TOLERANCE:
±0.3 ALL ONE PLACE DIMENSIONS
±0.10 ALL TWO PLACE DIMENSIONS
±1°00' ALL ANGULAR DIMENSIONS
 - DRAFT ANGLE PERMISSIBLE ONLY WITHIN DRAWING TOLERANCE.
 - SEALING SURFACE, NO WITNESS LINES OR DAMAGE PERMITTED.
 - ALL UNMARKED RADIUS TO BE 0.5 MAX., UNLESS OTHERWISE SPECIFIED.
 - VENT HOLE SIZE AND LOCATION IS OPTIONAL.
 - THIS AREA TO REMAIN CLEAR FOR THE HARNESS ASSEMBLY.
 - TERMINAL POSITION IDENTIFICATION.
 - MATES WITH TYCO ELECTRONICS PART NUMBERS 1438129-# & 1438950-#



SECTION A-A

SEE RECOMMENDED CONTACT
PIN 0.8 X 1.5 DETAIL

THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN R. VESTAL 15APR2005	TE Connectivity	
DIMENSIONS:		CHK T. VALASEK 15APR2005		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD T. VALASEK 15APR2005	NAME	
	0 PLC ±.3	PRODUCT SPEC	PCM 50-WAY HARNESS ASSEMBLY	
	1 PLC ±0.10	APPLICATION SPEC		
MATERIAL	FINISH	WEIGHT	SIZE	RESTRICTED TO
-	-	-	A100779C=1438129	-
CUSTOMER DRAWING		SCALE 1:1	SHEET 9 OF 10	REV F32

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. VESTAL 15APR2005 CHG T. VALASEK 15APR2005 APPD T. VALASEK 15APR2005		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.3 2 PLC ±0.10 3 PLC ± 4 PLC ± ANGLES ±1°		NAME PCM 50-WAY HARNESS ASSEMBLY	
		PRODUCT SPEC APPLICATION SPEC		SIZE CASE CODE DRAWING NO A100779C-1438129	
MATERIAL - - -		FINISH - - -		RESTRICTED TO - - -	
WEIGHT -		CUSTOMER DRAWING		SCALE 1:1 SHEET 10 OF 10 REF 32	

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9