


DO NOT
SCALE FROM
THIS PRINT



POWER POS (TOTAL)

-00, -02, -04, -06, -08,
-10, *-12, *-14

SIGNAL POS (TOTAL)

-00, *-12, -16, -20, -24,
-28, -32, *-36, *-40

(* = NOT TOOLED)

OPTION

-GP: GUIDE POST
-BLANK: NO GP OPTION

TAIL


-VP1: PRESS FIT
*-VT1: FOR .062" BOARD
*-VT2: FOR .093" BOARD

PLATING SPECIFICATION

-L: 10μ" GOLD IN CONTACT AREA,
MATTE TIN TAIL
-S: 30μ" GOLD IN CONTACT AREA,
MATTE TIN TAIL
(SEE NOTE 6)

(= -00 POWER POS & -00 SIGNAL POS NOT AVAILABLE ON -GP OPTION)

DESIGNED & DIMENSIONED
IN MILLIMETERS [INCHES]



0.00±0.10 [.000±.004] (TYP)

"D" [.550] REF
(SEE TABLE 3, SHT 3)
1.27 [.050] REF (TYP)
(TOL NON-ACCUM)




FIG 1
LPHS-04-24-X-VP1-GP SHOWN

TABLE 5	
POWER POS	BOW
-02, -04	0.15 [.006]
-06, -08, -10, *-12, *-14	0.20 [.008]

(* = NOT TOOLED)

NOTES:

1. Ⓢ REPRESENTS A CRITICAL DIMENSION.
2. MINIMUM PUSHOUT FORCE: 0.5 LBS OF SIGNAL & 3.0 LBS OF POWER PINS.
3. MAXIMUM ALLOWABLE BOW SEE TABLE 5.
4. ASSEMBLIES TO BE PACKAGED IN TRAYS.
5. APPLICATION TOOLING REQUIRED FOR TERMINATIONS, SEE TABLE 6.
6. SELECTIVE PLATING LUBRICATED WITH ACCEL-53T WHICH CAN BE DETECTED USING A UVA ULTRAVIOLET LIGHT SOURCE.

UNLESS OTHERWISE SPECIFIED,
DIMENSIONS ARE IN MILLIMETERS.

TOLERANCES ARE:

DECIMALS ANGLES
X.X: ±0.3 [.01] 2°
X.XX: ±0.13 [.005]
X.XXX: ±0.051 [.0020]

PROPRIETARY NOTE

THIS DOCUMENT CONTAINS CONFIDENTIAL AND
PROPRIETARY INFORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC,
INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE
OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS
WRITTEN CONSENT OF SAMTEC, INC.

MATERIAL: DO NOT SCALE DRAWING

INSULATOR: LCP ULV-0, COLOR: BLACK
TERMINAL: COPPER ALLOY

SHEET SCALE: 2:1

c:\enterprise\dwg\MISC\MKTG\LPHS-XX-XX-X-VXX-XX-MKT.SLDDRW



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:

LPHS-VT ASSEMBLY


DWG. NO.

LPHS-XX-XX-X-VXX-XX

BY: VICKY Z

12/10/2011

SHEET 1 OF 4



SECTION "A"-"A"




TABLE 1

POWER POSITION

SIGNAL POS	-02	-04	-06	-08	-10	*-12	*-14
	"A"	"A"	"A"	"A"	"A"	"A"	"A"
*-12	23.34 [0.919]	35.34 [1.391]	47.34 [1.864]	59.34 [2.336]	71.34 [2.809]	83.34 [3.281]	95.34 [3.754]
-16	25.88 [1.019]	37.88 [1.491]	49.88 [1.964]	61.88 [2.436]	73.88 [2.909]	85.88 [3.381]	97.88 [3.854]
-20	28.42 [1.119]	40.42 [1.591]	52.42 [2.064]	64.42 [2.536]	76.42 [3.009]	88.42 [3.481]	100.42 [3.954]
-24	30.96 [1.219]	42.96 [1.691]	54.96 [2.164]	66.96 [2.636]	78.96 [3.109]	90.96 [3.581]	102.96 [4.054]
-28	33.50 [1.319]	45.50 [1.791]	57.50 [2.264]	69.50 [2.736]	81.50 [3.209]	93.50 [3.681]	105.50 [4.154]
-32	36.04 [1.419]	48.04 [1.891]	60.04 [2.364]	72.04 [2.836]	84.04 [3.309]	96.04 [3.781]	108.04 [4.254]
*-36	38.58 [1.519]	50.58 [1.991]	62.58 [2.464]	74.58 [2.936]	86.58 [3.409]	98.58 [3.881]	110.58 [4.354]
*-40	41.12 [1.619]	53.12 [2.091]	65.12 [2.564]	77.12 [3.036]	89.12 [3.509]	101.12 [3.981]	113.12 [4.454]

(* = NOT TOOLED)

TABLE 2

POWER POS	"B"	"E"
-00	N/A	N/A
-02	N/A	N/A
-04	12.00 [0.472]	19.50 [0.768]
-06	24.00 [0.945]	31.50 [1.240]
-08	36.00 [1.417]	43.50 [1.713]
-10	48.00 [1.890]	55.50 [2.185]
*-12	60.00 [2.362]	67.50 [2.657]
*-14	72.00 [2.835]	79.50 [3.130]

(* = NOT TOOLED)

c:\enterprisevault\DWG\MISC\MKTG\LPHS-XX-XX-X-VXX-XX-MKT.SLDDRW

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

samtec
520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail: info@SAMTEC.com code 55322

DESCRIPTION:
LPHS-VT ASSEMBLY

DWG. NO.
LPHS-XX-XX-X-VXX-XX

BY: VICKY Z 12/10/2011 SHEET 2 OF 4




FIG 2
LPHS-08-24-X-VT1 SHOWN
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)
(NOT TOOLED)




FIG 5
LPHS-08-24-X-VP1 SHOWN
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)

TABLE 4				
TAIL	POWER		SIGNAL	
	CONTACT	"F"	CONTACT	"G"
-VP1	C-367-01-X	2.58[.102]	C-379-01-X & C-380-01-X	2.51[.099]
*-VT1	C-367-02-X	2.35[.093]	C-379-02-X & C-380-02-X	2.31[.091]
*-VT2	C-367-03-X	3.13[.124]	C-379-03-X & C-380-03-X	3.06[.120]

(* = NOT TOOLED)

TABLE 6					
POWER POS	SIGNAL POS	CAT FIXTURE NO	POWER POS	SIGNAL POS	CAT FIXTURE NO
-02	*-12	CAT-PT-LPHS-02-12	-10	*-12	CAT-PT-LPHS-10-12
	-16	CAT-PT-LPHS-02-16		-16	CAT-PT-LPHS-10-16
	-20	CAT-PT-LPHS-02-20		-20	CAT-PT-LPHS-10-20
	-24	CAT-PT-LPHS-02-24		-24	CAT-PT-LPHS-10-24
	-28	CAT-PT-LPHS-02-28		-28	CAT-PT-LPHS-10-28
	-32	CAT-PT-LPHS-02-32		-32	CAT-PT-LPHS-10-32
	*-36	CAT-PT-LPHS-02-36		*-36	CAT-PT-LPHS-10-36
	*-40	CAT-PT-LPHS-02-40		*-40	CAT-PT-LPHS-10-40
-04	*-12	CAT-PT-LPHS-04-12	*-12	*-12	CAT-PT-LPHS-04-12
	-16	CAT-PT-LPHS-04-16		-16	CAT-PT-LPHS-04-16
	-20	CAT-PT-LPHS-04-20		-20	CAT-PT-LPHS-04-20
	-24	CAT-PT-LPHS-04-24		-24	CAT-PT-LPHS-04-24
	-28	CAT-PT-LPHS-04-28		-28	CAT-PT-LPHS-04-28
	-32	CAT-PT-LPHS-04-32		-32	CAT-PT-LPHS-04-32
	*-36	CAT-PT-LPHS-04-36		*-36	CAT-PT-LPHS-04-36
	*-40	CAT-PT-LPHS-04-40		*-40	CAT-PT-LPHS-04-40
-06	*-12	CAT-PT-LPHS-06-12	*-14	*-12	CAT-PT-LPHS-14-12
	-16	CAT-PT-LPHS-06-16		-16	CAT-PT-LPHS-14-16
	-20	CAT-PT-LPHS-06-20		-20	CAT-PT-LPHS-14-20
	-24	CAT-PT-LPHS-06-24		-24	CAT-PT-LPHS-14-24
	-28	CAT-PT-LPHS-06-28		-28	CAT-PT-LPHS-14-28
	-32	CAT-PT-LPHS-06-32		-32	CAT-PT-LPHS-14-32
	*-36	CAT-PT-LPHS-06-36		*-36	CAT-PT-LPHS-14-36
	*-40	CAT-PT-LPHS-06-40		*-40	CAT-PT-LPHS-14-40
-08	*-12	CAT-PT-LPHS-08-12			
	-16	CAT-PT-LPHS-08-16			
	-20	CAT-PT-LPHS-08-20			
	-24	CAT-PT-LPHS-08-24			
	-28	CAT-PT-LPHS-08-28			
	-32	CAT-PT-LPHS-08-32			
	*-36	CAT-PT-LPHS-08-36			
	*-40	CAT-PT-LPHS-08-40			

(* = NOT TOOLED)

TABLE 3		
SIGNAL POS	"C"	"D"
-00	N/A	N/A
*-12	6.35 [0.250]	6.35 [0.250]
-16	8.89 [0.350]	8.89 [0.350]
-20	11.43 [0.450]	11.43 [0.450]
-24	13.97 [0.550]	13.97 [0.550]
-28	16.51 [0.650]	16.51 [0.650]
-32	19.05 [0.750]	19.05 [0.750]
*-36	21.59 [0.850]	21.59 [0.850]
*-40	24.13 [0.950]	24.13 [0.950]

(* = NOT TOOLED)

* PROPRIETARY NOTE *
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR IN PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:2



520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION:	LPHS-VT ASSEMBLY		
DWG. NO.	LPHS-XX-XX-X-VXX-XX		
BY: VICKY Z	12/10/2011	SHEET 3 OF 4	




FIG 3
LPHS-00-24-X-VP1 SHOWN
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)

TABLE 7	
SIGNAL POS	POWER POSITION
	-00
	"H"
*-12	12.13 [0.478]
-16	14.67 [0.578]
-20	17.21 [0.678]
-24	19.75 [0.778]
-28	22.29 [0.878]
-32	24.83 [0.978]
*-36	27.37 [1.078]
*-40	29.91 [1.178]

(* = NOT TOOLED)




FIG 4
LPHS-08-00-X-VP1 SHOWN
(DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)

TABLE 8	
POWER POS	SIGNAL POSITION
	-00
	"J"
-02	11.21 [0.441]
-04	23.21 [0.914]
-06	35.21 [1.386]
-08	47.21 [1.859]
-10	59.21 [2.331]
*-12	71.21 [2.804]
*-14	83.21 [3.276]

(* = NOT TOOLED)

* PROPRIETARY NOTE *
THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

samtec

520 PARK EAST BLVD, NEW ALBANY, IN 47150
PHONE: 812-944-6733 FAX: 812-948-5047
e-Mail info@SAMTEC.com code 55322

DESCRIPTION: LPHS-VT ASSEMBLY

DWG. NO. LPHS-XX-XX-X-VXX-XX

BY: VICKY Z 12/10/2011 SHEET 4 OF 4

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9