


D





C

B




A



X-2103124-7
KEY G - TOP VIEW



2103124-1 SHOWN IN ALL VIEWS UNLESS NOTED
REFER TO SHEET 2 FOR ADDITIONAL PART NUMBER VIEWS



- IDENTIFICATION MARKING ON THIS SURFACE CONTAINS ASSEMBLY P/N AND DATE CODE (YYDD). TEXT ORIENTATION, SIZE, AND LOCATION CAN VARY AS LONG AS TEXT IS ON SURFACE SHOWN AND READABLE.
- SHIELD SEAM CAN BE POSITIONED AS SHOWN OR ROTATED 180° FROM POSITION SHOWN.
- DELETED
- THESE DIMENSIONS DEFINE FASTENER SIZE LIMITS FOR PROPER COMPONENT FUNCTIONALITY. END USER MUST ENSURE FASTENER AND/OR WASHER DIAMETER IS 8.6 MM MIN FOR PROPER RETENTION. THESE ARE NOT PRODUCT FEATURES - NO INSPECTION REQUIRED FOR THESE ITEMS.
- SURFACE FINISH APPLIES TO AREAS SHOWN IN MOUNTING INTERFACE SPECIFICATION
6. USE WITH 2.8MM BLADE TERMINAL P/N:
2-2141598-2 FOR 1.0 - 2.5MM² WIRE
2-2141600-2 FOR >2.5 - 4.0MM² WIRE
7. USE WITH MQS RECEPTACLE P/N:
963715-6, 963715-5, 928999-6 OR 928999-5,
DEPENDING ON WIRE SIZE AND MATING PLUG USED
8. NOTE DELETED
- NOTE DELETED

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
B2		ECO-14-008515	06JUN2014	YS

SILVER	G	1-2103124-7
SILVER	F	1-2103124-6
SILVER	E	1-2103124-5
SILVER	D	1-2103124-4
SILVER	B	1-2103124-2
SILVER	A	1-2103124-1
TIN	G	2103124-7
TIN	F	2103124-6
TIN	E	2103124-5
TIN	D	2103124-4
TIN	B	2103124-2
TIN	A	2103124-1
SHIELD FINISH		INDEX
		PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN T. DEWITTE 30SEP2010	TE Connectivity	
DIMENSIONS:		CHK T. DEWITTE 30SEP2010		
mm		APVD T. DEWITTE 15APR2011	NAME	
		PRODUCT SPEC	HVA280 2P HEADER ASSY W/HVIL PLASTIC 1 PIECE CHART DRAWING	
		APPLICATION SPEC		
MATERIAL		408-10441	SIZE	
-		WEIGHT 22.7 g	CAGE CODE DRAWING NO	
-		CUSTOMER DRAWING	A100779C=2103124	
		SCALE 2:1	SHEET 1 OF 2	
			REV B2	

REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
-	-	SEE SHEET 1	-	-

	X-2103124-1 (KEY A)	X-2103124-2 (KEY B)	X-2103124-4 (KEY D)	X-2103124-5 (KEY E)	X-2103124-6 (KEY F)	X-2103124-7 (KEY G)
FRONT VIEW	(7.20) (7.20) X •PA66-GF33•	(7.20) (9.20) X •PA66-GF33•	(9.20) (9.20) X •PA66-GF33•	(8.20) X •PA66-GF33•	(8.20) X •PA66-GF33•	(8.20) (9.20) (3.20) X •PA66-GF33•
SIDE VIEW	(15.55)	(15.55)	(15.55)	(15.55)	(15.55)	(15.55)
REAR VIEW	(0.00)	(5.50)	(8.25) (15.55)	(2.75) (15.55)	(2.75) (15.55)	(5.50) (15.55)
INTERFACE VIEW - MOUNTING SIDE	0.00 15.550 KEY A MOUNTING INTERFACE	5.50 15.550 KEY B MOUNTING INTERFACE	8.25 15.550 KEY D MOUNTING INTERFACE	2.75 15.550 KEY E MOUNTING INTERFACE	2.75 15.550 KEY F MOUNTING INTERFACE	5.50 15.550 KEY G MOUNTING INTERFACE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

MATERIAL

-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.50
1 PLC ±0.50
2 PLC ±0.15
3 PLC ±0.05
4 PLC ±
ANGLES ±3
FINISH

WEIGHT

22.7 g

CUSTOMER DRAWING

DWN T. DEWILTE 30SEP2010
CHK T. DEWILTE 30SEP2010
APVD T. DEWILTE 15APR2011

PRODUCT SPEC

APPLICATION SPEC

408-10441

SIZE A1

CAGE CODE 00779

DRAWING NO. C=2103124

RESTRICTED TO

-

TE Connectivity

HVA280 2P HEADER ASSY
W/HVIL - PLASTIC 1 PIECE
CHART DRAWING

SCALE 2:1
SHEET 2 OF 2
REV B2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9