






WIRING DIAGRAM



PART No MATRIX



CABLE SPECIFICATION :(FOR MORE DETAILS SEE CABLE SPECIFICATION SHEET)

CABLE TYPE	WIRE GAUGE	CABLE JACKET	UL	CSA	STATIC	FLEXING	DRAG CHAIN TESTED	OTHER
CAB-12 4P(12)	0.34mm ²	TPU GREEN	STYLE 21215	YES	-40°C TO +80°C >5xO.D.	-20°C TO +60°C >15xO.D.	2 mio CYCLES	WELD SLAG RESISTANCE

BOM (ID CARRIER APPLICABLE, IF ENGINEERING NO. HAS "H" {SEE PART LIST})

ITEM	QTY.	DESCRIPTION	MATERIAL	FINISH/COLOR
1	2	INSERT	PUR	BLACK
2	8	PIN CONTACT	COPPER ALLOY	GOLD OVER NICKEL PLATED
3	2	COUPLING NUT	BRASS	NICKEL PLATED
4	-	OVERMOULD	TPU	BLACK
5	-	CABLE	TPU	GREEN
6	1	LABEL	VINYL	YELLOW
7	SEE PN MATRIX	ID CARRIER	PVC	TRANSPARENT

TABLE 1

TABLE OF LENGTH TOLERANCES		
OVER	UP TO AND INCLUDING	TOLERANCE
0	1000	+40 0
1000	5000	+60 0
5000	10000	+80 0
10000	20000	+140 0
20000	30000	+160 0
30000	>	+1% OF LENGTH

SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	
▽ = 0	DIMENSION UNITS	SCALE
▽ = 0	mm	1:1
▽ = 0	GENERAL TOLERANCES (UNLESS SPECIFIED)	
▽ = 0	ANGULAR TOL ± 1.0°	
▽ = 0	4 PLACES	±
▽ = 0	3 PLACES	±
▽ = 0	2 PLACES	± 0.05
▽ = 0	1 PLACE	± 0.3
▽ = 0	0 PLACES	± 0.5
▽ = 0	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	
▽ = 0	THIRD ANGLE PROJECTION	
▽ = 0	DRAWING	SERIES
▽ = 0	A3-SIZE	120108
CURRENT REV DESC:		
EC NO: 634219		
DRWN: MDHARMANTI 2020/03/17		
CHK'D: RSILLER 2020/03/18		
APPR: RSILLER 2020/03/18		
INITIAL REVISION:		
DRWN: BBRAUCH 2014/10/16		
APPR: CBURGER 2014/10/16		
DOCUMENT NUMBER		
SD-120108-072		
DOC TYPE		
PSD		
DOC PART		
001		
REVISION		
A2		
MATERIAL NUMBER		
SEE SHEET 2		
CUSTOMER		
GENERAL MARKET		
SHEET NUMBER		
1 OF 2		

CONNECTOR SPECIFICATION :
VOLTAGE RATING : MAX. 30V
AMPERAGE RATING : 1.5A
PROTECTION : IP67
OPERATING TEMPERATURE : SEE CABLE TYPE

molex

CSE M12 ETH 4P DC MA
STR WSOR XM DE

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER
SD-120108-072

DOC TYPE
PSD

DOC PART
001

REVISION
A2

MATERIAL NUMBER
SEE SHEET 2

CUSTOMER
GENERAL MARKET

SHEET NUMBER
1 OF 2

F

E

D

C

B

A

PART LIST

MOLEX P/N	ENGINEERING No.	L(mm)
1201088303	E11A06012M005	500
1201088304	E11A06012M010	1000
1201088305	E11A06012M020	2000
1201088306	E11A06012M030	3000
1201088384	E11A06012M035	3500
1201088307	E11A06012M040	4000
1201088308	E11A06012M050	5000
1201088309	E11A06012M060	6000
1201088310	E11A06012M080	8000
1201088311	E11A06012M100	10000
1201088312	E11A06012M120	12000
1201088313	E11A06012M150	15000
1201088314	E11A06012M180	18000
1201088315	E11A06012M200	20000
1201088316	E11A06012M250	25000
1201088317	E11A06012M300	30000
1201088318	E11A06012M350	35000
1201088319	E11A06012M400	40000
1201088320	E11A06012M450	45000
1201088321	E11A06012M500	50000
1201088322	E11A06012M550	55000
1201088323	E11A06012M600	60000
1201088324	E11A06012M650	65000
1201088325	E11A06012M700	70000
1201088326	E11A06012M750	75000
1201088327	E11A06012M800	80000
1201088328	E11A06012M850	85000
1201088714	E11A06012M900	90000
1201088715	E11A06012M950	95000
1201088402	E11A06012M002H	200
1201088403	E11A06012M005H	500
1201088404	E11A06012M010H	1000
1201088405	E11A06012M020H	2000
1201088406	E11A06012M030H	3000
1201088407	E11A06012M050H	5000
1201088669	E11A06012M060H	6000
1201088408	E11A06012M100H	10000
1201088589	E11A06012M130H	13000
1201088409	E11A06012M150H	15000
1201088590	E11A06012M180H	18000

MOLEX P/N	ENGINEERING No.	L(mm)
1201088410	E11A06012M200H	20000
1201088591	E11A06012M230H	23000
1201088411	E11A06012M250H	25000
1201088412	E11A06012M300H	30000
1201088413	E11A06012M400H	40000
1201088414	E11A06012M500H	50000
1201088415	E11A06012M600H	60000
1201088416	E11A06012M700H	70000
1201088417	E11A06012M900H	90000
1201088418	E11A06012M1K0H	100000
1201088507	E11A06012M230	23000
1201088508	E11A06012M270	27000
1201088536	E11A06012M080H	8000
1201088653	E11A06012M025	2500
1201088800	E11A06012M045H	4500
1201088801	E11A06012M003H	300
1201088802	E11A06012M110H	11000
1201088803	E11A06012M090H	9000
1201088804	E11A06012M060H	6000
1201088805	E11A06012M040H	4000
1201088806	E11A06012M035H	3500
1201088807	E11A06012M025H	2500

SHEET INFORMATION

DOCUMENT STATUS | P1 | RELEASE DATE | 2020/03/18 | 07:29:22

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

SYMBOLS

= 0
= 0
= 0
= 0
= 0
= 0
= 0
= 0

[Symbol]

[Symbol]

[Symbol]

DIMENSION UNITS

mm

SCALE

1:1

GENERAL TOLERANCES (UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °
4 PLACES ±
3 PLACES ±
2 PLACES ± 0.05
1 PLACE ± 0.3
0 PLACES ± 0.5
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

CURRENT REV DESC:

EC NO: 634219
DRWN: MDHARMANTI 2020/03/17
CHK'D: RSILLER 2020/03/18
APPR: RSILLER 2020/03/18
INITIAL REVISION:
DRWN: BBRAUCH 2014/10/16
APPR: CBURGER 2014/10/16
THIRD ANGLE PROJECTION
DRAWING A3-SIZE
SERIES 120108

molex

CSE M12 ETH 4P DC MA STR WSOR XM DE

PRODUCT CUSTOMER DRAWING

DOCUMENT NUMBER SD-120108-072

DOC TYPE PSD

DOC PART 001

REVISION A2

MATERIAL NUMBER SEE PART LIST
CUSTOMER GENERAL MARKET
SHEET NUMBER 2 OF 2

10987654321

F

E

D

C

B

A

10

9

8

7

6

5

4

3

2

1

PART LIST

MOLEX P/N	ENGINEERING No.	L(mm)
1201088303	E11A06012M005	500
1201088304	E11A06012M010	1000
1201088305	E11A06012M020	2000
1201088306	E11A06012M030	3000
1201088384	E11A06012M035	3500
1201088307	E11A06012M040	4000
1201088308	E11A06012M050	5000
1201088309	E11A06012M060	6000
1201088310	E11A06012M080	8000
1201088311	E11A06012M100	10000
1201088312	E11A06012M120	12000
1201088313	E11A06012M150	15000
1201088314	E11A06012M180	18000
1201088315	E11A06012M200	20000
1201088316	E11A06012M250	25000
1201088317	E11A06012M300	30000
1201088318	E11A06012M350	35000
1201088319	E11A06012M400	40000
1201088320	E11A06012M450	45000
1201088321	E11A06012M500	50000
1201088322	E11A06012M550	55000
1201088323	E11A06012M600	60000
1201088324	E11A06012M650	65000
1201088325	E11A06012M700	70000
1201088326	E11A06012M750	75000
1201088327	E11A06012M800	80000
1201088328	E11A06012M850	85000
1201088714	E11A06012M900	90000
1201088715	E11A06012M950	95000
1201088402	E11A06012M002H	200
1201088403	E11A06012M005H	500
1201088404	E11A06012M010H	1000
1201088405	E11A06012M020H	2000
1201088406	E11A06012M030H	3000
1201088407	E11A06012M050H	5000
1201088669	E11A06012M060H	6000
1201088408	E11A06012M100H	10000
1201088589	E11A06012M130H	13000
1201088409	E11A06012M150H	15000
1201088590	E11A06012M180H	18000

MOLEX P/N	ENGINEERING No.	L(mm)
1201088410	E11A06012M200H	20000
1201088591	E11A06012M230H	23000
1201088411	E11A06012M250H	25000
1201088412	E11A06012M300H	30000
1201088413	E11A06012M400H	40000
1201088414	E11A06012M500H	50000
1201088415	E11A06012M600H	60000
1201088416	E11A06012M700H	70000
1201088417	E11A06012M900H	90000
1201088418	E11A06012M1K0H	100000
1201088507	E11A06012M230	23000
1201088508	E11A06012M270	27000
1201088536	E11A06012M080H	8000
1201088653	E11A06012M025	2500
1201088800	E11A06012M045H	4500
1201088801	E11A06012M003H	300
1201088802	E11A06012M110H	11000
1201088803	E11A06012M090H	9000
1201088804	E11A06012M060H	6000
1201088805	E11A06012M040H	4000
1201088806	E11A06012M035H	3500
1201088807	E11A06012M025H	2500

DOCUMENT STATUS

P1

RELEASE DATE

2020/03/18

07:29:22

FORMAT: mspc31-15-06-A3
REVISION: N/A
DATE: 2018/01/11

9

8

7

6

5

4

3

2

1

Symbols

▽ = 0

▽ = 0

▽ = 0

▽ = 0

▼ = 0

▽ = 0

☒ = 0

■ = 0

↗ = 0

mm

GENERAL TOLERANCES
(UNLESS SPECIFIED)

ANGULAR TOL ± 1.0 °

4 PLACES ±

3 PLACES ±

2 PLACES ± 0.05

1 PLACE ± 0.3

0 PLACES ± 0.5

DRAFT WHERE APPLICABLE
MUST REMAIN WITHIN DIMENSIONS

SCALE

1:1

CURRENT REV DESC:

EC NO: 634219

DRWN: MDHARMANTI

CHK'D: RSILLER

APPR: RSILLER

2020/03/17

2020/03/18

2020/03/18

INITIAL REVISION:

DRWN: BBRAUCH

APPR: CBURGER

2014/10/16

2014/10/16

THIRD ANGLE PROJECTION

DRAWING

A3-SIZE

SERIES

120108

MATERIAL NUMBER

SEE PART LIST

CUSTOMER

GENERAL MARKET

SHEET NUMBER

2 OF 2

DOCUMENT NUMBER

SD-120108-072

DOC TYPE

PSD

DOC PART

001

REVISION

A2

molex

CSE M12 ETH 4P DC MA

STR WSOR XM DE

PRODUCT CUSTOMER DRAWING

10

9

8

7

6

5

4

3

2

1

F

E

D

C

B

A

PART LIST

MOLEX P/N	ENGINEERING No.	L(mm)
1201088303	E11A06012M005	500
1201088304	E11A06012M010	1000
1201088305	E11A06012M020	2000
1201088306	E11A06012M030	3000
1201088384	E11A06012M035	3500
1201088307	E11A06012M040	4000
1201088308	E11A06012M050	5000
1201088309	E11A06012M060	6000
1201088310	E11A06012M080	8000
1201088311	E11A06012M100	10000
1201088312	E11A06012M120	12000
1201088313	E11A06012M150	15000
1201088314	E11A06012M180	18000
1201088315	E11A06012M200	20000
1201088316	E11A06012M250	25000
1201088317	E11A06012M300	30000
1201088318	E11A06012M350	35000
1201088319	E11A06012M400	40000
1201088320	E11A06012M450	45000
1201088321	E11A06012M500	50000
1201088322	E11A06012M550	55000
1201088323	E11A06012M600	60000
1201088324	E11A06012M650	65000
1201088325	E11A06012M700	70000
1201088326	E11A06012M750	75000
1201088327	E11A06012M800	80000
1201088328	E11A06012M850	85000
1201088714	E11A06012M900	90000
1201088715	E11A06012M950	95000
1201088402	E11A06012M002H	200
1201088403	E11A06012M005H	500
1201088404	E11A06012M010H	1000
1201088405	E11A06012M020H	2000
1201088406	E11A06012M030H	3000
1201088407	E11A06012M050H	5000
1201088669	E11A06012M060H	6000
1201088408	E11A06012M100H	10000
1201088589	E11A06012M130H	13000
1201088409	E11A06012M150H	15000
1201088590	E11A06012M180H	18000

MOLEX P/N	ENGINEERING No.	L(mm)
1201088410	E11A06012M200H	20000
1201088591	E11A06012M230H	23000
1201088411	E11A06012M250H	25000
1201088412	E11A06012M300H	30000
1201088413	E11A06012M400H	40000
1201088414	E11A06012M500H	50000
1201088415	E11A06012M600H	60000
1201088416	E11A06012M700H	70000
1201088417	E11A06012M900H	90000
1201088418	E11A06012M1K0H	100000
1201088507	E11A06012M230	23000
1201088508	E11A06012M270	27000
1201088536	E11A06012M080H	8000
1201088653	E11A06012M025	2500
1201088800	E11A06012M045H	4500
1201088801	E11A06012M003H	300
1201088802	E11A06012M110H	11000
1201088803	E11A06012M090H	9000
1201088804	E11A06012M060H	6000
1201088805	E11A06012M040H	4000
1201088806	E11A06012M035H	3500
1201088807	E11A06012M025H	2500

DOCUMENT STATUS | P1 | RELEASE DATE | 2020/03/18 07:29:22

SHEET NUMBER
2 OF 2

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

<http://moschip.ru/get-element>

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:

moschip.ru

moschip.ru_4

moschip.ru_6

moschip.ru_9