THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	B1	ECR-15-016505	11NOV2015	DL	CW
	B2	ECR-16-009730	06JUL2016	BS	CW
	B3	ECR-16-018198	10FEB2017	QY	CW
	B4	ECR-18-016602	08NOV2018	CH	CW











GROUNDING CONTACT TYPE: SCREW CONTACT
GROUNDING CONTACT FINISH: SILVER PLATED
WIRE RANGE: 2.5mm (AWG14)
接地端子类型:螺丝连接端子/接地端子表面处理:镀银/接线范围:2.5mm²(AWG14)



TYPE-1:T2080052101-000,TE LOGO
类 型-1:T2080052101-000,TE LOGO

TYPE-2:T2080052101-001,STAINLESS STEEL SCREW,TE LOGO
类 型-2:T2080052101-001,不锈钢螺丝,TE LOGO

NOTES:

1. TECHNICAL CHARACTERISTICS:
   INSULATION MATERIAL: PC
   RATED VOLTAGE: 400V
   RATED CURRENT: 16A
   INSULATION RESISTANCE: >=400MΩ
   RATED IMPULSE VOLTAGE: 4KV
   POLLUTION DEGREE: 3
   FLAMMABILITY: UL94V-0
   MATING CYCLES: 500 CYCLES
   WIRE RANGE: 0.14-4.0mm² (26-12AWG)
   CONTACT TYPE: CRIMP CONTACT
2. CONTACT NEED TO BE ORDERED SEPARATELY.
   (ORDER No. REFER TO DRAWING:T20300X10XX000)

注释:
1. 技术参数:
   绝缘材料: PC
   额定电压: 400V
   额定电流: 16A
   绝缘电阻: >=400MΩ
   额定脉冲电压: 4KV
   污染等级: 3
   阻燃等级: UL94V-0
   插拔次数: 500次
   接线范围: 0.14-4.0mm² (26-12AWG)
   接线类型: 冷压接
2. 端子需要单独订购.
   (订货号参考图面: T20300X10XX000)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL -
-

FINISH -
-

DWN DAVID.WANG 10JAN2015
CHK CHRIS.WANG 10JAN2015
APVD XIANG.XU 10JAN2015
PRODUCT SPEC 108-137054
APPLICATION SPEC 114-137054
WEIGHT -

TE Connectivity

NAME HQ-005-M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-T2080052101000	-

Customer Drawing | SCALE 1:1 | SHEET 1 OF 2 | REV B4

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



NOTES:

SEE SHEET 1









TYPE-4:T2080052101-003, THIS TYPE IS SAME AS TYPE-1, ONLY DIFFERENT MALE GROUNDING CONTACT.
类 型-4:T2080052101-003,此类型同类型-1,只是公接地针不同.

ALL DIMENSIONS ARE SAME AS TYPE-1, EXCEPT THOSE DEFINED IN THIS TYPE.
除了在本类型中定义的尺寸外,其它尺寸同类型-1



SCALE 1:1



TYPE-3:T2080052101-002,STAINLESS STEEL SCREW,NO LOGO
类 型-3:T2080052101-002,不锈钢螺丝,无LOGO

PART NUMBER 料 号		PART DESCRIPTION 描 述	TYPE 类 型
T2080052101-003	HQ-005-M	HQ-005 MALE INSERT HQ-005 公插	TYPE-4 类 型-4
T2080052101-002	HQ-005-M	HQ-005 MALE INSERT, STAINLESS STEEL SCREW,NO LOGO HQ-005 公插,不锈钢螺丝,无LOGO	TYPE-3 类 型-3
T2080052101-001	HQ-005-M	HQ-005 MALE INSERT, STAINLESS STEEL SCREW HQ-005 公插,不锈钢螺丝	TYPE-2 类 型-2
T2080052101-000	HQ-005-M	HQ-005 MALE INSERT HQ-005 公插	TYPE-1 类 型-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±-
4 PLC ±-
ANGLES ±-

MATERIAL - -

FINISH - -

DWN DAVID.WANG 10JAN2015
CHK CHRIS.WANG 10JAN2015
APVD XIANG.XU 10JAN2015
PRODUCT SPEC 108-137054
APPLICATION SPEC 114-137054
WEIGHT -

TE Connectivity

NAME HQ-005-M

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-T2080052101000	-

Customer Drawing

SCALE 2:1 SHEET 2 OF 2 REV B4

Общество с ограниченной ответственностью «МосЧип» ИНН 7719860671 / КПП 771901001
Адрес: 105318, г.Москва, ул.Щербаковская д.3, офис 1107

Данный компонент на территории Российской Федерации

Вы можете приобрести в компании MosChip.

Для оперативного оформления запроса Вам необходимо перейти по данной ссылке:

http://moschip.ru/get-element

Вы можете разместить у нас заказ для любого Вашего проекта, будь то серийное производство или разработка единичного прибора.

В нашем ассортименте представлены ведущие мировые производители активных и пассивных электронных компонентов.

Нашей специализацией является поставка электронной компонентной базы двойного назначения, продукции таких производителей как XILINX, Intel (ex.ALTERA), Vicor, Microchip, Texas Instruments, Analog Devices, Mini-Circuits, Amphenol, Glenair.

Сотрудничество с глобальными дистрибьюторами электронных компонентов, предоставляет возможность заказывать и получать с международных складов практически любой перечень компонентов в оптимальные для Вас сроки.

На всех этапах разработки и производства наши партнеры могут получить квалифицированную поддержку опытных инженеров.

Система менеджмента качества компании отвечает требованиям в соответствии с ГОСТ Р ИСО 9001, ГОСТ РВ 0015-002 и ЭС РД 009

Офис по работе с юридическими лицами:

105318, г.Москва, ул.Щербаковская д.3, офис 1107, 1118, ДЦ «Щербаковский»

Телефон: +7 495 668-12-70 (многоканальный)

Факс: +7 495 668-12-70 (доб.304)

E-mail: info@moschip.ru

Skype отдела продаж:
moschip.ru
moschip.ru_4
moschip.ru_6
moschip.ru_9